



## wwPDB EM Validation Summary Report ⓘ

Mar 10, 2026 – 02:52 PM UTC

PDB ID : 4BOR / pdb\_00004bor  
EMDB ID : EMD-2382  
Title : The structure and super-organization of acetylcholine receptor-rapsyn complexes class D  
Authors : Zuber, B.; Unwin, N.  
Deposited on : 2013-05-22  
Resolution : 42.00 Å(reported)  
Based on initial model : 2BG9

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : **NOT EXECUTED**  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 42.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric                | Whole archive<br>(#Entries) | EM structures<br>(#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Clashscore            | 229148                      | 23984                       |
| Ramachandran outliers | 224038                      | 23583                       |
| Sidechain outliers    | 223484                      | 23102                       |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain   |
|-----|-------|--------|--|
| 1   | A     | 461    | <div> <div>12%</div> <div>6% 40% 29% 6% 20%</div> </div> |
| 1   | D     | 461    | <div> <div>9%</div> <div>5% 44% 25% 6% 20%</div> </div>  |
| 2   | B     | 493    | <div> <div>8%</div> <div>• 43% 23% 5% 25%</div> </div>   |
| 3   | C     | 522    | <div> <div>12%</div> <div>6% 36% 23% 5% 29%</div> </div> |
| 4   | E     | 505    | <div> <div>13%</div> <div>5% 38% 25% 5% 27%</div> </div> |

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 14924 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ACETYLCHOLINE RECEPTOR SUBUNIT ALPHA.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 1   | A     | 370      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 2991  | 1954 | 478 | 540 | 19 |         |       |
| 1   | D     | 370      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 2991  | 1954 | 478 | 540 | 19 |         |       |

- Molecule 2 is a protein called ACETYLCHOLINE RECEPTOR BETA SUBUNIT.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 2   | B     | 370      | Total | C    | N   | O   | S  | 0       | 0     |
|     |       |          | 2972  | 1938 | 465 | 554 | 15 |         |       |


- Molecule 3 is a protein called ACETYLCHOLINE RECEPTOR DELTA SUBUNIT.

| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 3   | C     | 370      | Total | C    | N   | O   | S  | 0       | 1     |
|     |       |          | 2983  | 1944 | 489 | 536 | 14 |         |       |


- Molecule 4 is a protein called ACETYLCHOLINE RECEPTOR GAMMA SUBUNIT.


| Mol | Chain | Residues | Atoms |      |     |     |    | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 4   | E     | 371      | Total | C    | N   | O   | S  | 0       | 1     |
|     |       |          | 2987  | 1948 | 478 | 551 | 10 |         |       |






● Molecule 2: ACETYLCHOLINE RECEPTOR BETA SUBUNIT






• Molecule 3: ACETYLCHOLINE RECEPTOR DELTA SUBUNIT



• Molecule 4: ACETYLCHOLINE RECEPTOR GAMMA SUBUNIT



|      |      |     |      |      |      |      |
|------|------|-----|------|------|------|------|
| I465 | LEU  | LYS | Y285 | T225 | GLU  | A105 |
| F466 | ALA  | PRO | L286 | T226 | VAL  | N106 |
| L467 | ASN  | GLN | L287 | A227 | VAL  | E107 |
| T468 | PHE  | PRO | F288 | P228 | GLU  | L108 |
| G469 | ALA  | ARG | W289 | C229 | TRP  | V109 |
| H470 | PRO  | ARG | W290 | V230 | ILE  | Y110 |
| L471 | GLU  | ARG | F291 | L231 | HIS  | N111 |
| M472 | ILE  | SER | Y292 | T232 | I172 | D112 |
| Q473 | S414 | SER | S293 | S233 | D173 | G113 |
| W474 | L415 | PHE | L294 | S234 | P174 | W54  |
| P475 | F416 | GLY | Y295 | L235 | E175 | M115 |
| E476 | W417 | ILE | T296 | V236 | D176 | E56  |
| P477 | A418 | MET | Y297 | V237 | F177 | Y116 |
| F478 | A419 | LYS | T298 | L238 | T178 | W117 |
| E479 | C420 | ALA | N299 | V239 | E179 | L118 |
| F480 | M421 | GLU | C300 | Y240 | N180 | P119 |
| P481 | F421 | GLU | V301 | F241 | G181 | P120 |
| P482 | L422 | GLU | L302 | L242 | E182 | A121 |
| P483 | A423 | TYR | V303 | P243 | W183 | R63  |
| GLY  | P424 | ILE | L304 | A244 | Y123 | Y123 |
| ASP  | S425 | LEU | N305 | Q245 | T184 | R124 |
| ARG  | F426 | LYS | V306 | A246 | I185 | S125 |
| LYS  | E427 | LYS | S307 | G247 | R186 | T126 |
| ARG  | E428 | PRO | L308 | G248 | H187 | C127 |
| TYR  | Q429 | ARG | R309 | Q249 | P188 | P128 |
| VAL  | N430 | SER | F310 | K250 | P189 | I129 |
| PRO  | D431 | GLU | P311 | C251 | A190 | A130 |
|      | S432 | LEU | N312 | T252 | K191 | V131 |
|      | Q433 | MET | T313 | L253 | K192 | T132 |
|      | S434 | PHE | H314 | S254 | N193 | Y133 |
|      | E435 | GLU | SER  | L255 | K197 | G73  |
|      | N436 | GLU | LEU  | S256 | L198 | F134 |
|      | E437 | GLN | SER  | V257 | Y194 | F136 |
|      | N438 | LYS | GLU  | L258 | N195 | D137 |
|      | W439 | ASP | LYS  | L259 | W196 | W138 |
|      | V440 | ARG | ILE  | A260 | Q197 | Q139 |
|      | L441 | HIS | LYS  | Q261 | L198 | N140 |
|      | L442 | GLY | HIS  | T262 | T199 | C141 |
|      | G443 | LYS | LEU  | F263 | K200 | S142 |
|      | K444 | ARG | LEU  | L265 | D202 | L143 |
|      | F445 | VAL | GLU  | F266 | L203 | V144 |
|      | L446 | ASN | PHE  | L267 | D204 | F145 |
|      | D447 | LYS | LEU  | L268 | P205 | R146 |
|      | K448 | MET | PRO  | A269 | Q206 | Q148 |
|      | A449 | THR | LYS  | Q270 | Q207 | D88  |
|      | C450 | SER | TYR  | K271 | E208 | Y149 |
|      | W451 | ASP | LEU  | V272 | L209 | Y150 |
|      | W452 | ILE | GLY  | P273 | F210 | M151 |
|      | L453 | ASP | MET  | E274 | F211 | A152 |
|      | A454 | GLY | LEU  | T275 | L212 | H153 |
|      | L455 | THR | GLU  | S276 | L213 | E154 |
|      | L456 | THR | PRO  | L277 | L214 | V155 |
|      | L457 | VAL | PRO  | W278 | Q215 | D157 |
|      | L458 | ASP | GLU  | V279 | Q158 | Q158 |
|      | S459 | LEU | GLU  | P280 | R216 | Q98  |
|      | L460 | LEU | THR  | L281 | K217 | L159 |
|      | L461 | TYR | THR  | L282 | P218 | S160 |
|      | L462 | LYS | PRO  | G283 | L219 | E161 |
|      | L463 | ASP | GLU  | K284 | Y221 | A162 |
|      |      |     |      |      | T222 | E163 |
|      |      |     |      |      | T223 | G164 |
|      |      |     |      |      |      |      |

## 4 Experimental information

| Property                             | Value                          | Source    |
|--------------------------------------|--------------------------------|-----------|
| EM reconstruction method             | TOMOGRAPHY                     | Depositor |
| Imposed symmetry                     | POINT, Not provided            |           |
| Number of tilted images used         | 3564                           | Depositor |
| Resolution determination method      | Not provided                   |           |
| CTF correction method                | Not provided                   |           |
| Microscope                           | FEI TECNAI F30                 | Depositor |
| Voltage (kV)                         | 300                            | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 50                             | Depositor |
| Minimum defocus (nm)                 | 3000                           | Depositor |
| Maximum defocus (nm)                 | 6000                           | Depositor |
| Magnification                        | 80213                          | Depositor |
| Image detector                       | GATAN ULTRASCAN 4000 (4k x 4k) | Depositor |
| Maximum voxel value                  | 1.112                          | Depositor |
| Minimum voxel value                  | -0.771                         | Depositor |
| Average voxel value                  | 0.000                          | Depositor |
| Voxel value standard deviation       | 0.067                          | Depositor |
| Recommended contour level            | 0.278                          | Depositor |
| Tomogram size ( $\text{\AA}$ )       | 448.8, 448.8, 448.8            | wwPDB     |
| Tomogram dimensions                  | 60, 60, 60                     | wwPDB     |
| Tomogram angles ( $^\circ$ )         | 90.0, 90.0, 90.0               | wwPDB     |
| Grid spacing ( $\text{\AA}$ )        | 7.48, 7.48, 7.48               | Depositor |



## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths |                 | Bond angles |                  |
|-----|-------|--------------|-----------------|-------------|------------------|
|     |       | RMSZ         | $\# Z  > 5$     | RMSZ        | $\# Z  > 5$      |
| 1   | A     | 0.96         | 9/3069 (0.3%)   | 1.55        | 71/4186 (1.7%)   |
| 1   | D     | 0.98         | 13/3069 (0.4%)  | 1.49        | 57/4186 (1.4%)   |
| 2   | B     | 1.05         | 17/3048 (0.6%)  | 1.51        | 57/4162 (1.4%)   |
| 3   | C     | 0.97         | 13/3059 (0.4%)  | 1.55        | 72/4175 (1.7%)   |
| 4   | E     | 0.96         | 13/3057 (0.4%)  | 1.50        | 71/4174 (1.7%)   |
| All | All   | 0.99         | 65/15302 (0.4%) | 1.52        | 328/20883 (1.6%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1   | D     | 0                   | 2                   |
| 3   | C     | 0                   | 2                   |
| All | All   | 0                   | 4                   |

The worst 5 of 65 bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z      | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|--------|-------------|----------|
| 2   | B     | 129 | THR  | C-N   | -18.37 | 1.14        | 1.34     |
| 1   | D     | 208 | GLN  | C-N   | 12.69  | 1.51        | 1.33     |
| 4   | E     | 182 | GLU  | C-N   | 12.52  | 1.44        | 1.33     |
| 3   | C     | 265 | LEU  | C-N   | 10.79  | 1.48        | 1.33     |
| 4   | E     | 306 | VAL  | C-N   | -8.77  | 1.22        | 1.33     |

The worst 5 of 328 bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms  | Z      | Observed(°) | Ideal(°) |
|-----|-------|-----|------|--------|--------|-------------|----------|
| 3   | C     | 122 | PRO  | CA-C-N | 13.67  | 134.60      | 119.83   |
| 3   | C     | 122 | PRO  | C-N-CA | 13.67  | 134.60      | 119.83   |
| 4   | E     | 238 | LEU  | N-CA-C | -13.47 | 96.08       | 111.03   |
| 3   | C     | 460 | ILE  | N-CA-C | -13.47 | 100.99      | 111.90   |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Res | Type | Atoms  | Z      | Observed( $^{\circ}$ ) | Ideal( $^{\circ}$ ) |
|-----|-------|-----|------|--------|--------|------------------------|---------------------|
| 2   | B     | 441 | TYR  | N-CA-C | -12.79 | 97.04                  | 112.89              |

There are no chirality outliers.

All (4) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group     |
|-----|-------|-----|------|-----------|
| 3   | C     | 63  | TYR  | Sidechain |
| 3   | C     | 74  | TYR  | Sidechain |
| 1   | D     | 277 | TYR  | Sidechain |
| 1   | D     | 72  | TYR  | Sidechain |

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

| Mol | Chain | Non-H | H(model) | H(added) | Clashes | Symm-Clashes |
|-----|-------|-------|----------|----------|---------|--------------|
| 1   | A     | 2991  | 0        | 3006     | 1104    | 0            |
| 1   | D     | 2991  | 0        | 3006     | 1089    | 0            |
| 2   | B     | 2972  | 0        | 2954     | 1120    | 0            |
| 3   | C     | 2983  | 0        | 2987     | 1194    | 0            |
| 4   | E     | 2987  | 0        | 2994     | 1108    | 0            |
| All | All   | 14924 | 0        | 14947    | 5346    | 0            |

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 179.

The worst 5 of 5346 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

| Atom-1           | Atom-2           | Interatomic distance (Å) | Clash overlap (Å) |
|------------------|------------------|--------------------------|-------------------|
| 4:E:183:TRP:CB   | 4:E:216:ARG:HG2  | 1.33                     | 1.56              |
| 2:B:134:TYR:CE1  | 2:B:213:ILE:HG13 | 1.44                     | 1.49              |
| 1:A:167:LEU:HD12 | 1:A:178:MET:CB   | 1.43                     | 1.48              |
| 1:A:167:LEU:CD1  | 1:A:178:MET:HB2  | 1.46                     | 1.44              |
| 3:C:316:THR:CG2  | 3:C:317:PRO:HD2  | 1.53                     | 1.37              |

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed        | Favoured   | Allowed   | Outliers | Percentiles |    |
|-----|-------|-----------------|------------|-----------|----------|-------------|----|
| 1   | A     | 366/461 (79%)   | 288 (79%)  | 49 (13%)  | 29 (8%)  | 1           | 10 |
| 1   | D     | 366/461 (79%)   | 294 (80%)  | 41 (11%)  | 31 (8%)  | 0           | 9  |
| 2   | B     | 364/493 (74%)   | 273 (75%)  | 59 (16%)  | 32 (9%)  | 0           | 8  |
| 3   | C     | 364/522 (70%)   | 289 (79%)  | 57 (16%)  | 18 (5%)  | 1           | 16 |
| 4   | E     | 365/505 (72%)   | 281 (77%)  | 58 (16%)  | 26 (7%)  | 1           | 11 |
| All | All   | 1825/2442 (75%) | 1425 (78%) | 264 (14%) | 136 (8%) | 1           | 10 |

5 of 136 Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1   | A     | 2   | GLU  |
| 1   | A     | 27  | HIS  |
| 1   | A     | 76  | LYS  |
| 1   | A     | 83  | ASP  |
| 1   | A     | 102 | ILE  |

### 5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed      | Rotameric | Outliers  | Percentiles |   |
|-----|-------|---------------|-----------|-----------|-------------|---|
| 1   | A     | 343/427 (80%) | 236 (69%) | 107 (31%) | 0           | 2 |
| 1   | D     | 343/427 (80%) | 248 (72%) | 95 (28%)  | 0           | 3 |
| 2   | B     | 340/449 (76%) | 261 (77%) | 79 (23%)  | 1           | 5 |
| 3   | C     | 335/475 (70%) | 240 (72%) | 95 (28%)  | 0           | 2 |

*Continued on next page...*

*Continued from previous page...*

| Mol | Chain | Analysed        | Rotameric  | Outliers  | Percentiles |   |
|-----|-------|-----------------|------------|-----------|-------------|---|
| 4   | E     | 337/463 (73%)   | 238 (71%)  | 99 (29%)  | 0           | 2 |
| All | All   | 1698/2241 (76%) | 1223 (72%) | 475 (28%) | 1           | 3 |

5 of 475 residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 3   | C     | 206 | PHE  |
| 4   | E     | 253 | LEU  |
| 1   | D     | 28  | PHE  |
| 4   | E     | 232 | ILE  |
| 4   | E     | 473 | GLN  |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 70 such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 4   | E     | 140 | ASN  |
| 4   | E     | 156 | ASN  |
| 4   | E     | 261 | GLN  |
| 3   | C     | 41  | ASN  |
| 3   | C     | 20  | HIS  |

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

| Mol | Chain | Number of breaks |
|-----|-------|------------------|
| 2   | B     | 1                |


All chain breaks are listed below:

| Model | Chain | Residue-1 | Atom-1 | Residue-2 | Atom-2 | Distance (Å) |
|-------|-------|-----------|--------|-----------|--------|--------------|
| 1     | B     | 129:THR   | C      | 130:ILE   | N      | 1.14         |

## 6 Tomogram visualisation [i](#)


This section contains visualisations of the EMDB entry EMD-2382. These allow visual inspection of the internal detail of the tomogram and identification of artifacts.

### 6.1 Orthogonal projections [i](#)



The images above show the tomogram projected in three orthogonal directions.

### 6.2 Central slices [i](#)




The images above show central slices of the tomogram in three orthogonal directions.

### 6.3 Largest variance slices [i](#)



X Index: 29




Y Index: 29




Z Index: 22

The images above show the largest variance slices of the tomogram in three orthogonal directions.


### 6.4 Orthogonal standard-deviation projections (False-color) [i](#)



X



Y



Z

The images above show the tomogram projected in three orthogonal directions.


### 6.5 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Tomogram analysis [i](#)

This section contains the results of statistical analysis of the tomogram.

### 7.1 Voxel-value distribution [i](#)



The voxel-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic.




## 8 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-2382 and PDB model 4BOR. Per-residue inclusion information can be found in section [3](#) on page [4](#).

### 8.1 Map-model overlay [i](#)

This section was not generated.

### 8.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

### 8.3 Atom inclusion mapped to coordinate model [i](#)

This section was not generated.

## 8.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

8.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.278) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion     | Q-score            |
|-------|--------------------|--------------------|
| All   | <div></div> 0.8510 | <div></div> 0.0430 |
| A     | <div></div> 0.8580 | <div></div> 0.0460 |
| B     | <div></div> 0.8840 | <div></div> 0.0460 |
| C     | <div></div> 0.8240 | <div></div> 0.0310 |
| D     | <div></div> 0.8800 | <div></div> 0.0470 |
| E     | <div></div> 0.8070 | <div></div> 0.0460 |

