



# wwPDB X-ray Structure Validation Summary Report ⓘ

Mar 9, 2026 – 04:47 AM UTC

PDB ID : 5CMS / pdb\_00005cms  
Title : Structural Insights into the Mechanism of Escherichia coli Ymdb  
Authors : Zhang, W.; Wang, C.; Song, Y.; Shao, C.; Zhang, X.; Zang, J.  
Deposited on : 2015-07-17  
Resolution : 2.98 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	NOT EXECUTED
Xtriage (Phenix)	:	2.0
EDS	:	NOT EXECUTED
Buster-report	:	NOT EXECUTED
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.98 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	3904 (3.00-2.96)
Ramachandran outliers	187476	3761 (3.00-2.96)
Sidechain outliers	187428	3764 (3.00-2.96)











The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ .

Note EDS was not executed.

Mol	Chain	Length	Quality of chain
1	A	183	72% 17% 5% 5%
1	B	183	72% 18% • • 5%
1	C	183	74% 17% • 5%
1	D	183	66% 24% 5% 5%
1	E	183	72% 17% • • 5%
1	F	183	77% 14% • 6%
1	G	183	74% 14% 5% 7%
1	H	183	72% 18% • • 6%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	I	183	
1	J	183	
1	K	183	
1	L	183	
1	M	183	
1	N	183	
1	O	183	
1	P	183	
1	Q	183	
1	R	183	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	APR	L	201	-	-	X	-
3	SO4	B	202	-	-	X	-
3	SO4	C	202	-	-	X	-
3	SO4	D	202	-	-	X	-
3	SO4	E	202	-	-	X	-
3	SO4	F	202	-	-	X	-
3	SO4	G	202	-	-	X	-
3	SO4	J	202	-	-	X	-
3	SO4	M	202	-	-	X	-
3	SO4	P	202	-	-	X	-
3	SO4	Q	202	-	-	X	-
3	SO4	R	402	-	-	X	-

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 23519 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called O-acetyl-ADP-ribose deacetylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	R	172	Total	C	N	O	S	0	0	0
			1255	790	223	238	4			
1	A	173	Total	C	N	O	S	0	0	0
			1260	795	223	238	4			
1	B	173	Total	C	N	O	S	0	0	0
			1288	810	231	243	4			
1	C	173	Total	C	N	O	S	0	0	0
			1274	803	228	239	4			
1	D	173	Total	C	N	O	S	0	0	0
			1274	802	227	241	4			
1	E	173	Total	C	N	O	S	0	0	0
			1270	800	227	239	4			
1	F	172	Total	C	N	O	S	0	0	0
			1255	790	224	237	4			
1	G	171	Total	C	N	O	S	0	0	0
			1242	784	216	238	4			
1	H	172	Total	C	N	O	S	0	0	0
			1269	798	228	239	4			
1	I	171	Total	C	N	O	S	0	0	0
			1254	789	224	237	4			
1	J	172	Total	C	N	O	S	0	0	0
			1261	794	225	238	4			
1	K	171	Total	C	N	O	S	0	0	0
			1241	785	217	235	4			
1	L	171	Total	C	N	O	S	0	0	0
			1228	774	214	236	4			
1	M	172	Total	C	N	O	S	0	0	0
			1269	799	225	241	4			
1	N	171	Total	C	N	O	S	0	0	0
			1227	776	214	233	4			
1	O	172	Total	C	N	O	S	0	0	0
			1275	802	228	241	4			

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	P	172	Total	C	N	O	S	0	0	0
			1261	794	225	238	4			
1	Q	173	Total	C	N	O	S	0	0	0
			1276	803	224	245	4			

There are 126 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
R	-5	HIS	-	expression tag	UNP C3TEL7
R	-4	HIS	-	expression tag	UNP C3TEL7
R	-3	HIS	-	expression tag	UNP C3TEL7
R	-2	HIS	-	expression tag	UNP C3TEL7
R	-1	HIS	-	expression tag	UNP C3TEL7
R	0	HIS	-	expression tag	UNP C3TEL7
R	126	ALA	TYR	engineered mutation	UNP C3TEL7
A	-5	HIS	-	expression tag	UNP C3TEL7
A	-4	HIS	-	expression tag	UNP C3TEL7
A	-3	HIS	-	expression tag	UNP C3TEL7
A	-2	HIS	-	expression tag	UNP C3TEL7
A	-1	HIS	-	expression tag	UNP C3TEL7
A	0	HIS	-	expression tag	UNP C3TEL7
A	126	ALA	TYR	engineered mutation	UNP C3TEL7
B	-5	HIS	-	expression tag	UNP C3TEL7
B	-4	HIS	-	expression tag	UNP C3TEL7
B	-3	HIS	-	expression tag	UNP C3TEL7
B	-2	HIS	-	expression tag	UNP C3TEL7
B	-1	HIS	-	expression tag	UNP C3TEL7
B	0	HIS	-	expression tag	UNP C3TEL7
B	126	ALA	TYR	engineered mutation	UNP C3TEL7
C	-5	HIS	-	expression tag	UNP C3TEL7
C	-4	HIS	-	expression tag	UNP C3TEL7
C	-3	HIS	-	expression tag	UNP C3TEL7
C	-2	HIS	-	expression tag	UNP C3TEL7
C	-1	HIS	-	expression tag	UNP C3TEL7
C	0	HIS	-	expression tag	UNP C3TEL7
C	126	ALA	TYR	engineered mutation	UNP C3TEL7
D	-5	HIS	-	expression tag	UNP C3TEL7
D	-4	HIS	-	expression tag	UNP C3TEL7
D	-3	HIS	-	expression tag	UNP C3TEL7
D	-2	HIS	-	expression tag	UNP C3TEL7
D	-1	HIS	-	expression tag	UNP C3TEL7
D	0	HIS	-	expression tag	UNP C3TEL7

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	126	ALA	TYR	engineered mutation	UNP C3TEL7
E	-5	HIS	-	expression tag	UNP C3TEL7
E	-4	HIS	-	expression tag	UNP C3TEL7
E	-3	HIS	-	expression tag	UNP C3TEL7
E	-2	HIS	-	expression tag	UNP C3TEL7
E	-1	HIS	-	expression tag	UNP C3TEL7
E	0	HIS	-	expression tag	UNP C3TEL7
E	126	ALA	TYR	engineered mutation	UNP C3TEL7
F	-5	HIS	-	expression tag	UNP C3TEL7
F	-4	HIS	-	expression tag	UNP C3TEL7
F	-3	HIS	-	expression tag	UNP C3TEL7
F	-2	HIS	-	expression tag	UNP C3TEL7
F	-1	HIS	-	expression tag	UNP C3TEL7
F	0	HIS	-	expression tag	UNP C3TEL7
F	126	ALA	TYR	engineered mutation	UNP C3TEL7
G	-5	HIS	-	expression tag	UNP C3TEL7
G	-4	HIS	-	expression tag	UNP C3TEL7
G	-3	HIS	-	expression tag	UNP C3TEL7
G	-2	HIS	-	expression tag	UNP C3TEL7
G	-1	HIS	-	expression tag	UNP C3TEL7
G	0	HIS	-	expression tag	UNP C3TEL7
G	126	ALA	TYR	engineered mutation	UNP C3TEL7
H	-5	HIS	-	expression tag	UNP C3TEL7
H	-4	HIS	-	expression tag	UNP C3TEL7
H	-3	HIS	-	expression tag	UNP C3TEL7
H	-2	HIS	-	expression tag	UNP C3TEL7
H	-1	HIS	-	expression tag	UNP C3TEL7
H	0	HIS	-	expression tag	UNP C3TEL7
H	126	ALA	TYR	engineered mutation	UNP C3TEL7
I	-5	HIS	-	expression tag	UNP C3TEL7
I	-4	HIS	-	expression tag	UNP C3TEL7
I	-3	HIS	-	expression tag	UNP C3TEL7
I	-2	HIS	-	expression tag	UNP C3TEL7
I	-1	HIS	-	expression tag	UNP C3TEL7
I	0	HIS	-	expression tag	UNP C3TEL7
I	126	ALA	TYR	engineered mutation	UNP C3TEL7
J	-5	HIS	-	expression tag	UNP C3TEL7
J	-4	HIS	-	expression tag	UNP C3TEL7
J	-3	HIS	-	expression tag	UNP C3TEL7
J	-2	HIS	-	expression tag	UNP C3TEL7
J	-1	HIS	-	expression tag	UNP C3TEL7
J	0	HIS	-	expression tag	UNP C3TEL7

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
J	126	ALA	TYR	engineered mutation	UNP C3TEL7
K	-5	HIS	-	expression tag	UNP C3TEL7
K	-4	HIS	-	expression tag	UNP C3TEL7
K	-3	HIS	-	expression tag	UNP C3TEL7
K	-2	HIS	-	expression tag	UNP C3TEL7
K	-1	HIS	-	expression tag	UNP C3TEL7
K	0	HIS	-	expression tag	UNP C3TEL7
K	126	ALA	TYR	engineered mutation	UNP C3TEL7
L	-5	HIS	-	expression tag	UNP C3TEL7
L	-4	HIS	-	expression tag	UNP C3TEL7
L	-3	HIS	-	expression tag	UNP C3TEL7
L	-2	HIS	-	expression tag	UNP C3TEL7
L	-1	HIS	-	expression tag	UNP C3TEL7
L	0	HIS	-	expression tag	UNP C3TEL7
L	126	ALA	TYR	engineered mutation	UNP C3TEL7
M	-5	HIS	-	expression tag	UNP C3TEL7
M	-4	HIS	-	expression tag	UNP C3TEL7
M	-3	HIS	-	expression tag	UNP C3TEL7
M	-2	HIS	-	expression tag	UNP C3TEL7
M	-1	HIS	-	expression tag	UNP C3TEL7
M	0	HIS	-	expression tag	UNP C3TEL7
M	126	ALA	TYR	engineered mutation	UNP C3TEL7
N	-5	HIS	-	expression tag	UNP C3TEL7
N	-4	HIS	-	expression tag	UNP C3TEL7
N	-3	HIS	-	expression tag	UNP C3TEL7
N	-2	HIS	-	expression tag	UNP C3TEL7
N	-1	HIS	-	expression tag	UNP C3TEL7
N	0	HIS	-	expression tag	UNP C3TEL7
N	126	ALA	TYR	engineered mutation	UNP C3TEL7
O	-5	HIS	-	expression tag	UNP C3TEL7
O	-4	HIS	-	expression tag	UNP C3TEL7
O	-3	HIS	-	expression tag	UNP C3TEL7
O	-2	HIS	-	expression tag	UNP C3TEL7
O	-1	HIS	-	expression tag	UNP C3TEL7
O	0	HIS	-	expression tag	UNP C3TEL7
O	126	ALA	TYR	engineered mutation	UNP C3TEL7
P	-5	HIS	-	expression tag	UNP C3TEL7
P	-4	HIS	-	expression tag	UNP C3TEL7
P	-3	HIS	-	expression tag	UNP C3TEL7
P	-2	HIS	-	expression tag	UNP C3TEL7
P	-1	HIS	-	expression tag	UNP C3TEL7
P	0	HIS	-	expression tag	UNP C3TEL7

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
P	126	ALA	TYR	engineered mutation	UNP C3TEL7
Q	-5	HIS	-	expression tag	UNP C3TEL7
Q	-4	HIS	-	expression tag	UNP C3TEL7
Q	-3	HIS	-	expression tag	UNP C3TEL7
Q	-2	HIS	-	expression tag	UNP C3TEL7
Q	-1	HIS	-	expression tag	UNP C3TEL7
Q	0	HIS	-	expression tag	UNP C3TEL7
Q	126	ALA	TYR	engineered mutation	UNP C3TEL7

- Molecule 2 is ADENOSINE-5-DIPHOSPHORIBOSE (CCD ID: APR) (formula: C<sub>15</sub>H<sub>23</sub>N<sub>5</sub>O<sub>14</sub>P<sub>2</sub>).






*Continued from previous page...*

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	G	1	Total	C	N	O	P	0	0
			27	10	5	10	2		
2	H	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	I	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	J	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	K	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	L	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	M	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	N	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	O	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	P	1	Total	C	N	O	P	0	0
			36	15	5	14	2		
2	Q	1	Total	C	N	O	P	0	0
			36	15	5	14	2		

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O<sub>4</sub>S).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	R	1	Total O S 5 4 1	0	0
3	A	1	Total O S 5 4 1	0	0
3	B	1	Total O S 5 4 1	0	0
3	C	1	Total O S 5 4 1	0	0
3	D	1	Total O S 5 4 1	0	0
3	E	1	Total O S 5 4 1	0	0
3	F	1	Total O S 5 4 1	0	0
3	G	1	Total O S 5 4 1	0	0
3	H	1	Total O S 5 4 1	0	0
3	I	1	Total O S 5 4 1	0	0
3	J	1	Total O S 5 4 1	0	0
3	K	1	Total O S 5 4 1	0	0
3	L	1	Total O S 5 4 1	0	0
3	M	1	Total O S 5 4 1	0	0
3	N	1	Total O S 5 4 1	0	0
3	O	1	Total O S 5 4 1	0	0
3	P	1	Total O S 5 4 1	0	0
3	Q	1	Total O S 5 4 1	0	0

- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	R	4	Total O 4 4	0	0
4	A	5	Total O 5 5	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	B	9	Total O 9 9	0	0
4	C	12	Total O 12 12	0	0
4	D	6	Total O 6 6	0	0
4	E	12	Total O 12 12	0	0
4	F	8	Total O 8 8	0	0
4	G	7	Total O 7 7	0	0
4	H	6	Total O 6 6	0	0
4	I	3	Total O 3 3	0	0
4	J	7	Total O 7 7	0	0
4	K	7	Total O 7 7	0	0
4	L	7	Total O 7 7	0	0
4	M	7	Total O 7 7	0	0
4	N	6	Total O 6 6	0	0
4	O	3	Total O 3 3	0	0
4	P	6	Total O 6 6	0	0
4	Q	5	Total O 5 5	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

Note EDS was not executed.


#### • Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain R: 




#### • Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain A: 



#### • Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain B: 



#### • Molecule 1: O-acetyl-ADP-ribose deacetylase


Chain C: 






- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain D: 66% 24% 5% 5%




- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain E: 72% 17% 5% 5%



- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain F: 77% 14% 6% 6%




- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain G: 74% 14% 5% 7%



- Molecule 1: O-acetyl-ADP-ribose deacetylase


Chain H: 72% 18% 6% 6%






- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain I: 70% 19% 7%




- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain J: 66% 19% 9% 6%




- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain K: 63% 23% 6% 7%




- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain L: 67% 21% 7%



- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain M: 76% 15% 6%





- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain N: 73% 16% 7%



- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain O: 74% 19% 6%




- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain P: 74% 17% 6%



- Molecule 1: O-acetyl-ADP-ribose deacetylase

Chain Q: 70% 19% 5%



## 4 Data and refinement statistics

EDS was not executed - this section is therefore incomplete.

Property	Value	Source
Space group	P 31 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	290.02Å 290.02Å 114.32Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	41.90 – 2.98	Depositor
% Data completeness (in resolution range)	97.8 (41.90-2.98)	Depositor
$R_{merge}$	0.17	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.83 (at 3.01Å)	Xtriage
Refinement program	REFMAC 5.7.0032	Depositor
R, $R_{free}$	0.222 , 0.250	Depositor
Wilson B-factor (Å <sup>2</sup> )	49.4	Xtriage
Anisotropy	0.084	Xtriage
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.068 for -h,-k,l	Xtriage
Total number of atoms	23519	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	50.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 26.27 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 2.7183e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SO4, APR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	1.19	3/1284 (0.2%)	1.19	1/1758 (0.1%)
1	B	1.17	0/1312	1.13	2/1791 (0.1%)
1	C	1.19	0/1298	1.16	1/1774 (0.1%)
1	D	1.22	1/1298 (0.1%)	1.17	3/1775 (0.2%)
1	E	1.22	0/1294	1.21	6/1770 (0.3%)
1	F	1.15	0/1279	1.19	3/1751 (0.2%)
1	G	1.15	0/1266	1.19	2/1736 (0.1%)
1	H	1.15	0/1293	1.19	4/1767 (0.2%)
1	I	1.18	2/1278 (0.2%)	1.20	4/1750 (0.2%)
1	J	1.28	0/1285	1.24	6/1759 (0.3%)
1	K	1.16	0/1265	1.17	5/1733 (0.3%)
1	L	1.15	0/1250	1.21	8/1714 (0.5%)
1	M	1.09	0/1293	1.11	2/1768 (0.1%)
1	N	1.13	0/1250	1.21	7/1715 (0.4%)
1	O	1.14	0/1299	1.14	1/1775 (0.1%)
1	P	1.11	0/1285	1.15	1/1759 (0.1%)
1	Q	1.20	0/1300	1.16	2/1778 (0.1%)
1	R	1.09	0/1279	1.18	5/1751 (0.3%)
All	All	1.17	6/23108 (0.0%)	1.18	63/31624 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	K	0	1

The worst 5 of 6 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	I	73	LEU	C-N	9.27	1.41	1.33
1	A	135	GLU	N-CA	5.47	1.52	1.46
1	A	19	VAL	C-O	-5.23	1.18	1.24
1	I	74	PRO	N-CD	5.04	1.54	1.47
1	D	102	LEU	CA-C	-5.04	1.46	1.52

The worst 5 of 63 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	J	33	GLY	N-CA-C	-9.96	89.58	113.18
1	G	90	GLU	N-CA-C	-9.80	98.33	110.88
1	R	173	GLN	N-CA-C	-9.65	101.67	112.57
1	D	33	GLY	N-CA-C	-9.51	90.65	113.18
1	L	95	GLN	CB-CA-C	-9.10	95.23	109.34

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	K	147	ARG	Sidechain

## 5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1260	0	1235	29	0
1	B	1288	0	1282	36	1
1	C	1274	0	1263	29	0
1	D	1274	0	1256	43	0
1	E	1270	0	1252	40	1
1	F	1255	0	1226	25	0
1	G	1242	0	1206	41	0
1	H	1269	0	1252	32	0
1	I	1254	0	1229	24	0
1	J	1261	0	1239	43	0
1	K	1241	0	1216	52	0
1	L	1228	0	1195	40	0
1	M	1269	0	1252	24	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	N	1227	0	1190	34	0
1	O	1275	0	1263	27	0
1	P	1261	0	1239	31	0
1	Q	1276	0	1253	51	0
1	R	1255	0	1224	38	0
2	A	36	0	21	2	0
2	B	36	0	21	6	0
2	C	36	0	20	0	0
2	D	27	0	12	0	0
2	E	36	0	20	2	0
2	F	36	0	21	4	0
2	G	27	0	12	2	0
2	H	36	0	21	3	0
2	I	36	0	21	1	0
2	J	36	0	21	7	0
2	K	36	0	21	4	0
2	L	36	0	21	9	0
2	M	36	0	21	2	0
2	N	36	0	21	3	0
2	O	36	0	21	5	0
2	P	36	0	21	3	0
2	Q	36	0	21	5	0
2	R	36	0	21	6	0
3	A	5	0	0	1	0
3	B	5	0	0	2	0
3	C	5	0	0	3	0
3	D	5	0	0	2	0
3	E	5	0	0	5	0
3	F	5	0	0	2	0
3	G	5	0	0	2	0
3	H	5	0	0	0	0
3	I	5	0	0	1	0
3	J	5	0	0	3	0
3	K	5	0	0	1	0
3	L	5	0	0	1	0
3	M	5	0	0	3	0
3	N	5	0	0	1	0
3	O	5	0	0	1	0
3	P	5	0	0	3	0
3	Q	5	0	0	4	0
3	R	5	0	0	3	0
4	A	5	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	B	9	0	0	1	0
4	C	12	0	0	1	0
4	D	6	0	0	0	0
4	E	12	0	0	0	0
4	F	8	0	0	0	0
4	G	7	0	0	2	0
4	H	6	0	0	0	0
4	I	3	0	0	0	0
4	J	7	0	0	0	0
4	K	7	0	0	0	0
4	L	7	0	0	0	0
4	M	7	0	0	0	0
4	N	6	0	0	1	0
4	O	3	0	0	0	0
4	P	6	0	0	0	0
4	Q	5	0	0	0	0
4	R	4	0	0	0	0
All	All	23519	0	22630	590	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

The worst 5 of 590 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:25:ASN:HB3	2:E:201:APR:O1D	1.16	1.33
1:D:2:LYS:HD2	1:D:2:LYS:O	1.40	1.20
1:B:106:ARG:NH2	3:B:202:SO4:O3	1.79	1.15
1:E:29:MET:HE1	1:E:51:LEU:HG	1.19	1.15
1:L:95:GLN:OE1	1:L:98:GLN:NE2	1.84	1.10

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:168:GLU:OE2	1:E:168:GLU:OE2[2_564]	2.11	0.09

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	171/183 (93%)	162 (95%)	9 (5%)	0	100	100
1	B	171/183 (93%)	164 (96%)	7 (4%)	0	100	100
1	C	171/183 (93%)	164 (96%)	7 (4%)	0	100	100
1	D	171/183 (93%)	161 (94%)	10 (6%)	0	100	100
1	E	171/183 (93%)	164 (96%)	7 (4%)	0	100	100
1	F	170/183 (93%)	161 (95%)	9 (5%)	0	100	100
1	G	169/183 (92%)	163 (96%)	6 (4%)	0	100	100
1	H	170/183 (93%)	162 (95%)	8 (5%)	0	100	100
1	I	169/183 (92%)	162 (96%)	7 (4%)	0	100	100
1	J	170/183 (93%)	162 (95%)	8 (5%)	0	100	100
1	K	169/183 (92%)	160 (95%)	9 (5%)	0	100	100
1	L	169/183 (92%)	162 (96%)	7 (4%)	0	100	100
1	M	170/183 (93%)	163 (96%)	7 (4%)	0	100	100
1	N	169/183 (92%)	160 (95%)	9 (5%)	0	100	100
1	O	170/183 (93%)	164 (96%)	6 (4%)	0	100	100
1	P	170/183 (93%)	165 (97%)	5 (3%)	0	100	100
1	Q	171/183 (93%)	165 (96%)	6 (4%)	0	100	100
1	R	170/183 (93%)	164 (96%)	6 (4%)	0	100	100
All	All	3061/3294 (93%)	2928 (96%)	133 (4%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	126/142 (89%)	109 (86%)	17 (14%)	4	16
1	B	132/142 (93%)	116 (88%)	16 (12%)	5	20
1	C	129/142 (91%)	116 (90%)	13 (10%)	7	27
1	D	129/142 (91%)	115 (89%)	14 (11%)	6	24
1	E	128/142 (90%)	113 (88%)	15 (12%)	5	21
1	F	125/142 (88%)	111 (89%)	14 (11%)	6	23
1	G	124/142 (87%)	109 (88%)	15 (12%)	5	20
1	H	128/142 (90%)	113 (88%)	15 (12%)	5	21
1	I	126/142 (89%)	111 (88%)	15 (12%)	5	20
1	J	127/142 (89%)	105 (83%)	22 (17%)	2	9
1	K	124/142 (87%)	106 (86%)	18 (14%)	3	14
1	L	122/142 (86%)	109 (89%)	13 (11%)	6	25
1	M	129/142 (91%)	118 (92%)	11 (8%)	10	34
1	N	120/142 (84%)	109 (91%)	11 (9%)	8	31
1	O	130/142 (92%)	115 (88%)	15 (12%)	5	22
1	P	127/142 (89%)	116 (91%)	11 (9%)	9	33
1	Q	130/142 (92%)	114 (88%)	16 (12%)	4	19
1	R	125/142 (88%)	114 (91%)	11 (9%)	9	33
All	All	2281/2556 (89%)	2019 (88%)	262 (12%)	5	22

5 of 262 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	O	135	GLU
1	P	46	LEU
1	Q	166	LEU
1	F	166	LEU
1	F	95	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 106 such sidechains are listed below:

Mol	Chain	Res	Type
1	H	174	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	J	174	GLN
1	Q	6	HIS
1	I	56	GLN
1	J	9	GLN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

Mogul was not executed - this section is therefore empty.

## 5.5 Carbohydrates [i](#)

Mogul was not executed - this section is therefore empty.

## 5.6 Ligand geometry [i](#)

Mogul was not executed - this section is therefore empty.

## 5.7 Other polymers [i](#)

Mogul was not executed - this section is therefore empty.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

EDS was not executed - this section is therefore empty.

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

EDS was not executed - this section is therefore empty.


### 6.3 Carbohydrates [i](#)

EDS was not executed - this section is therefore empty.

### 6.4 Ligands [i](#)

EDS was not executed - this section is therefore empty.




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.








**Electron density around APR A 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around APR B 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around APR C 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around APR D 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around APR E 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around APR F 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around APR G 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around APR H 201:**




$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)








**Electron density around APR I 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around APR J 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around APR K 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around APR L 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around APR M 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)




**Electron density around APR N 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around APR O 201:**


$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)

**Electron density around APR P 201:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)







## 6.5 Other polymers [i](#)

EDS was not executed - this section is therefore empty.