



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 6, 2026 – 10:55 PM UTC

PDB ID : 2EBF / pdb\_00002ebf  
Title : Crystal structures reveal a thiol-protease like catalytic triad in the C-terminal region of Pasteurella multocida toxin  
Authors : Kitadokoro, K.; Horiguchi, Y.; Kamitani, S.  
Deposited on : 2007-02-08  
Resolution : 1.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	180053	7789 (1.90-1.90)
Clashscore	190562	8410 (1.90-1.90)
Ramachandran outliers	187476	8333 (1.90-1.90)
Sidechain outliers	187428	8333 (1.90-1.90)
RSRZ outliers	180081	7790 (1.90-1.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	X	746	<div> <div>17%</div> <div>79%</div> <div>14%</div> <div>• 5%</div> </div>
2	A	2	<div> <div>50%</div> <div>50%</div> </div>
2	B	2	<div> <div>50%</div> <div>50%</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 6450 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Dermonecrotic toxin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	711	Total	C	N	O	S	0	0	0
			5643	3603	939	1074	27			

There are 29 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
X	540	MET	-	expression tag	UNP P17452
X	541	GLY	-	expression tag	UNP P17452
X	542	HIS	-	expression tag	UNP P17452
X	543	HIS	-	expression tag	UNP P17452
X	544	HIS	-	expression tag	UNP P17452
X	545	HIS	-	expression tag	UNP P17452
X	546	HIS	-	expression tag	UNP P17452
X	547	HIS	-	expression tag	UNP P17452
X	548	ASP	-	expression tag	UNP P17452
X	549	TYR	-	expression tag	UNP P17452
X	550	ASP	-	expression tag	UNP P17452
X	551	ILE	-	expression tag	UNP P17452
X	552	PRO	-	expression tag	UNP P17452
X	553	THR	-	expression tag	UNP P17452
X	554	THR	-	expression tag	UNP P17452
X	555	GLU	-	expression tag	UNP P17452
X	556	ASN	-	expression tag	UNP P17452
X	557	LEU	-	expression tag	UNP P17452
X	558	TYR	-	expression tag	UNP P17452
X	559	PHE	-	expression tag	UNP P17452
X	560	GLN	-	expression tag	UNP P17452
X	561	GLY	-	expression tag	UNP P17452
X	562	ALA	-	expression tag	UNP P17452
X	563	HIS	-	expression tag	UNP P17452
X	564	MET	-	expression tag	UNP P17452
X	565	GLY	-	expression tag	UNP P17452
X	566	ILE	-	expression tag	UNP P17452

*Continued on next page...*

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
X	567	GLN	-	expression tag	UNP P17452
X	568	ARG	-	expression tag	UNP P17452

- Molecule 2 is an oligosaccharide called alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose.



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf	Trace
2	A	2	Total	C	O	0	0	0
			23	12	11			
2	B	2	Total	C	O	0	0	0
			23	12	11			

- Molecule 3 is PHOSPHONATE (CCD ID: 2PO) (formula:  $\text{HO}_3\text{P}$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	X	1	Total	O	P	0	0
			4	3	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	X	757	Total	O	0	0
			757	757		

### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Dermonecrotic toxin



- Molecule 2: alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose



- Molecule 2: alpha-D-glucopyranose-(1-1)-alpha-D-glucopyranose





## 4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	110.97Å 150.41Å 77.14Å 90.00° 105.46° 90.00°	Depositor
Resolution (Å)	20.00 – 1.90 20.00 – 1.90	Depositor EDS
% Data completeness (in resolution range)	97.5 (20.00-1.90) 97.4 (20.00-1.90)	Depositor EDS
$R_{merge}$	0.10	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	2.08 (at 1.90Å)	Xtriage
Refinement program	REFMAC 5.2.0019	Depositor
R, $R_{free}$	0.205 , 0.233 0.205 , 0.234	Depositor DCC
$R_{free}$ test set	4662 reflections (4.88%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	30.2	Xtriage
Anisotropy	0.046	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 34.9	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.50$ , $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6450	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.62% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: GLC, 2PO

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	X	0.54	0/5769	0.80	2/7811 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed( $^{\circ}$ )	Ideal( $^{\circ}$ )
1	X	949	VAL	N-CA-C	6.08	118.02	112.43
1	X	1106	LYS	N-CA-C	5.91	118.02	108.32

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	5643	0	5573	77	0
2	A	23	0	21	0	0
2	B	23	0	21	0	0
3	X	4	0	0	0	0
4	X	757	0	0	12	0
All	All	6450	0	5615	77	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.



All (77) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:850:THR:HB	4:X:2141:HOH:O	1.55	1.02
1:X:589:GLY:HA3	1:X:1284:ALA:HB3	1.52	0.91
1:X:850:THR:HG23	1:X:853:PHE:H	1.35	0.90
1:X:1027:ILE:HD11	1:X:1062:TYR:HB3	1.56	0.88
1:X:804:HIS:HB2	1:X:809:MET:HE3	1.59	0.85
1:X:850:THR:HG21	4:X:1497:HOH:O	1.75	0.84
1:X:1223:HIS:HD2	1:X:1250:ARG:HH12	1.28	0.79
1:X:589:GLY:HA3	1:X:1284:ALA:CB	2.16	0.75
1:X:759:TYR:HA	1:X:762:LEU:HD23	1.68	0.75
1:X:784:SER:HA	4:X:2137:HOH:O	1.87	0.74
1:X:1103:PRO:HB2	1:X:1104:GLN:HG2	1.73	0.70
1:X:809:MET:SD	4:X:2062:HOH:O	2.51	0.69
1:X:916:ASN:ND2	1:X:943:ASP:OD2	2.25	0.68
1:X:843:GLY:H	1:X:846:GLN:HE21	1.43	0.65
1:X:825:GLU:HG3	1:X:826:LEU:H	1.62	0.64
1:X:1001:HIS:HD2	4:X:1425:HOH:O	1.80	0.63
1:X:575:LEU:HD21	4:X:1808:HOH:O	2.01	0.61
1:X:784:SER:HB3	1:X:789:MET:O	2.02	0.60
1:X:591:TRP:H	1:X:663:GLN:HE22	1.48	0.60
1:X:749:ILE:HD11	1:X:800:LEU:HB2	1.83	0.60
1:X:1104:GLN:O	1:X:1257:PHE:CZ	2.55	0.60
1:X:577:GLY:HA2	4:X:2095:HOH:O	2.03	0.59
1:X:589:GLY:CA	1:X:1284:ALA:HB3	2.30	0.58
1:X:861:ARG:HD3	1:X:1003:ASP:OD1	2.04	0.57
1:X:1060:VAL:HG21	1:X:1067:ALA:HB2	1.86	0.57
1:X:1113:PHE:O	1:X:1252:ARG:HA	2.05	0.57
1:X:749:ILE:HD11	1:X:800:LEU:CB	2.35	0.57
1:X:591:TRP:H	1:X:663:GLN:NE2	2.02	0.57
1:X:1010:ASN:C	1:X:1010:ASN:HD22	2.13	0.56
1:X:575:LEU:HD22	1:X:1112:GLN:H	1.71	0.56
1:X:804:HIS:HB2	1:X:809:MET:CE	2.32	0.55
1:X:814:SER:HB2	1:X:815:PRO:HD2	1.88	0.55
1:X:1223:HIS:CD2	1:X:1250:ARG:HH12	2.17	0.55
1:X:575:LEU:HB2	1:X:1111:LYS:HB2	1.90	0.54
1:X:1104:GLN:HB2	1:X:1259:GLU:HG2	1.90	0.54
1:X:1162:ALA:HA	1:X:1225:GLN:HE21	1.72	0.53
1:X:1104:GLN:HA	4:X:2147:HOH:O	2.09	0.52
1:X:970:LEU:HD11	1:X:986:LEU:HD12	1.92	0.51
1:X:1285:LEU:H	1:X:1285:LEU:HD13	1.74	0.51
1:X:814:SER:H	1:X:818:ASN:HD22	1.58	0.50

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:637:LEU:HD13	1:X:664:LEU:HD11	1.93	0.50
1:X:807:GLU:HG3	1:X:1006:VAL:HG23	1.92	0.50
1:X:1023:ILE:HD12	1:X:1056:MET:HE3	1.93	0.50
1:X:850:THR:CG2	1:X:853:PHE:H	2.17	0.49
1:X:631:GLN:HE22	1:X:692:ARG:HA	1.78	0.49
1:X:699:MET:HA	1:X:702:MET:HE3	1.93	0.49
1:X:752:PHE:O	1:X:755:ILE:HG12	2.13	0.49
1:X:1060:VAL:HG22	1:X:1065:ILE:HG13	1.95	0.48
1:X:593:PRO:HG2	1:X:619:GLN:NE2	2.28	0.48
1:X:1223:HIS:HD2	1:X:1250:ARG:NH1	2.05	0.48
1:X:1245:LEU:C	1:X:1245:LEU:HD23	2.39	0.47
1:X:1218:ALA:O	1:X:1237:ILE:HA	2.15	0.47
1:X:915:GLN:HB2	1:X:1069:VAL:HG12	1.97	0.47
1:X:1069:VAL:HG13	1:X:1079:LEU:HG	1.96	0.46
1:X:1060:VAL:HG13	1:X:1065:ILE:O	2.16	0.46
1:X:738:ILE:HD12	1:X:796:ILE:HD12	1.98	0.45
1:X:659:GLU:CD	4:X:2163:HOH:O	2.58	0.45
1:X:843:GLY:H	1:X:846:GLN:NE2	2.13	0.45
1:X:748:ASP:O	1:X:751:VAL:HG23	2.18	0.44
1:X:613:ARG:NE	4:X:1832:HOH:O	2.41	0.44
1:X:759:TYR:CE1	1:X:834:MET:HB3	2.52	0.44
1:X:915:GLN:HG2	1:X:916:ASN:N	2.32	0.44
1:X:1011:ASN:ND2	1:X:1013:TYR:H	2.16	0.43
1:X:1050:PRO:HA	1:X:1087:VAL:O	2.19	0.43
1:X:583:PHE:O	1:X:585:ILE:HD12	2.19	0.43
1:X:1071:ASP:HB3	1:X:1073:ASP:H	1.84	0.42
1:X:749:ILE:HG22	1:X:774:SER:HB2	2.01	0.42
1:X:941:ILE:HD12	1:X:996:PHE:CE2	2.54	0.42
1:X:813:ILE:HA	1:X:818:ASN:HD21	1.85	0.42
1:X:941:ILE:HD12	1:X:996:PHE:CZ	2.55	0.42
1:X:745:VAL:HG23	4:X:2141:HOH:O	2.19	0.41
1:X:639:GLU:OE2	1:X:851:ARG:NH2	2.44	0.41
1:X:1139:GLU:H	1:X:1139:GLU:CD	2.29	0.41
1:X:1245:LEU:HD22	4:X:1904:HOH:O	2.19	0.41
1:X:652:GLU:H	1:X:652:GLU:CD	2.29	0.41
1:X:602:VAL:HB	1:X:605:LYS:HB3	2.03	0.40
1:X:1004:ASN:HD22	1:X:1004:ASN:HA	1.67	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	X	709/746 (95%)	686 (97%)	20 (3%)	3 (0%)	30	22

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	X	916	ASN
1	X	980	GLY
1	X	1071	ASP

### 5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	X	616/646 (95%)	582 (94%)	34 (6%)	19	11

All (34) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	X	596	LEU
1	X	597	LYS
1	X	612	LYS
1	X	617	LYS
1	X	618	LEU
1	X	627	LEU
1	X	631	GLN
1	X	637	LEU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	X	668	LEU
1	X	738	ILE
1	X	749	ILE
1	X	785	GLN
1	X	852	ASN
1	X	861	ARG
1	X	916	ASN
1	X	919	LYS
1	X	941	ILE
1	X	955	GLN
1	X	985	LEU
1	X	986	LEU
1	X	1004	ASN
1	X	1010	ASN
1	X	1033	GLU
1	X	1060	VAL
1	X	1079	LEU
1	X	1115	LEU
1	X	1116	THR
1	X	1133	VAL
1	X	1138	ARG
1	X	1139	GLU
1	X	1181	LEU
1	X	1231	LEU
1	X	1283	ARG
1	X	1285	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
1	X	619	GLN
1	X	631	GLN
1	X	663	GLN
1	X	818	ASN
1	X	846	GLN
1	X	867	ASN
1	X	907	ASN
1	X	916	ASN
1	X	926	ASN
1	X	934	ASN
1	X	951	GLN
1	X	972	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	X	1001	HIS
1	X	1004	ASN
1	X	1010	ASN
1	X	1011	ASN
1	X	1021	ASN
1	X	1112	GLN
1	X	1131	ASN
1	X	1223	HIS
1	X	1225	GLN
1	X	1266	ASN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

4 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	GLC	A	1	2	11,11,12	0.35	0	15,15,17	1.22	1 (6%)
2	GLC	A	2	2	12,12,12	0.60	0	17,17,17	0.68	0
2	GLC	B	1	2	11,11,12	0.45	0	15,15,17	0.91	1 (6%)
2	GLC	B	2	2	12,12,12	0.52	0	17,17,17	0.60	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.

'-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	GLC	A	1	2	-	0/2/19/22	0/1/1/1
2	GLC	A	2	2	-	0/2/22/22	0/1/1/1
2	GLC	B	1	2	-	0/2/19/22	0/1/1/1
2	GLC	B	2	2	-	0/2/22/22	0/1/1/1

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	GLC	C1-O5-C5	4.16	117.77	112.19
2	B	1	GLC	C1-O5-C5	3.00	116.21	112.19



There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	2PO	X	1327	-	0,3,3	-	-	0,3,3	-	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.



## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	X	711/746 (95%)	1.14	126 (17%) 4 3	24, 33, 51, 64	0

All (126) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	X	979	ASN	10.0
1	X	783	GLU	8.2
1	X	1231	LEU	7.3
1	X	1285	LEU	6.5
1	X	575	LEU	6.4
1	X	762	LEU	5.9
1	X	958	GLN	5.8
1	X	1281	LEU	5.5
1	X	576	GLY	5.4
1	X	768	TRP	5.2
1	X	765	TYR	5.1
1	X	827	TYR	5.1
1	X	829	PHE	5.1
1	X	1033	GLU	4.9
1	X	971	PHE	4.9
1	X	760	TRP	4.8
1	X	788	GLY	4.7
1	X	740	PHE	4.6
1	X	787	LYS	4.5
1	X	577	GLY	4.4
1	X	961	ASN	4.3
1	X	1284	ALA	4.3
1	X	951	GLN	4.2
1	X	769	ASN	4.1
1	X	975	LYS	4.1
1	X	1031	ASP	4.1
1	X	1282	THR	4.0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	X	980	GLY	4.0
1	X	647	SER	4.0
1	X	955	GLN	3.9
1	X	781	LEU	3.9
1	X	777	LEU	3.9
1	X	815	PRO	3.9
1	X	826	LEU	3.8
1	X	798	ASN	3.8
1	X	755	ILE	3.8
1	X	786	SER	3.8
1	X	1176	LEU	3.7
1	X	1104	GLN	3.7
1	X	837	GLU	3.6
1	X	993	ASN	3.5
1	X	782	ARG	3.5
1	X	1283	ARG	3.5
1	X	780	LEU	3.4
1	X	652	GLU	3.4
1	X	976	GLY	3.4
1	X	603	ILE	3.3
1	X	1103	PRO	3.3
1	X	766	GLU	3.3
1	X	820	VAL	3.2
1	X	776	LEU	3.2
1	X	978	ILE	3.2
1	X	945	PRO	3.2
1	X	784	SER	3.2
1	X	789	MET	3.2
1	X	1105	GLY	3.2
1	X	1009	PHE	3.2
1	X	962	GLU	3.2
1	X	739	ASP	3.1
1	X	771	GLY	3.1
1	X	946	TYR	3.1
1	X	1032	ARG	3.0
1	X	757	THR	3.0
1	X	1224	LEU	2.9
1	X	1028	GLU	2.9
1	X	779	GLY	2.9
1	X	1275	LEU	2.8
1	X	764	ALA	2.8
1	X	1152	VAL	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	X	1199	GLU	2.7
1	X	1110	LEU	2.7
1	X	1261	VAL	2.7
1	X	790	LEU	2.7
1	X	756	GLN	2.7
1	X	1181	LEU	2.7
1	X	824	TYR	2.6
1	X	830	THR	2.6
1	X	585	ILE	2.6
1	X	625	ASN	2.6
1	X	841	ASP	2.6
1	X	885	GLY	2.5
1	X	758	ASN	2.5
1	X	1030	LEU	2.5
1	X	1010	ASN	2.5
1	X	883	ILE	2.5
1	X	963	TRP	2.5
1	X	1165	CYS	2.4
1	X	1135	GLU	2.4
1	X	626	ILE	2.4
1	X	1245	LEU	2.4
1	X	819	GLN	2.4
1	X	1072	SER	2.4
1	X	957	LEU	2.4
1	X	894	ALA	2.4
1	X	747	GLU	2.4
1	X	874	SER	2.4
1	X	852	ASN	2.3
1	X	604	GLY	2.3
1	X	1035	GLN	2.3
1	X	605	LYS	2.3
1	X	1137	LEU	2.3
1	X	1115	LEU	2.2
1	X	1182	GLU	2.2
1	X	1270	LEU	2.2
1	X	1037	PHE	2.2
1	X	959	GLY	2.2
1	X	977	ASP	2.2
1	X	828	PRO	2.2
1	X	1196	GLY	2.2
1	X	778	PRO	2.2
1	X	772	SER	2.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	X	960	SER	2.1
1	X	1164	SER	2.1
1	X	1194	ARG	2.1
1	X	738	ILE	2.1
1	X	1267	MET	2.1
1	X	775	ALA	2.1
1	X	659	GLU	2.1
1	X	1139	GLU	2.1
1	X	587	LEU	2.1
1	X	1161	GLU	2.0
1	X	811	TYR	2.0
1	X	1133	VAL	2.0
1	X	1071	ASP	2.0
1	X	816	TYR	2.0
1	X	763	PRO	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
2	GLC	A	1	11/12	-	-	46,47,48,48	0
2	GLC	A	2	12/12	-	-	40,45,47,47	0
2	GLC	B	1	11/12	0.77	0.13	41,44,45,45	0
2	GLC	B	2	12/12	0.84	0.13	44,45,45,46	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.

**Electron density around Chain A:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)





## 6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
3	2PO	X	1327	4/4	0.62	0.24	50,51,51,52	4

## 6.5 Other polymers [i](#)

There are no such residues in this entry.