



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 09:55 AM UTC

PDB ID : 4EOM / pdb_00004eom
Title : Thr 160 phosphorylated CDK2 H84S, Q85M, Q131E - human cyclin A3 complex with ATP
Authors : Echalier, A.; Cot, E.; Camasses, A.; Hodimont, E.; Hoh, F.; Sheinerman, F.; Krasinska, L.; Fisher, D.
Deposited on : 2012-04-14
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4-5-2 with Phenix2.0
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Buster-report	:	wwPDB partial adaption of 1.1.7 (2018)
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6658 (2.10-2.10)
Clashscore	190562	7164 (2.10-2.10)
Ramachandran outliers	187476	7099 (2.10-2.10)
Sidechain outliers	187428	7100 (2.10-2.10)
RSRZ outliers	180081	6662 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	301	<div><div>9%</div><div>83%</div><div>14%</div><div>...</div></div>
1	C	301	<div><div>17%</div><div>74%</div><div>15%</div><div>8%</div><div>..</div></div>
2	B	258	<div><div>4%</div><div>88%</div><div>11%</div><div>.</div></div>
2	D	258	<div><div>14%</div><div>84%</div><div>12%</div><div>..</div></div>

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 8958 atoms, of which 8 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Cyclin-dependent kinase 2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	297	Total	C	N	O	P	S	0	3	0
			2403	1558	409	426	1	9			
1	C	276	Total	C	N	O	P	S	0	1	0
			2215	1435	375	396	1	8			


There are 14 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-3	PRO	-	expression tag	UNP P24941
A	-2	LEU	-	expression tag	UNP P24941
A	-1	GLY	-	expression tag	UNP P24941
A	0	SER	-	expression tag	UNP P24941
A	84	SER	HIS	engineered mutation	UNP P24941
A	85	MET	GLN	engineered mutation	UNP P24941
A	131	GLU	GLN	engineered mutation	UNP P24941
C	-3	PRO	-	expression tag	UNP P24941
C	-2	LEU	-	expression tag	UNP P24941
C	-1	GLY	-	expression tag	UNP P24941
C	0	SER	-	expression tag	UNP P24941
C	84	SER	HIS	engineered mutation	UNP P24941
C	85	MET	GLN	engineered mutation	UNP P24941
C	131	GLU	GLN	engineered mutation	UNP P24941

- Molecule 2 is a protein called Cyclin-A2.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
2	B	257	Total	C	N	O	S		0	0	0
			2076	1345	338	382	11				
2	D	254	Total	C	N	O	S		0	1	0
			2063	1335	338	379	11				

- Molecule 3 is ADENOSINE-5'-TRIPHOSPHATE (CCD ID: ATP) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
3	A	1	Total	C	H	N	O	P	0	0
			35	10	4	5	13	3		
3	C	1	Total	C	H	N	O	P	0	0
			35	10	4	5	13	3		

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total	Mg	0	0
			1	1		
4	C	1	Total	Mg	0	0
			1	1		
4	D	1	Total	Mg	0	0
			1	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	65	Total	O	0	0
			65	65		
5	B	41	Total	O	0	0
			41	41		
5	C	16	Total	O	0	0
			16	16		
5	D	6	Total	O	0	0
			6	6		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Cyclin-dependent kinase 2





• Molecule 1: Cyclin-dependent kinase 2



• Molecule 2: Cyclin-A2



• Molecule 2: Cyclin-A2



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	74.02Å 134.04Å 149.00Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.10 30.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	97.5 (30.00-2.10) 97.4 (30.00-2.10)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.10 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.208 , 0.243 (Not available) , 0.253	Depositor DCC
R_{free} test set	4365 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	34.0	Xtriage
Anisotropy	0.125	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 41.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	8958	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.70% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG, TPO, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.84	0/2452	0.93	5/3323 (0.2%)
1	C	0.60	0/2254	0.88	2/3050 (0.1%)
2	B	0.70	0/2126	0.93	2/2886 (0.1%)
2	D	0.59	0/2113	0.87	1/2867 (0.0%)
All	All	0.69	0/8945	0.90	10/12126 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

There are no bond length outliers.

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed($^{\circ}$)	Ideal($^{\circ}$)
1	C	250	LYS	N-CA-CB	8.95	125.71	110.50
2	B	271	TYR	CA-C-N	-8.66	113.42	119.66
2	B	271	TYR	C-N-CA	-8.66	113.42	119.66
1	A	17	VAL	N-CA-C	8.38	121.11	109.55
2	D	282	THR	N-CA-C	-8.19	103.29	113.20
1	C	249	SER	N-CA-C	6.77	125.22	110.80
1	A	163	VAL	N-CA-C	5.72	121.25	109.34
1	A	17	VAL	CB-CA-C	-5.35	104.25	111.63
1	A	253	PRO	N-CA-C	5.24	117.09	110.70
1	A	257	GLU	N-CA-C	5.11	117.25	111.11

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	70	ILE	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2403	0	2436	41	0
1	C	2215	0	2266	33	0
2	B	2076	0	2099	17	0
2	D	2063	0	2083	20	0
3	A	31	4	12	3	0
3	C	31	4	12	0	0
4	A	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
5	A	65	0	0	4	1
5	B	41	0	0	2	0
5	C	16	0	0	2	0
5	D	6	0	0	0	0
All	All	8950	8	8908	101	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (101) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:14:THR:C	1:A:16:GLY:HA2	1.64	1.21
1:A:9:LYS:HE3	1:A:12:GLU:HG3	1.30	1.07
1:C:71:HIS:HD2	2:D:296:HIS:HE1	1.02	0.95
1:C:71:HIS:CD2	2:D:296:HIS:HE1	1.87	0.91
1:C:71:HIS:HD2	2:D:296:HIS:CE1	1.87	0.91
1:A:161[B]:HIS:O	1:A:162:GLU:O	1.91	0.88
2:D:293[B]:ARG:HB3	2:D:293[B]:ARG:HH21	1.40	0.87
1:A:177:CYS:HB2	1:A:233:MET:CE	2.07	0.85

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:HIS:HD2	1:A:62:ASN:H	1.31	0.79
1:A:284:PRO:O	1:A:287:GLN:HG2	1.86	0.76
1:A:14:THR:C	1:A:16:GLY:CA	2.54	0.75
1:A:9:LYS:HE3	1:A:12:GLU:CG	2.14	0.75
1:A:15:TYR:N	1:A:16:GLY:HA2	2.03	0.73
1:A:60:HIS:CD2	1:A:62:ASN:H	2.09	0.70
1:C:98:GLY:HA2	1:C:199:ARG:HD3	1.76	0.68
1:A:129:LYS:NZ	1:A:165:THR:HG21	2.08	0.68
1:A:15:TYR:N	1:A:16:GLY:CA	2.58	0.66
1:A:14:THR:CA	1:A:16:GLY:HA2	2.25	0.66
1:C:71:HIS:CD2	2:D:296:HIS:CE1	2.72	0.65
1:A:71:HIS:CE1	2:B:300:LYS:HE3	2.32	0.65
1:A:12:GLU:HG2	1:A:17:VAL:HG12	1.79	0.64
1:A:14:THR:O	1:A:15:TYR:HB2	1.97	0.64
1:C:129:LYS:NZ	1:C:165:THR:HG21	2.12	0.64
1:A:177:CYS:HB2	1:A:233:MET:HE2	1.81	0.62
1:A:71:HIS:CD2	2:B:304:PHE:HE2	2.18	0.62
1:C:202:LEU:HD13	1:C:203:PHE:CE2	2.35	0.62
1:A:124:LEU:HG	1:A:152:PHE:CD1	2.35	0.61
1:A:260:ARG:HD3	5:A:435:HOH:O	2.00	0.61
1:C:60:HIS:HD2	1:C:62:ASN:H	1.49	0.60
2:B:227:LEU:HD12	2:B:261:MET:HE3	1.84	0.60
1:A:15:TYR:HB3	1:A:35:ILE:HA	1.85	0.59
1:C:88:LYS:HA	1:C:91:MET:HE2	1.84	0.59
1:A:13:GLY:HA3	3:A:301:ATP:O2B	2.02	0.59
1:A:129:LYS:HZ3	1:A:165:THR:HG21	1.68	0.58
1:A:145:ASP:OD2	3:A:301:ATP:O1B	2.22	0.58
1:C:60:HIS:CD2	1:C:62:ASN:H	2.23	0.57
2:B:233:HIS:HE1	5:B:504:HOH:O	1.87	0.56
1:C:129:LYS:HZ3	1:C:165:THR:HG21	1.70	0.56
2:D:346:PRO:O	2:D:349:LYS:HG2	2.06	0.56
1:C:250:LYS:HG3	1:C:251:VAL:HG23	1.87	0.56
1:C:218:THR:HG23	1:C:250:LYS:HD3	1.89	0.55
2:D:282:THR:O	2:D:283:ASP:HB2	2.07	0.55
2:D:219:VAL:HG22	2:D:232:LEU:HD11	1.88	0.55
1:A:223:ASP:OD1	1:A:226:VAL:HG12	2.07	0.54
1:C:251:VAL:HG21	1:C:263:LEU:HD21	1.89	0.54
1:A:162:GLU:O	1:A:163:VAL:HG22	2.09	0.53
1:A:14:THR:OG1	1:A:15:TYR:N	2.43	0.52
2:B:331:SER:HA	2:B:334:MET:HE3	1.92	0.52
1:C:155:PRO:HD2	2:D:316:THR:HB	1.91	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:D:293[B]:ARG:HH21	2:D:293[B]:ARG:CB	2.19	0.52
2:D:395:HIS:HE1	2:D:427:PRO:O	1.93	0.51
1:A:14:THR:O	1:A:16:GLY:HA2	2.05	0.51
2:B:430:LEU:O	2:B:431:ASN:HB2	2.10	0.51
2:D:196:LYS:HD3	2:D:244:SER:HB3	1.93	0.51
2:B:230:GLU:OE2	2:B:313:GLN:NE2	2.43	0.51
2:B:202:LYS:HE3	1:C:65:LYS:NZ	2.26	0.50
1:A:49:ILE:HG23	2:B:306:LEU:HD12	1.94	0.50
1:C:163:VAL:HG23	1:C:164:VAL:HG23	1.94	0.50
1:A:14:THR:O	1:A:15:TYR:CB	2.59	0.49
1:C:1:MET:HE1	1:C:32:LEU:HD13	1.94	0.49
1:A:71:HIS:ND1	2:B:300:LYS:HE3	2.28	0.48
2:B:176:PRO:HA	5:B:501:HOH:O	2.13	0.48
1:A:161[B]:HIS:O	1:A:162:GLU:C	2.55	0.48
1:C:34:LYS:HD3	1:C:75:LYS:HD2	1.95	0.48
1:A:157:ARG:HB2	5:A:447:HOH:O	2.14	0.47
2:D:371:SER:O	2:D:372:TRP:C	2.57	0.47
1:C:52:ILE:HD11	1:C:78:LEU:HD21	1.96	0.47
1:A:73:GLU:H	1:A:73:GLU:CD	2.22	0.46
2:B:183:HIS:HB2	2:B:317:GLN:HE22	1.80	0.46
1:A:13:GLY:HA3	3:A:301:ATP:PB	2.56	0.46
2:B:344:ALA:HB1	2:B:348:LEU:HD22	1.99	0.46
1:C:20:LYS:HE3	1:C:29:VAL:HG11	1.98	0.46
2:D:388:LYS:HB3	2:D:389:PRO:HD3	1.98	0.45
1:C:249:SER:HA	1:C:250:LYS:C	2.40	0.45
2:D:428:GLU:O	2:D:429:THR:C	2.60	0.45
2:D:281:ILE:C	2:D:283:ASP:H	2.20	0.45
2:B:308:ALA:HA	2:B:309:PRO:HD3	1.85	0.45
1:A:161[B]:HIS:HE1	1:A:173:ILE:O	2.00	0.44
2:D:227:LEU:HD12	2:D:261:MET:HE3	1.99	0.44
1:C:122:ARG:HA	1:C:152:PHE:CE1	2.52	0.44
2:B:395:HIS:HE1	2:B:427:PRO:O	2.01	0.44
1:A:268:HIS:HD2	5:A:453:HOH:O	1.99	0.44
2:D:374:GLU:HA	2:D:377:ILE:HD12	2.00	0.44
1:C:47:THR:HG23	5:C:416:HOH:O	2.18	0.44
1:A:127:ASP:OD1	1:A:165:THR:CG2	2.66	0.43
1:C:250:LYS:HG3	1:C:251:VAL:H	1.83	0.43
1:C:218:THR:HG22	1:C:219:LEU:HD23	2.00	0.43
1:A:91:MET:HG2	1:A:99:ILE:HD11	1.99	0.43
1:C:250:LYS:HG3	1:C:251:VAL:N	2.34	0.43
1:C:98:GLY:HA2	1:C:199:ARG:CD	2.47	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:60:HIS:HE1	5:A:411:HOH:O	2.02	0.42
2:D:345:ASP:HA	2:D:346:PRO:HA	1.81	0.42
1:A:94:SER:O	1:A:95:ALA:C	2.61	0.41
1:C:51:GLU:O	1:C:55:LEU:HB2	2.20	0.41
1:C:119:HIS:HD2	5:C:415:HOH:O	2.03	0.41
2:D:330:GLU:O	2:D:334:MET:HG3	2.20	0.41
2:B:374:GLU:HA	2:B:377:ILE:HD12	2.02	0.41
1:C:250:LYS:C	1:C:250:LYS:HE3	2.46	0.41
1:C:255:LEU:HD23	1:C:255:LEU:HA	1.90	0.41
2:B:176:PRO:HB2	2:B:177:ASP:H	1.62	0.40
1:C:101:LEU:HD12	1:C:254:PRO:HG2	2.03	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:A:462:HOH:O	5:A:463:HOH:O[4_545]	1.57	0.63

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	295/301 (98%)	281 (95%)	10 (3%)	4 (1%)	9	5
1	C	272/301 (90%)	253 (93%)	17 (6%)	2 (1%)	18	15
2	B	255/258 (99%)	250 (98%)	5 (2%)	0	100	100
2	D	253/258 (98%)	247 (98%)	5 (2%)	1 (0%)	30	28
All	All	1075/1118 (96%)	1031 (96%)	37 (3%)	7 (1%)	18	15

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	162	GLU
1	A	163	VAL
1	A	164	VAL
1	C	164	VAL
2	D	283	ASP
1	C	253	PRO
1	A	16	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	261/264 (99%)	251 (96%)	10 (4%)	29	32
1	C	242/264 (92%)	224 (93%)	18 (7%)	13	10
2	B	231/232 (100%)	225 (97%)	6 (3%)	40	46
2	D	229/232 (99%)	215 (94%)	14 (6%)	17	15
All	All	963/992 (97%)	915 (95%)	48 (5%)	22	22

All (48) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	0	SER
1	A	17	VAL
1	A	55	LEU
1	A	73	GLU
1	A	97	THR
1	A	150	ARG
1	A	165	THR
1	A	178	LYS
1	A	255	LEU
1	A	290	THR
2	B	177	ASP
2	B	232	LEU
2	B	283	ASP
2	B	292	LEU
2	B	296	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	374	GLU
1	C	-2	LEU
1	C	9	LYS
1	C	17	VAL
1	C	34	LYS
1	C	37	LEU
1	C	55	LEU
1	C	84	SER
1	C	103	LEU
1	C	150	ARG
1	C	164	VAL
1	C	202	LEU
1	C	212	LEU
1	C	246	GLN
1	C	250	LYS
1	C	252	VAL
1	C	256	ASP
1	C	273	LYS
1	C	281	LEU
2	D	232	LEU
2	D	245	SER
2	D	281	ILE
2	D	282	THR
2	D	284	ASP
2	D	285	THR
2	D	292	LEU
2	D	296	HIS
2	D	327	CYS
2	D	331	SER
2	D	348	LEU
2	D	384	LEU
2	D	417	LYS
2	D	428	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	60	HIS
1	A	71	HIS
1	A	74	ASN
1	A	265	GLN
2	B	233	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	254	GLN
2	B	296	HIS
2	B	317	GLN
2	B	395	HIS
2	B	403	GLN
2	B	425	ASN
1	C	60	HIS
1	C	62	ASN
1	C	71	HIS
1	C	119	HIS
1	C	246	GLN
2	D	254	GLN
2	D	296	HIS
2	D	313	GLN
2	D	323	GLN
2	D	395	HIS

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

2 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
1	TPO	A	160	1	8,10,11	1.02	0	10,14,16	1.04	0
1	TPO	C	160	1	8,10,11	0.87	0	10,14,16	0.92	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
1	TPO	A	160	1	-	0/9/11/13	-
1	TPO	C	160	1	-	0/9/11/13	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 5 ligands modelled in this entry, 3 are monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	ATP	C	301	4	32,33,33	1.71	7 (21%)	48,52,52	1.66	8 (16%)
3	ATP	A	301	4	32,33,33	1.68	7 (21%)	48,52,52	1.87	10 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	ATP	C	301	4	-	2/22/38/38	0/3/3/3
3	ATP	A	301	4	-	2/22/38/38	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	C	301	ATP	C5-C4	5.20	1.48	1.39
3	A	301	ATP	C5-C4	5.12	1.48	1.39
3	A	301	ATP	PB-O3A	3.92	1.63	1.59
3	C	301	ATP	PA-O3A	3.73	1.63	1.59
3	C	301	ATP	PB-O3A	3.56	1.63	1.59
3	A	301	ATP	C5-C6	3.15	1.49	1.41
3	A	301	ATP	PA-O3A	3.03	1.62	1.59
3	C	301	ATP	C5-C6	2.77	1.48	1.41
3	C	301	ATP	PB-O3B	2.65	1.62	1.59
3	A	301	ATP	C8-N7	2.61	1.36	1.31
3	C	301	ATP	C8-N7	2.51	1.36	1.31
3	A	301	ATP	PB-O3B	2.39	1.62	1.59
3	C	301	ATP	C5-N7	-2.22	1.35	1.39
3	A	301	ATP	C5-N7	-2.15	1.35	1.39

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	301	ATP	C5-C4-N3	-6.03	118.41	126.72
3	C	301	ATP	C5-C4-N3	-5.39	119.30	126.72
3	C	301	ATP	N3-C4-N9	4.45	134.74	127.17
3	A	301	ATP	N3-C4-N9	4.37	134.59	127.17
3	A	301	ATP	C2-N3-C4	3.94	121.47	111.83
3	A	301	ATP	C4-C5-N7	-3.93	106.09	110.58
3	A	301	ATP	C2'-C1'-N9	-3.52	104.56	113.30
3	C	301	ATP	C2-N3-C4	3.36	120.04	111.83
3	A	301	ATP	N3-C2-N1	-3.16	123.81	128.58
3	C	301	ATP	N3-C2-N1	-3.07	123.94	128.58
3	C	301	ATP	C4-C5-N7	-2.92	107.24	110.58
3	A	301	ATP	C5-N7-C8	2.63	107.59	103.45
3	A	301	ATP	C6-C5-N7	2.57	137.04	132.09
3	A	301	ATP	O4'-C1'-N9	2.56	113.01	108.09
3	C	301	ATP	C4-N9-C8	2.55	108.42	105.74
3	C	301	ATP	C5-N7-C8	2.22	106.93	103.45
3	A	301	ATP	C4-N9-C8	2.04	107.89	105.74
3	C	301	ATP	O3B-PB-O1B	-2.01	104.64	110.70

There are no chirality outliers.

All (4) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	C	301	ATP	O4'-C4'-C5'-O5'
3	C	301	ATP	C3'-C4'-C5'-O5'
3	A	301	ATP	PG-O3B-PB-O2B
3	A	301	ATP	PB-O3A-PA-O2A


There are no ring outliers.

1 monomer is involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	301	ATP	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	296/301 (98%)	0.15	28 (9%) 14 14	15, 29, 61, 72	3 (1%)
1	C	275/301 (91%)	1.03	50 (18%) 3 3	32, 51, 81, 115	1 (0%)
2	B	257/258 (99%)	0.06	10 (3%) 43 45	17, 33, 51, 66	0
2	D	254/258 (98%)	0.89	37 (14%) 6 6	18, 54, 94, 111	1 (0%)
All	All	1082/1118 (96%)	0.53	125 (11%) 9 10	15, 41, 82, 115	5 (0%)

All (125) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	252	VAL	6.0
1	C	253	PRO	5.6
1	C	251	VAL	5.6
1	A	15	TYR	5.2
1	A	12	GLU	5.1
1	C	248	PHE	5.1
1	A	162	GLU	5.1
1	C	256	ASP	4.8
1	C	14	THR	4.8
1	C	15	TYR	4.8
1	C	254	PRO	4.4
1	C	296	LEU	4.3
2	D	429	THR	4.3
1	C	-3	PRO	4.1
1	C	-2	LEU	3.9
2	B	432	LEU	3.9
2	B	283	ASP	3.9
1	C	250	LYS	3.7
1	C	221	THR	3.6
1	C	17	VAL	3.6
2	B	284	ASP	3.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	71	HIS	3.4
1	A	13	GLY	3.4
1	A	96	LEU	3.3
1	C	165	THR	3.2
1	C	295[A]	HIS	3.2
1	A	95	ALA	3.2
1	C	269	TYR	3.2
1	A	19	TYR	3.2
2	B	176	PRO	3.2
1	A	14	THR	3.1
2	D	420	GLY	3.1
2	D	176	PRO	3.1
1	A	97	THR	3.0
1	C	19	TYR	3.0
1	C	255	LEU	3.0
2	B	431	ASN	3.0
1	A	40	GLU	2.9
1	C	156	VAL	2.9
2	D	424	LEU	2.9
1	C	273	LYS	2.8
2	D	178	TYR	2.8
2	D	285	THR	2.8
2	D	386	SER	2.8
2	B	323	GLN	2.8
1	A	11	GLY	2.8
1	C	249	SER	2.8
2	D	365	TYR	2.8
1	C	88	LYS	2.8
1	A	37	LEU	2.7
2	D	392	MET	2.7
2	B	274	GLU	2.7
1	A	41	THR	2.6
1	A	72	THR	2.6
1	C	102	PRO	2.6
1	C	219	LEU	2.6
1	C	-1	GLY	2.6
1	C	97	THR	2.6
2	D	177	ASP	2.6
2	D	399	LEU	2.6
1	A	17	VAL	2.5
2	D	384	LEU	2.5
2	D	383	THR	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	423	LEU	2.5
1	C	2	GLU	2.5
1	C	162	GLU	2.5
1	C	96	LEU	2.5
1	C	209	ILE	2.4
2	D	323	GLN	2.4
1	C	293	VAL	2.4
2	D	324	PRO	2.4
1	A	36	ARG	2.4
2	D	401	ALA	2.4
2	D	320	LEU	2.4
1	A	10	ILE	2.4
1	C	218	THR	2.4
1	A	73	GLU	2.3
1	C	3	ASN	2.3
1	C	220	GLY	2.3
1	C	206	ASP	2.3
1	C	288	ASP	2.3
1	C	198	THR	2.3
1	A	2	GLU	2.3
2	D	364	LEU	2.3
2	D	377	ILE	2.3
1	C	271	PRO	2.3
1	C	287	GLN	2.3
2	D	396	GLN	2.3
2	D	283	ASP	2.3
2	D	418	TYR	2.3
1	C	72	THR	2.3
2	D	405	ALA	2.3
2	D	336	LEU	2.3
2	D	223	GLU	2.2
1	C	13	GLY	2.2
1	C	73	GLU	2.2
2	D	350	TYR	2.2
2	D	378	ARG	2.2
1	C	215	ILE	2.2
2	D	415	ASN	2.2
2	D	367	VAL	2.2
2	D	357	GLY	2.2
2	D	282	THR	2.2
1	A	7	VAL	2.2
2	D	421	VAL	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	161[A]	HIS	2.2
2	B	282	THR	2.2
2	D	368	THR	2.2
1	C	212	LEU	2.1
1	A	-1	GLY	2.1
1	A	16	GLY	2.1
2	D	410	ARG	2.1
1	A	0	SER	2.1
1	C	294	PRO	2.1
1	C	7	VAL	2.1
2	D	359	ALA	2.1
1	A	272	ASN	2.0
1	A	287	GLN	2.0
1	C	161	HIS	2.0
1	A	18	VAL	2.0
2	D	224	GLU	2.0
1	C	120	SER	2.0
2	B	177	ASP	2.0
2	B	179	HIS	2.0
1	C	11	GLY	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
1	TPO	C	160	11/12	0.94	0.11	35,40,42,44	0
1	TPO	A	160	11/12	0.98	0.05	22,23,25,27	0

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,




median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	MG	A	302	1/1	0.87	0.09	38,38,38,38	0
3	ATP	C	301	31/31	0.89	0.12	45,55,67,68	4
4	MG	C	302	1/1	0.91	0.07	62,62,62,62	0
4	MG	D	501	1/1	0.91	0.12	51,51,51,51	0
3	ATP	A	301	31/31	0.92	0.10	36,39,52,52	4

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ATP C 301:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.