



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 9, 2026 – 03:36 PM UTC

PDB ID : 4EUT / pdb_00004eut
Title : Structure of BX-795 Complexed with Unphosphorylated Human TBK1 Kinase-ULD Domain
Authors : Ma, X.; Helgason, E.; Phung, Q.T.; Quan, C.L.; Iyer, R.S.; Lee, M.W.; Bowman, K.K.; Starovasnik, M.A.; Dueber, E.C.
Deposited on : 2012-04-25
Resolution : 2.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0
EDS : 3.0
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION



The reported resolution of this entry is 2.60 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	4008 (2.60-2.60)
Clashscore	190562	4347 (2.60-2.60)
Ramachandran outliers	187476	4277 (2.60-2.60)
Sidechain outliers	187428	4277 (2.60-2.60)
RSRZ outliers	180081	4008 (2.60-2.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	396	
1	B	396	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	IOD	B	402[B]	-	-	X	-
4	SO4	B	404	-	-	X	-

2 Entry composition [i](#)

There are 5 unique types of molecules in this entry. The entry contains 6314 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Serine/threonine-protein kinase TBK1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	384	Total	C	N	O	S	0	0	0
			3074	1962	531	568	13			
1	B	379	Total	C	N	O	S	0	0	0
			3028	1932	524	559	13			

There are 26 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MET	-	expression tag	UNP Q9UHD2
A	0	GLY	-	expression tag	UNP Q9UHD2
A	1	SER	-	expression tag	UNP Q9UHD2
A	135	ASN	ASP	engineered mutation	UNP Q9UHD2
A	386	GLY	-	expression tag	UNP Q9UHD2
A	387	ASN	-	expression tag	UNP Q9UHD2
A	388	SER	-	expression tag	UNP Q9UHD2
A	389	HIS	-	expression tag	UNP Q9UHD2
A	390	HIS	-	expression tag	UNP Q9UHD2
A	391	HIS	-	expression tag	UNP Q9UHD2
A	392	HIS	-	expression tag	UNP Q9UHD2
A	393	HIS	-	expression tag	UNP Q9UHD2
A	394	HIS	-	expression tag	UNP Q9UHD2
B	-1	MET	-	expression tag	UNP Q9UHD2
B	0	GLY	-	expression tag	UNP Q9UHD2
B	1	SER	-	expression tag	UNP Q9UHD2
B	135	ASN	ASP	engineered mutation	UNP Q9UHD2
B	386	GLY	-	expression tag	UNP Q9UHD2
B	387	ASN	-	expression tag	UNP Q9UHD2
B	388	SER	-	expression tag	UNP Q9UHD2
B	389	HIS	-	expression tag	UNP Q9UHD2
B	390	HIS	-	expression tag	UNP Q9UHD2
B	391	HIS	-	expression tag	UNP Q9UHD2
B	392	HIS	-	expression tag	UNP Q9UHD2
B	393	HIS	-	expression tag	UNP Q9UHD2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	394	HIS	-	expression tag	UNP Q9UHD2

- Molecule 2 is N-(3-{[5-iodo-4-({3-[(thiophen-2-ylcarbonyl)amino]propyl}amino)pyrimidin-2-yl]amino}phenyl)pyrrolidine-1-carboxamide (CCD ID: BX7) (formula: C₂₃H₂₆IN₇O₂S).



Mol	Chain	Residues	Atoms						ZeroOcc	AltConf
2	A	1	Total	C	I	N	O	S	0	1
			34	23	1	7	2	1		
2	B	1	Total	C	I	N	O	S	0	1
			34	23	1	7	2	1		

- Molecule 3 is IODIDE ION (CCD ID: IOD) (formula: I).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	1	Total I	0	1
			1 1		
3	B	1	Total I	0	1
			1 1		

- Molecule 4 is SULFATE ION (CCD ID: SO4) (formula: O₄S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	B	1	Total	O	S	0	0
			5	4	1		
4	B	1	Total	O	S	0	0
			5	4	1		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	59	Total	O	0	0
			59	59		
5	B	73	Total	O	0	0
			73	73		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Serine/threonine-protein kinase TBK1



• Molecule 1: Serine/threonine-protein kinase TBK1



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	89.92Å 60.21Å 116.72Å 90.00° 94.05° 90.00°	Depositor
Resolution (Å)	50.00 – 2.60 50.00 – 2.60	Depositor EDS
% Data completeness (in resolution range)	91.9 (50.00-2.60) 91.9 (50.00-2.60)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.09	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.88 (at 2.61Å)	Xtriage
Refinement program	REFMAC 5.5.0109	Depositor
R, R_{free}	0.214 , 0.257 0.206 , 0.248	Depositor DCC
R_{free} test set	1809 reflections (4.65%)	wwPDB-VP
Wilson B-factor (Å ²)	58.7	Xtriage
Anisotropy	0.685	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 54.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6314	wwPDB-VP
Average B, all atoms (Å ²)	73.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: IOD, SO4, BX7

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.63	0/3144	0.84	1/4252 (0.0%)
1	B	0.59	0/3096	0.83	0/4188
All	All	0.61	0/6240	0.83	1/8440 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	54	ARG	N-CA-C	5.02	117.13	111.11

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3074	0	3050	88	0
1	B	3028	0	3009	89	0
2	A	34	0	0	1	0
2	B	34	0	0	0	0
3	A	1	0	0	1	0
3	B	1	0	0	2	0
4	B	10	0	0	3	0
5	A	59	0	0	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
5	B	73	0	0	5	0
All	All	6314	0	6059	177	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (177) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:252:ALA:CB	1:B:255:GLY:HA3	1.66	1.24
1:B:224:PHE:CE1	1:B:251:LYS:O	1.92	1.23
1:B:252:ALA:HB3	1:B:255:GLY:CA	1.70	1.22
1:A:229:ARG:NH1	5:A:529:HOH:O	1.75	1.19
1:B:253:GLU:HG2	1:B:254:ASN:OD1	1.55	1.06
1:B:224:PHE:CD1	1:B:251:LYS:O	2.14	1.00
1:B:38:LYS:HE3	3:B:402[B]:IOD:I	2.39	0.91
1:B:170:PHE:O	1:B:173:LEU:CB	2.20	0.90
1:B:224:PHE:CD1	1:B:251:LYS:C	2.53	0.86
1:B:27:ARG:NH1	1:B:32:GLY:O	2.07	0.86
1:B:41:ASN:O	1:B:44:SER:OG	1.91	0.86
1:B:252:ALA:HB3	1:B:255:GLY:HA3	0.88	0.86
1:B:224:PHE:HE1	1:B:251:LYS:O	1.58	0.84
1:B:224:PHE:HB2	1:B:250:GLN:HG2	1.62	0.82
1:A:133:HIS:O	1:A:134:ARG:HB2	1.81	0.80
1:B:170:PHE:CE2	1:B:174:TYR:OH	2.36	0.79
1:B:257:ILE:HG21	1:B:259:TRP:CE2	2.18	0.79
1:A:53:MET:SD	1:B:53:MET:HG2	2.25	0.77
1:B:170:PHE:O	1:B:173:LEU:HB3	1.83	0.77
1:B:170:PHE:O	1:B:173:LEU:HB2	1.85	0.75
1:A:9:TRP:CE3	1:A:37:ILE:HD13	2.23	0.74
1:A:343:THR:O	1:A:344:LYS:HB2	1.85	0.74
1:B:162:ARG:NH1	4:B:404:SO4:O3	2.21	0.73
1:B:246:ILE:HD11	1:B:282:ALA:N	2.03	0.73
1:B:257:ILE:HB	1:B:259:TRP:CH2	2.23	0.73
1:A:173:LEU:HD13	1:A:173:LEU:O	1.88	0.73
1:B:79:THR:O	1:B:80:ARG:HB2	1.89	0.72
1:B:252:ALA:CB	1:B:255:GLY:CA	2.47	0.72
1:B:224:PHE:HD1	1:B:251:LYS:C	1.97	0.72
1:B:246:ILE:HD12	1:B:281:LEU:HB3	1.75	0.68
1:B:253:GLU:CG	1:B:254:ASN:OD1	2.42	0.64
1:A:374:THR:HG22	1:A:376:GLU:H	1.62	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:181:HIS:CG	1:A:182:PRO:HD2	2.33	0.62
1:A:295:PHE:HD1	1:A:299:PHE:CE2	2.17	0.62
1:B:225:GLU:HG3	1:B:230:ASN:ND2	2.14	0.62
1:A:374:THR:CG2	1:A:376:GLU:OE1	2.47	0.62
1:B:257:ILE:CG2	1:B:259:TRP:CE2	2.82	0.62
1:A:374:THR:HG22	1:A:376:GLU:OE1	1.99	0.62
1:A:362:GLU:OE1	1:A:362:GLU:N	2.32	0.61
1:B:123:MET:HG2	1:B:207:ILE:HD11	1.82	0.61
1:B:382:VAL:HG22	5:B:507:HOH:O	2.00	0.61
1:A:167:ASP:HA	1:A:170:PHE:CZ	2.35	0.61
1:A:162:ARG:NH1	4:B:403:SO4:O2	2.34	0.61
1:B:257:ILE:HG21	1:B:259:TRP:CZ2	2.36	0.61
1:A:316:LEU:HA	1:A:319:MET:CE	2.31	0.60
1:B:168:GLU:HA	1:B:168:GLU:OE1	2.02	0.60
1:A:132:VAL:HG23	1:A:134:ARG:HG3	1.84	0.60
1:A:346:ILE:HG22	1:A:348:SER:H	1.67	0.59
1:B:200:ALA:HB1	1:B:295:PHE:HE1	1.67	0.58
1:B:252:ALA:HB3	1:B:255:GLY:N	2.18	0.58
1:A:295:PHE:CD1	1:A:299:PHE:CE2	2.91	0.57
1:B:374:THR:HG22	1:B:376:GLU:H	1.69	0.57
1:B:246:ILE:HD12	1:B:281:LEU:CB	2.34	0.57
1:B:71:PHE:HB2	1:B:85:ILE:HG22	1.88	0.56
1:A:362:GLU:CD	1:A:365:ARG:HH21	2.12	0.56
1:A:109:GLU:OE2	1:A:270:SER:CB	2.54	0.56
1:A:177:GLU:HB3	1:A:185:TYR:CE1	2.41	0.56
1:A:292:CYS:SG	1:A:293:TRP:N	2.79	0.56
1:A:365:ARG:HG2	1:A:366:LEU:N	2.20	0.56
1:B:53:MET:HE3	1:B:57:GLU:OE2	2.06	0.56
1:B:171:VAL:HG23	1:B:172:SER:N	2.21	0.56
1:A:200:ALA:HB1	1:A:295:PHE:CD2	2.41	0.55
1:B:257:ILE:HB	1:B:259:TRP:CZ3	2.40	0.55
1:B:26:GLY:HA3	1:B:37:ILE:CD1	2.36	0.55
1:B:123:MET:CG	1:B:207:ILE:HD11	2.36	0.55
1:B:1:SER:HB3	1:B:10:LEU:HD23	1.88	0.54
1:A:374:THR:HG22	1:A:375:GLU:N	2.21	0.54
1:A:166:ASP:HB3	1:A:169:GLN:HG2	1.88	0.54
1:A:230:ASN:C	1:A:230:ASN:OD1	2.51	0.54
1:B:267:CYS:HB3	1:B:274:GLN:NE2	2.23	0.54
1:A:200:ALA:HB1	1:A:295:PHE:HD2	1.73	0.53
1:A:67:ILE:HD13	1:A:155:LEU:HB2	1.89	0.53
1:A:343:THR:HB	1:A:345:ILE:HG12	1.89	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:156:THR:HG23	1:A:157:ASP:N	2.23	0.53
1:A:193:ASP:O	1:A:197:LYS:HB2	2.08	0.53
1:B:68:VAL:HG12	1:B:86:MET:HE2	1.90	0.53
1:A:283:ASN:ND2	1:A:293:TRP:CZ2	2.76	0.53
1:A:109:GLU:OE2	1:A:270:SER:HB3	2.09	0.53
1:B:69:LYS:HG3	5:B:528:HOH:O	2.08	0.53
1:A:132:VAL:HG23	1:A:132:VAL:O	2.08	0.52
1:A:86:MET:HE2	2:A:401[A]:BX7:I01	2.80	0.52
1:A:135:ASN:O	1:A:140:ASN:OD1	2.28	0.52
1:A:4:THR:HG22	1:A:76:GLU:HA	1.92	0.52
1:A:173:LEU:CD1	1:A:173:LEU:C	2.83	0.52
1:A:241:LYS:NZ	1:A:285:LEU:O	2.40	0.52
1:B:367:ALA:HA	1:B:370:PHE:CD1	2.44	0.51
1:A:173:LEU:HD13	1:A:173:LEU:C	2.35	0.51
1:B:134:ARG:NH1	4:B:404:SO4:O1	2.29	0.51
1:A:339:VAL:O	1:A:343:THR:OG1	2.23	0.51
1:A:27:ARG:HG2	1:A:34:LEU:HD23	1.93	0.51
1:A:274:GLN:O	1:A:278:THR:HG23	2.11	0.50
1:A:374:THR:HB	1:A:377:ASN:H	1.77	0.50
1:B:185:TYR:O	1:B:189:VAL:HG23	2.12	0.50
1:B:299:PHE:O	1:B:303:SER:OG	2.27	0.50
1:B:47:ARG:HD3	5:B:521:HOH:O	2.12	0.50
1:A:199:GLY:O	1:A:202:VAL:HG22	2.12	0.50
1:A:319:MET:HA	1:A:319:MET:HE2	1.93	0.50
1:A:132:VAL:O	1:A:132:VAL:CG2	2.59	0.50
1:A:109:GLU:OE1	1:A:325:TYR:OH	2.28	0.49
1:A:376:GLU:C	1:A:378:PRO:HD3	2.37	0.49
1:A:27:ARG:NE	5:A:541:HOH:O	2.37	0.49
1:B:317:GLN:HB3	5:B:507:HOH:O	2.13	0.49
1:A:203:ASP:O	1:A:207:ILE:HG13	2.11	0.49
1:B:257:ILE:HG22	1:B:259:TRP:CD2	2.47	0.48
1:A:181:HIS:ND1	1:A:182:PRO:HD2	2.29	0.47
1:B:171:VAL:C	1:B:173:LEU:H	2.22	0.47
1:A:346:ILE:O	1:A:350:GLN:HG3	2.14	0.47
1:A:19:ALA:HB1	1:B:172:SER:OG	2.13	0.47
1:B:293:TRP:CH2	1:B:301:GLU:HG3	2.49	0.47
1:A:316:LEU:O	1:A:319:MET:HE3	2.14	0.47
1:B:156:THR:HG23	1:B:157:ASP:N	2.29	0.47
1:B:278:THR:HB	1:B:279:PRO:HD3	1.96	0.47
1:B:374:THR:HG22	1:B:375:GLU:N	2.30	0.47
1:A:37:ILE:HA	1:A:84:LEU:O	2.15	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:233:VAL:O	1:A:234:MET:C	2.57	0.47
1:B:123:MET:HE2	1:B:295:PHE:CE2	2.49	0.46
1:A:278:THR:N	1:A:279:PRO:CD	2.78	0.46
1:B:171:VAL:C	1:B:173:LEU:N	2.70	0.46
1:A:190:LEU:HD23	1:A:194:HIS:HB2	1.97	0.46
1:A:283:ASN:HB3	1:A:293:TRP:CG	2.50	0.46
1:A:283:ASN:HB3	1:A:293:TRP:CD2	2.51	0.46
1:B:123:MET:CG	1:B:207:ILE:CD1	2.94	0.46
1:B:171:VAL:CG2	1:B:172:SER:N	2.78	0.46
1:B:288:ASP:OD2	1:B:290:GLU:HB2	2.16	0.46
1:A:241:LYS:NZ	1:A:245:ALA:O	2.41	0.46
1:A:173:LEU:O	1:A:173:LEU:CD1	2.63	0.46
1:A:316:LEU:HD12	1:A:382:VAL:HB	1.97	0.45
1:A:354:TYR:CE2	1:A:371:PRO:HB3	2.52	0.45
1:A:66:ASN:O	1:A:154:LYS:HA	2.16	0.45
1:B:374:THR:CG2	1:B:376:GLU:OE1	2.64	0.45
1:B:170:PHE:CZ	1:B:174:TYR:OH	2.66	0.45
1:A:225:GLU:OE1	1:A:225:GLU:N	2.49	0.45
1:B:199:GLY:HA2	5:B:512:HOH:O	2.17	0.45
1:A:276:LEU:O	1:A:279:PRO:HD2	2.16	0.45
1:A:65:LYS:HE2	1:A:65:LYS:HB3	1.68	0.44
1:B:225:GLU:HG3	1:B:230:ASN:HD21	1.81	0.44
1:B:237:ILE:HG12	1:B:257:ILE:HG13	1.99	0.44
1:B:345:ILE:HG22	1:B:350:GLN:HG3	1.98	0.44
1:B:252:ALA:CB	1:B:255:GLY:N	2.79	0.44
1:A:123:MET:HA	1:A:123:MET:HE2	1.99	0.44
1:A:347:SER:O	1:A:350:GLN:HB2	2.18	0.44
1:B:374:THR:HG22	1:B:376:GLU:OE1	2.17	0.44
1:B:224:PHE:HB2	1:B:250:GLN:CG	2.40	0.43
1:B:241:LYS:HA	1:B:242:PRO:HD2	1.83	0.43
1:B:223:PRO:HD2	1:B:227:PRO:HA	2.00	0.43
1:A:365:ARG:HD3	1:A:369:HIS:HB2	2.01	0.43
1:B:246:ILE:HD11	1:B:282:ALA:CA	2.47	0.43
1:A:365:ARG:HG2	1:A:366:LEU:H	1.83	0.43
1:A:2:GLN:HB2	1:A:9:TRP:CE2	2.54	0.42
1:A:23:VAL:HG22	1:A:38:LYS:HG3	2.01	0.42
1:A:108:PRO:O	1:A:109:GLU:C	2.61	0.42
1:B:101:PRO:C	1:B:103:ASN:N	2.76	0.42
1:A:367:ALA:HA	1:A:370:PHE:CD1	2.55	0.42
1:A:309:MET:HG2	1:A:326:ILE:O	2.20	0.42
1:A:317:GLN:HB3	1:A:318:GLN:OE1	2.20	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:88:PHE:CE2	1:B:90:PRO:HB3	2.55	0.42
1:A:340:TYR:HA	1:A:343:THR:OG1	2.20	0.42
1:B:339:VAL:O	1:B:343:THR:HG23	2.20	0.42
1:A:339:VAL:O	1:A:343:THR:HG23	2.20	0.41
1:A:326:ILE:CG1	1:A:330:ASN:HB2	2.51	0.40
1:B:123:MET:HG2	1:B:207:ILE:CD1	2.49	0.40
1:A:167:ASP:OD1	1:A:167:ASP:N	2.55	0.40
1:B:366:LEU:HD23	1:B:366:LEU:HA	1.91	0.40
1:B:166:ASP:OD1	1:B:169:GLN:OE1	2.40	0.40
1:A:326:ILE:HG12	1:A:330:ASN:HB2	2.03	0.40
1:B:226:GLY:HA2	1:B:227:PRO:HD3	1.94	0.40
1:A:346:ILE:HB	1:A:349:ASN:OD1	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	380/396 (96%)	370 (97%)	9 (2%)	1 (0%)	36	58
1	B	375/396 (95%)	368 (98%)	7 (2%)	0	100	100
All	All	755/792 (95%)	738 (98%)	16 (2%)	1 (0%)	48	70

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	378	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	337/348 (97%)	332 (98%)	5 (2%)	57	80
1	B	332/348 (95%)	325 (98%)	7 (2%)	47	73
All	All	669/696 (96%)	657 (98%)	12 (2%)	51	76

All (12) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	14	ILE
1	A	168	GLU
1	A	171	VAL
1	A	173	LEU
1	A	295	PHE
1	B	14	ILE
1	B	43	ILE
1	B	80	ARG
1	B	189	VAL
1	B	246	ILE
1	B	257	ILE
1	B	265	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	22	ASN
1	A	66	ASN
1	A	129	ASN
1	A	140	ASN
1	A	330	ASN
1	B	2	GLN
1	B	66	ASN
1	B	124	ASN
1	B	377	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	SO4	B	404	-	4,4,4	0.19	0	6,6,6	0.50	0
4	SO4	B	403	-	4,4,4	0.22	0	6,6,6	0.68	0

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

2 monomers are involved in 3 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	B	404	SO4	2	0
4	B	403	SO4	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	384/396 (96%)	0.05	14 (3%) 46 40	48, 72, 113, 140	0
1	B	379/396 (95%)	-0.01	13 (3%) 48 42	45, 64, 113, 140	0
All	All	763/792 (96%)	0.02	27 (3%) 47 41	45, 68, 113, 140	0

All (27) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	169	GLN	5.1
1	A	190	LEU	4.2
1	A	198	TYR	4.2
1	B	172	SER	3.7
1	A	170	PHE	3.6
1	A	171	VAL	3.5
1	A	194	HIS	3.3
1	B	170	PHE	3.2
1	B	295	PHE	3.1
1	A	196	LYS	2.9
1	B	259	TRP	2.8
1	A	189	VAL	2.7
1	A	363	PRO	2.7
1	B	171	VAL	2.5
1	B	199	GLY	2.5
1	A	199	GLY	2.4
1	B	385	GLU	2.4
1	A	195	GLN	2.4
1	B	226	GLY	2.3
1	B	299	PHE	2.2
1	B	190	LEU	2.2
1	A	299	PHE	2.2
1	B	167	ASP	2.2
1	A	356	GLY	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	223	PRO	2.1
1	A	358	ARG	2.1
1	A	197	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	SO4	B	403	5/5	0.87	0.16	67,67,68,69	0
4	SO4	B	404	5/5	0.92	0.11	59,61,62,66	0
2	BX7	A	401[A]	34/34	0.93	0.13	61,67,86,86	1
2	BX7	B	401[A]	34/34	0.94	0.13	46,57,76,77	1
3	IOD	A	402[B]	1/1	0.94	0.11	83,83,83,83	1
3	IOD	B	402[B]	1/1	0.95	0.08	48,48,48,48	1

6.5 Other polymers [i](#)

There are no such residues in this entry.