



## wwPDB EM Validation Summary Report ⓘ

Mar 20, 2026 – 09:02 AM UTC

PDB ID : 8EVS / pdb\_00008evs  
EMDB ID : EMD-28635  
Title : Hypopseudouridylated yeast 80S bound with Taura syndrome virus (TSV) internal ribosome entry site (IRES), eEF2 and GDP, Structure II  
Authors : Zhao, Y.; Rai, J.; Li, H.  
Deposited on : 2022-10-20  
Resolution : 2.62 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev132  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4-5-2 with Phenix2.0  
Buster-report : wwPDB partial adaption of 1.1.7 (2018)  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49




# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.62 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Sidechain outliers	223484	23102	-
RNA backbone	8273	3508	-
Q-score	-	25397	8810 ( 2.12 - 3.12 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	BA	252	
2	BB	255	
3	BC	254	

Continued on next page...




























Continued from previous page...

Mol	Chain	Length	Quality of chain
4	BE	261	
5	BG	236	
6	BH	190	
7	BI	200	
8	BJ	197	
9	BL	156	
10	BN	151	
11	BO	137	
12	BV	87	
13	BW	130	
14	BX	145	
15	BY	135	
16	Ba	119	
17	Bb	82	
18	Be	63	
19	BD	240	
20	BF	225	
21	BK	105	
22	BP	142	
23	BQ	143	
24	BR	136	
25	BS	146	
26	BT	144	
27	BU	121	
28	BZ	108	

Continued on next page...


























Continued from previous page...

Mol	Chain	Length	Quality of chain
29	Bc	67	
30	Bd	56	
31	Bg	319	
32	Bf	152	
33	BM	143	
34	B5	1798	
35	AA	254	
36	AB	387	
37	AC	362	
38	A1	3199	
39	A3	121	
40	A4	158	
41	AD	297	
42	AE	176	
43	AF	244	
44	AG	256	
45	AH	191	
46	AI	221	
47	AJ	174	
48	AL	199	
49	AM	138	
50	AN	204	
51	AO	199	
52	AP	184	
53	AQ	186	

Continued on next page...







Continued from previous page...

Mol	Chain	Length	Quality of chain
54	AR	189	
55	AS	178	
56	AT	160	
57	AU	121	
58	AV	137	
59	AW	155	
60	AX	142	
61	AY	127	
62	AZ	136	
63	Aa	149	
64	Ab	59	
65	Ac	105	
66	Ad	113	
67	Ae	130	
68	Af	107	
69	Ag	121	
70	Ah	120	
71	Ai	100	
72	Aj	88	
73	Ak	78	
74	Al	51	
75	Am	128	
76	An	25	
77	Ao	106	
78	Ap	92	

Continued on next page...



*Continued from previous page...*

Mol	Chain	Length	Quality of chain
79	E	217	
80	DC	842	
81	V	312	
82	EC	202	



## 2 Entry composition

There are 85 unique types of molecules in this entry. The entry contains 214019 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 40S ribosomal protein S0-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	BA	206	Total	C	N	O	S	0	0
			1612	1034	285	291	2		

- Molecule 2 is a protein called RPS1A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	BB	214	Total	C	N	O	S	0	0
			1709	1084	310	311	4		

- Molecule 3 is a protein called RPS2 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	BC	217	Total	C	N	O	S	0	0
			1635	1047	289	297	2		

- Molecule 4 is a protein called 40S ribosomal protein S4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	BE	260	Total	C	N	O	S	0	0
			2068	1316	389	360	3		

- Molecule 5 is a protein called 40S ribosomal protein S6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	BG	226	Total	C	N	O	S	0	0
			1820	1142	350	325	3		

- Molecule 6 is a protein called 40S ribosomal protein S7-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	BH	184	Total	C	N	O	0	0
			1481	951	265	265		



- Molecule 7 is a protein called 40S ribosomal protein S8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	BI	188	Total	C	N	O	S	0	0
			1489	925	298	264	2		

- Molecule 8 is a protein called 40S ribosomal protein S9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	BJ	185	Total	C	N	O	S	0	0
			1494	943	289	261	1		

- Molecule 9 is a protein called 40S ribosomal protein S11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	BL	155	Total	C	N	O	S	0	0
			1244	798	235	208	3		

- Molecule 10 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	BN	150	Total	C	N	O	S	0	0
			1192	759	224	207	2		

- Molecule 11 is a protein called 40S ribosomal protein S14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	BO	127	Total	C	N	O	S	0	0
			941	578	186	174	3		

- Molecule 12 is a protein called 40S ribosomal protein S21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	BV	87	Total	C	N	O	S	0	0
			684	420	125	137	2		

- Molecule 13 is a protein called RPS22A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	BW	129	Total	C	N	O	S	0	0
			1021	650	188	180	3		

- Molecule 14 is a protein called 40S ribosomal protein S23-A.



Mol	Chain	Residues	Atoms					AltConf	Trace
14	BX	144	Total	C	N	O	S	0	0
			1121	708	220	191	2		

- Molecule 15 is a protein called 40S ribosomal protein S24-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	BY	134	Total	C	N	O	S	0	0
			1073	676	208	189			

- Molecule 16 is a protein called RPS26B isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	Ba	97	Total	C	N	O	S	0	0
			769	475	160	129	5		

- Molecule 17 is a protein called 40S ribosomal protein S27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Bb	81	Total	C	N	O	S	0	0
			610	382	110	113	5		

- Molecule 18 is a protein called 40S ribosomal protein S30-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	Be	60	Total	C	N	O	S	0	0
			475	299	98	77	1		

- Molecule 19 is a protein called RPS3 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	BD	223	Total	C	N	O	S	0	0
			1734	1101	313	314	6		

- Molecule 20 is a protein called Rps5p.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	BF	206	Total	C	N	O	S	0	0
			1609	1007	300	299	3		

- Molecule 21 is a protein called 40S ribosomal protein S10-A.



Mol	Chain	Residues	Atoms					AltConf	Trace
21	BK	96	Total	C	N	O	S	0	0
			817	529	133	153	2		

- Molecule 22 is a protein called RPS15 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	BP	124	Total	C	N	O	S	0	0
			991	631	187	166	7		

- Molecule 23 is a protein called 40S ribosomal protein S16-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	BQ	141	Total	C	N	O	0	0
			1105	708	203	194		

- Molecule 24 is a protein called 40S ribosomal protein S17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	BR	121	Total	C	N	O	S	0	0
			975	611	183	179	2		

- Molecule 25 is a protein called 40S ribosomal protein S18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BS	145	Total	C	N	O	S	0	0
			1192	743	237	210	2		

- Molecule 26 is a protein called 40S ribosomal protein S19-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	BT	141	Total	C	N	O	S	0	0
			1095	685	206	202	2		

- Molecule 27 is a protein called RPS20 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	BU	107	Total	C	N	O	S	0	0
			855	539	156	159	1		

- Molecule 28 is a protein called RPS25A isoform 1.



Mol	Chain	Residues	Atoms				AltConf	Trace
28	BZ	69	Total	C	N	O	0	0
			558	357	103	98		

- Molecule 29 is a protein called RPS28A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	Bc	63	Total	C	N	O	S	0	0
			497	306	99	91	1		

- Molecule 30 is a protein called RPS29A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	Bd	53	Total	C	N	O	S	0	0
			442	274	92	72	4		

- Molecule 31 is a protein called Guanine nucleotide-binding protein subunit beta-like protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	Bg	312	Total	C	N	O	S	0	0
			2401	1522	410	461	8		

- Molecule 32 is a protein called Ubiquitin-40S ribosomal protein S31.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	Bf	75	Total	C	N	O	S	0	0
			605	386	116	99	4		

- Molecule 33 is a protein called 40S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	BM	124	Total	C	N	O	S	0	0
			935	587	165	181	2		

- Molecule 34 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	B5	1782	Total	C	N	O	P	1	0
			38004	17005	6718	12499	1782		

There are 2 discrepancies between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
B5	1280	4AC	C	conflict	GB 1329886537
B5	1773	4AC	C	conflict	GB 1329886537

- Molecule 35 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	AA	247	Total	C	N	O	S	0	0
			1878	1170	381	326	1		

- Molecule 36 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	AB	386	Total	C	N	O	S	0	0
			3080	1955	584	533	8		

- Molecule 37 is a protein called RPL4A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	AC	361	Total	C	N	O	S	0	0
			2748	1729	522	494	3		

- Molecule 38 is a RNA chain called 25S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	A1	3198	Total	C	N	O	P	0	0
			68445	30596	12331	22320	3198		

- Molecule 39 is a RNA chain called 5s rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	A3	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 40 is a RNA chain called 5.8 S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	A4	158	Total	C	N	O	P	0	0
			3353	1500	586	1109	158		

- Molecule 41 is a protein called RPL5 isoform 1.



Mol	Chain	Residues	Atoms					AltConf	Trace
41	AD	292	Total	C	N	O	S	0	0
			2341	1478	408	453	2		

- Molecule 42 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	AE	156	Total	C	N	O	S	0	0
			1239	800	222	216	1		

- Molecule 43 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	AF	222	Total	C	N	O	S	0	0
			1784	1151	324	308	1		

- Molecule 44 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	AG	230	Total	C	N	O	S	0	0
			1798	1149	323	323	3		

- Molecule 45 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	AH	190	Total	C	N	O	S	0	0
			1510	957	273	276	4		

- Molecule 46 is a protein called RPL10 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	AI	205	Total	C	N	O	S	0	0
			1672	1063	316	288	5		

- Molecule 47 is a protein called RPL11A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	AJ	169	Total	C	N	O	S	0	0
			1353	847	253	249	4		

- Molecule 48 is a protein called 60S ribosomal protein L13-A.



Mol	Chain	Residues	Atoms				AltConf	Trace
48	AL	193	Total	C	N	O		
			1543	962	315	266	0	0

- Molecule 49 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	AM	136	Total	C	N	O	S		
			1053	675	199	177	2	0	0

- Molecule 50 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	AN	203	Total	C	N	O	S		
			1720	1077	361	281	1	0	0

- Molecule 51 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	AO	197	Total	C	N	O	S		
			1555	1003	289	262	1	197	0

- Molecule 52 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
52	AP	175	Total	C	N	O		
			1388	862	277	249	0	0

- Molecule 53 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	AQ	185	Total	C	N	O	S		
			1441	908	290	241	2	0	0

- Molecule 54 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
54	AR	188	Total	C	N	O		
			1521	935	326	260	0	0

- Molecule 55 is a protein called 60S ribosomal protein L20.



Mol	Chain	Residues	Atoms					AltConf	Trace
55	AS	172	Total	C	N	O	S	0	0
			1445	930	267	244	4		

- Molecule 56 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	AT	159	Total	C	N	O	S	0	0
			1276	805	246	221	4		

- Molecule 57 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	AU	100	Total	C	N	O	S	0	0
			796	516	131	149			

- Molecule 58 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	AV	136	Total	C	N	O	S	0	0
			1003	628	189	179	7		

- Molecule 59 is a protein called RPL24A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	AW	63	Total	C	N	O	S	0	0
			521	336	102	82	1		

- Molecule 60 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	AX	121	Total	C	N	O	S	0	0
			968	623	170	173	2		

- Molecule 61 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	AY	126	Total	C	N	O	S	0	0
			993	625	192	176			

- Molecule 62 is a protein called 60S ribosomal protein L27-A.



Mol	Chain	Residues	Atoms				AltConf	Trace
62	AZ	135	Total	C	N	O	0	0
			1092	710	202	180		

- Molecule 63 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	Aa	148	Total	C	N	O	S	0	0
			1173	749	231	190	3		

- Molecule 64 is a protein called RPL29 isoform 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
64	Ab	58	Total	C	N	O	0	0
			462	289	100	73		

- Molecule 65 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	Ac	97	Total	C	N	O	S	0	0
			743	479	124	139	1		

- Molecule 66 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	Ad	109	Total	C	N	O	S	0	0
			890	565	168	156	1		

- Molecule 67 is a protein called RPL32 isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	Ae	127	Total	C	N	O	S	0	0
			1020	647	205	167	1		

- Molecule 68 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	Af	106	Total	C	N	O	S	0	0
			850	540	165	144	1		

- Molecule 69 is a protein called 60S ribosomal protein L34-A.



Mol	Chain	Residues	Atoms					AltConf	Trace
69	Ag	112	Total	C	N	O	S	0	0
			880	545	179	152	4		

- Molecule 70 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	Ah	119	Total	C	N	O	S	0	0
			969	615	186	167	1		

- Molecule 71 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Ai	99	Total	C	N	O	S	0	0
			771	481	156	132	2		

- Molecule 72 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Aj	87	Total	C	N	O	S	0	0
			681	414	148	114	5		

- Molecule 73 is a protein called RPL38 isoform 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
73	Ak	77	Total	C	N	O	0	0
			612	391	115	106		

- Molecule 74 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Al	50	Total	C	N	O	S	0	0
			436	272	97	65	2		

- Molecule 75 is a protein called Ubiquitin-60S ribosomal protein L40.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Am	52	Total	C	N	O	S	0	0
			417	259	86	67	5		

- Molecule 76 is a protein called 60S ribosomal protein L41-A.



Mol	Chain	Residues	Atoms					AltConf	Trace
76	An	25	Total	C	N	O	S	0	0
			233	142	63	27	1		

- Molecule 77 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Ao	102	Total	C	N	O	S	0	0
			819	514	166	134	5		

- Molecule 78 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Ap	91	Total	C	N	O	S	0	0
			694	429	138	121	6		

- Molecule 79 is a protein called RPL1A isoform 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	E	217	Total	C	N	O	S	0	0
			1718	1097	299	312	10		

- Molecule 80 is a protein called Elongation factor 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	DC	824	Total	C	N	O	S	0	0
			6419	4085	1096	1208	30		

- Molecule 81 is a protein called 60S acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	V	189	Total	C	N	O	S	0	0
			1473	942	257	270	4		

- Molecule 82 is a RNA chain called TSV IRES.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	EC	195	Total	C	N	O	P	0	0
			4128	1843	731	1359	195		

- Molecule 83 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).




Mol	Chain	Residues	Atoms		AltConf
83	BJ	1	Total 1	Mg 1	0
83	Ba	1	Total 1	Mg 1	0
83	B5	62	Total 62	Mg 62	0
83	A1	174	Total 174	Mg 174	0
83	A3	2	Total 2	Mg 2	0
83	A4	6	Total 6	Mg 6	0
83	AI	1	Total 1	Mg 1	0
83	AL	1	Total 1	Mg 1	0
83	AN	1	Total 1	Mg 1	0
83	AP	1	Total 1	Mg 1	0
83	AR	1	Total 1	Mg 1	0
83	Ae	2	Total 2	Mg 2	0
83	Aj	1	Total 1	Mg 1	0

- Molecule 84 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
84	Ao	1	Total 1	Zn 1	0

- Molecule 85 is GUANOSINE-5'-DIPHOSPHATE (CCD ID: GDP) (formula: C<sub>10</sub>H<sub>15</sub>N<sub>5</sub>O<sub>11</sub>P<sub>2</sub>).






Mol	Chain	Residues	Atoms					AltConf
85	DC	1	Total	C	N	O	P	0
			28	10	5	11	2	




### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: 40S ribosomal protein S0-A




#### • Molecule 2: RPS1A isoform 1





#### • Molecule 3: RPS2 isoform 1









• Molecule 4: 40S ribosomal protein S4-A



• Molecule 5: 40S ribosomal protein S6-A




• Molecule 6: 40S ribosomal protein S7-A



• Molecule 7: 40S ribosomal protein S8-A




Chain BI: 





- Molecule 8: 40S ribosomal protein S9-A

Chain BJ: 




- Molecule 9: 40S ribosomal protein S11-A

Chain BL: 



- Molecule 10: 40S ribosomal protein S13


Chain BN: 




- Molecule 11: 40S ribosomal protein S14-A

Chain BO: 









- Molecule 12: 40S ribosomal protein S21-A





- Molecule 13: RPS22A isoform 1




- Molecule 14: 40S ribosomal protein S23-A




- Molecule 15: 40S ribosomal protein S24-A




- Molecule 16: RPS26B isoform 1











- Molecule 17: 40S ribosomal protein S27-A





- Molecule 18: 40S ribosomal protein S30-A




- Molecule 19: RPS3 isoform 1




- Molecule 20: Rps5p









• Molecule 21: 40S ribosomal protein S10-A




• Molecule 22: RPS15 isoform 1




• Molecule 23: 40S ribosomal protein S16-A





• Molecule 24: 40S ribosomal protein S17-A









• Molecule 25: 40S ribosomal protein S18-A



• Molecule 26: 40S ribosomal protein S19-A




• Molecule 27: RPS20 isoform 1





• Molecule 28: RPS25A isoform 1








- Molecule 29: RPS28A isoform 1



- Molecule 30: RPS29A isoform 1




- Molecule 31: Guanine nucleotide-binding protein subunit beta-like protein










• Molecule 33: 40S ribosomal protein S12




• Molecule 34: 18S rRNA













• Molecule 35: 60S ribosomal protein L2-A

Chain AA: 78% 20%




• Molecule 36: 60S ribosomal protein L3

Chain AB: 77% 23%



• Molecule 37: RPL4A isoform 1

Chain AC: 83% 17%



• Molecule 38: 25S rRNA

Chain A1: 56% 37% 7%






A1355	A1259	G1186	G977	G875	U776	A665	A585	G505	A373	G269	G101
U1356	A1260	C1167	G978	A876	U777	U671	C586	U506	A374	U270	A107
G1357	G1261	U1188	U979	U879	G781	U672	C185	U508	G375	C271	A108
G1367	A1263	C1192	C981	A886	A784	G674	A589	G514	U351	G272	A109
U1368	G1264	U1193	U982	U897	G785	A677	G591	C515	U352	G273	G110
U1269	U1265	A1195	A983	U898	G786	A678	G594	A516	A387	A283	C111
G1379	G1266	G1194	G984	U899	G787	A679	G595	G517	A388	A284	A115
G1380	U1267	A1196	U985	G900	C788	G680	G598	G518	A389	A285	A116
G1383	A1270	U1197	U986	A904	A791	U681	C599	U520	A390	U286	U117
A1386	C1271	A1203	G993	G907	G792	U682	G604	A521	U393	A289	U118
A1389	A1272	A1204	U995	G908	C793	U683	A605	A522	G394	C290	U119
G1392	U1207	A1205	A1002	C911	U797	A690	U606	U524	A395	C291	G120
A1393	U1208	G1206	G1010	G912	G798	A691	A608	U528	A396	U292	A121
C1283	U1209	A1207	G1011	A913	G799	C696	G609	A529	A397	C293	U126
C1284	U1210	U1211	U1014	A914	A801	A705	G610	G530	A398	U294	G127
G1285	U1211	U1212	U1015	A915	C804	G712	A611	G531	A399	A295	G128
A1286	G1213	A1120	C1016	G916	G805	G713	U612	A532	A400	A296	U129
A1287	U1218	U1121	C1017	A917	A806	U714	G617	A533	U401	G297	U130
A1290	C1219	U1122	G834	A921	A807	G715	C618	U534	G406	U298	U134
A1291	U1220	U1123	G937	U922	A808	A716	A619	G535	A407	G301	C135
C1292	A1221	A1124	U943	C923	G813	A717	U620	G538	U411	A219	G136
U1293	A1222	U1138	U944	G924	U814	C717	U621	U540	G412	A220	G137
A1305	A1223	G1139	C945	A925	G815	G718	A628	U541	A307	G226	U138
G1306	G1226	A1143	U946	G834	A816	G721	U627	G542	A308	U227	G139
G1307	C1227	U1144	U952	G937	A817	G725	A628	C543	U314	U228	G142
A1309	U1228	U1137	G953	U943	U821	G726	U629	C544	C315	G229	G143
G1310	A1231	G1139	U954	C944	G822	G727	A630	C545	A325	G234	U147
G1311	C1232	A1143	U955	C945	C823	G728	U631	U545	A326	A237	G156
A1317	G1233	U1144	U956	U946	C824	G742	A636	G547	U328	A238	A157
G1434	U1235	U1144	U957	A952	A830	U748	U640	G548	U329	G239	G158
U1436	G1236	G1147	U958	G953	G831	C749	C641	U549	C339	U240	A159
C1437	U1237	G1152	U959	U954	G832	C753	U642	A550	G341	C242	G160
A1443	A1240	A1153	U960	U955	G833	C758	U643	A551	G347	G244	C163
A1446	U1241	G1157	U961	U956	A837	U759	G644	G552	A348	U245	A164
G1447	G1242	A1158	U962	U957	G845	U760	A645	U557	A349	C247	A165
U1448	A1244	A1159	C961	U960	A846	G761	A646	U558	U448	U248	C166
A1449	A1245	C1160	U964	U961	A847	U762	A649	A559	A352	U249	U168
G1450	G1246	U1176	G964	U962	A848	G763	C650	G560	G353	G250	U169
U1455	C1247	G1177	A965	U966	G849	U764	G651	U563	C356	G251	G170
A1460	U1248	A1178	U967	U967	G857	C765	C655	G564	A357	U252	G171
A1461	G1249	G1179	A967	U968	G860	U766	A656	G567	G358	A253	G172
G1464	A1251	U1181	U969	G968	C861	U767	A657	G568	U359	G173	C174
A1465	C1255	A1182	A970	U969	G867	G770	A660	C573	A361	U257	G175
U1466	G1256	C1183	A971	U970	G877	A771	G661	U574	G364	G264	U177
G1466	U1258	C1185	C975	U976	C873	G774	U662	C575	U372	A265	U178
					U874	A775	C663	C576		A266	C179
							U664	A578		G267	A180




U2865	C2764	G2677	U2565	A2484	U2423	A2345	U2430	C2242	U2140	A1886	U1785	C1671	A1583	A1467
U2868	U2767	A2678	C2666	A2485	A2424	C2346	U2426	A2232	U2141	A1887	G1786	A1679	A1587	A1468
C2870	U2768	A2679	C2667	A2486	G2425	U2347	U2427	A2233	A2142	U1888	A1787	U1682	A1588	C1469
A2872	A2769	C2682	A2569	U2487	U2428	A2352	U2428	U2241	A2143	G1889	C1792	U1686	A1589	U1471
U2875	C2772	U2683	U2570	C2488	G2429	C2354	C2489	C245	A2144	U1890	C1793	U1687	A1590	A1477
C2876	C2773	U2684	U2571	C2489	A2430	G2355	C2490	C245	U2148	A1893	U1799	U1688	A1591	A1481
U2880	G2777	A2685	C2572	C2492	A2431	A2357	C2491	C245	A2149	U1899	A1798	U1689	A1592	A1482
C2881	U2778	U2686	U2573	U2493	G2435	A2358	U2494	U2254	C2151	G1899	A1799	U1694	C1596	G1483
U2882	G2791	U2687	U2585	U2494	U2438	A2366	U2495	U2255	C2152	G1906	A1800	U1695	C1597	G1486
U2883	A2792	C2688	U2586	C2496	G2439	C2367	U2496	A2256	A2153	G1907	C1802	A1696	G1598	
A2887	G2793	U2689	U2587	U2497	A2440	A2368	U2497	A2257	U2158	A1913	C1805	A1697	A1602	G1492
C2895	U2796	A2690	U2588	U2498	G2441	A2369	U2498	A2258	U2159	G1914	C1806	C1709	A1605	U1495
A2896	G2799	U2691	U2589	U2499	A2442	G2370	U2499	U2259	G2161	A1921	G1807	C1710	A1613	U1496
C2897	U2800	C2700	U2590	U2500	A2443	A2373	U2500	C2263	G2169	A1932	A1809	U1717	A1614	C1497
U2898	A2801	A2704	U2591	G2503	U2444	C2374	U2501	C2267	U2176	G1940	A1810	G1718	A1614	A1498
G2901	A2802	A2705	U2592	U2504	U2445	G2375	U2502	U2268	U2177	G1941	G1811	G1719	A1616	A1506
U2909	C2810	C2706	U2593	U2505	U2446	G2376	U2503	U2269	G2180	U1942	A1812	U1720	G1617	G1507
A2910	A2811	C2707	U2594	U2506	A2447	C2377	U2504	U2270	C2181	U1946	A1813	U1721	G1618	C1508
C2916	C2812	C2708	U2595	U2507	U2448	G2378	U2505	A2271	G2185	A1947	A1814	U1722	G1619	U1522
G2917	A2813	U2710	U2596	U2508	A2449	C2379	U2506	C2272	U2188	G1948	A1815	U1723	U1620	U1523
U2918	C2814	C2711	U2597	U2509	U2450	U2380	U2507	C2273	A2189	G1952	A1816	U1724	A1621	U1527
C2921	G2815	G2712	U2598	U2510	G2452	C2383	U2508	C2274	U2190	G1953	G1817	A1729	G1623	C1527
U2922	A2817	A2715	U2599	U2511	U2453	A2384	U2509	A2280	U2193	G1954	U1821	G1736	C1628	A1534
C2923	U2818	C2716	U2600	U2512	G2454	U2385	U2510	A2281	G2194	C1954	U1822	U1737	A1629	A1535
U2927	C2822	U2717	U2601	U2513	U2455	C2386	U2511	C2282	C2197	U1955	A1823	U1740	C1631	A1539
C2928	G2823	A2718	U2602	U2514	A2456	G2387	U2512	C2283	C2201	A2093	U1824	A1741	G1635	U1555
U2929	U2824	U2719	U2603	U2515	U2457	C2388	U2513	C2284	G2202	C2094	U1825	G1747	A1638	U1556
A2930	C2825	C2720	U2604	U2516	A2458	U2389	U2514	C2285	U2203	U2097	A1826	G1748	A1639	G1560
C2932	U2826	A2721	U2605	U2517	U2459	C2390	U2515	C2286	C2204	C2098	A1827	G1749	C1639	G1561
U2933	C2827	U2722	U2606	U2518	U2460	G2391	U2516	C2287	U2205	A2099	A1828	A1750	A1642	C1562
A2934	U2828	U2723	U2607	U2519	A2461	C2392	U2517	C2288	G2206	A2106	A1829	G1751	A1643	C1563
U2935	C2829	A2724	U2608	U2520	U2462	G2393	U2518	C2289	U2207	A2107	U1830	A1752	U1644	U1564
A2936	U2830	U2725	U2609	U2521	U2463	C2394	U2519	C2290	U2208	G2110	U1831	G1759	U1645	G1565
C2937	C2831	C2726	U2610	U2522	U2464	U2395	U2520	C2291	U2209	G2111	C1846	C1760	A1566	A1567
U2938	U2832	A2727	U2611	U2523	U2465	A2397	U2521	C2292	A2213	U2112	C1847	A1761	U1651	U1568
A2939	C2833	U2728	U2612	U2524	G2466	U2400	U2522	C2293	A2214	A2113	U1848	C1762	U1569	U1569
U2940	U2834	G2729	U2613	U2525	G2467	U2401	U2523	C2294	G2218	G2114	C1849	U1763	G1657	U1570
C2942	C2835	U2730	U2614	U2526	U2468	A2402	U2524	C2295	A2219	G2115	A1849	U1764	G1658	A1571
U2943	U2836	A2731	U2615	U2527	G2469	G2403	U2525	C2296	G2220	G2120	C1850	U1765	U1659	U1572
A2944	C2837	U2732	U2616	U2528	U2470	U2404	U2526	C2297	A2221	G2121	A1851	G1766	C1660	G1573
C2946	U2838	U2733	U2617	U2529	U2471	A2405	U2527	C2298	G2222	G2122	C1852	C1771	G1661	C1574
U2947	C2839	A2734	U2618	U2530	U2472	C2406	U2528	C2299	A2223	G2123	C1853	U1772	G1662	C1575
C2948	U2840	U2735	U2619	U2531	U2473	C2407	U2529	C2300	A2224	U2129	A1854	G1775	G1666	A1576
U2949	C2841	G2736	U2620	U2532	G2474	U2408	U2530	C2301	C2225	G2130	C1855	U1776	A1667	G1576
A2950	U2842	A2737	U2621	U2533	U2475	U2409	U2531	C2302	A2226	A2131	U1856	G1780	G1668	C1579
C2952	C2843	U2738	U2622	U2534	U2476	U2410	U2532	C2303	A2227	G2132	C1857			A1580
U2953	U2844	G2739	U2623	U2535	U2477	A2411	U2533	C2304	A2228	U2133	A1857			C1581
A2954	C2845	A2740	U2624	U2536	U2478	G2412	U2534	C2305	A2229		C1858			C1582
C2956	U2846	U2741	U2625	U2537	U2479	U2413	U2535	C2306	U2230		C1859			
U2957	C2847	A2742	U2626	U2538	G2474	U2414	U2536	C2307	A2231		C1860			
C2959	U2848	U2743	U2627	U2539	U2475	U2415	U2537	C2308	A2232		C1861			
U2960	C2849	G2744	U2628	U2540	U2476	A2416	U2538	C2309	A2233		C1862			
A2961	U2850	A2745	U2629	U2541	U2477	U2417	U2539	C2310	A2234		C1863			
C2963	C2851	U2746	U2630	U2542	G2478	G2418	U2540	C2311	A2235		C1864			
U2964	U2852	U2747	U2631	U2543	U2479	U2419	U2541	C2312	A2236		C1865			
C2966	C2853	A2748	U2632	U2544	U2480	U2420	U2542	C2313	A2237		C1866			
U2967	U2854	G2749	U2633	U2545	U2481	U2421	U2543	C2314	A2238		C1867			
A2968	C2855	U2750	U2634	U2546	U2482	U2422	U2544	C2315	A2239		C1868			
C2970	U2856	U2751	U2635	U2547	U2483	C2422	U2545	C2316	A2240		C1869			
U2971	C2857	A2752	U2636	U2548	U2484		U2546	C2317	A2241		C1870			
A2972	U2858	G2753	U2637	U2549	U2485		U2547	C2318	A2242		C1871			
C2974	C2859	U2754	U2638	U2550	U2486		U2548	C2319	A2243		C1872			
U2975	U2860	A2755	U2639	U2551	U2487		U2549	C2320	A2244		C1873			
C2977	C2861	G2756	U2640	U2552	U2488		U2550	C2321	A2245		C1874			
U2978	U2862	U2757	U2641	U2553	U2489		U2551	C2322	A2246		C1875			
A2979	C2863	A2758	U2642	U2554	U2490		U2552	C2323	A2247		C1876			
C2981	U2864	G2759	U2643	U2555	U2491		U2553	C2324	A2248		C1877			
U2982	C2865	U2760	U2644	U2556	U2492		U2554	C2325	A2249		C1878			
A2983	U2866	A2761	U2645	U2557	U2493		U2555	C2326	A2250		C1879			
C2985	C2867	G2762	U2646	U2558	U2494		U2556	C2327	A2251		C1880			
U2986	U2868	U2763	U2647	U2559	U2495		U2557	C2328	A2252		C1881			
C2988	C2869	A2764	U2648	U2560	U2496		U2558	C2329	A2253		C1882			
U2989	U2870	G2765	U2649	U2561	U2497		U2559	C2330	A2254		C1883			
A2990	C2871	U2766	U2650	U2562	U2498		U2560	C2331	A2255		C1884			
C2992	U2872	A2767	U2651	U2563	U2499		U2561	C2332	A2256		C1885			
U2993	C2873	G2768	U2652	U2564	U2500		U2562	C2333	A2257		C1886			
A2994	U2874	U2769	U2653	U2565	U2501		U2563	C2334	A2258		C1887			
C2996	C2875	A2770	U2654	U2566	U2502		U2564	C2335	A2259		C1888			
U2997	U2876	G2771	U2655	U2567	U2503		U2565	C2336	A2260		C1889			
A2998	C2877	U2772	U2656	U2568	U2504		U2566	C2337	A2261		C1890			
C2999	U2878	A2773	U2657	U2569	U2505		U2567	C2338	A2262		C1891			
U3000	C2879	G2774	U2658	U2570	U2506		U2568	C2339	A2263		C1892			
A3001	U2880	U2775	U2659	U2571	U2507		U2569	C2340	A2264		C1893			
C3003	C2881	A2776	U2660	U2572	U2508		U2570	C2341	A2265		C1894			
U3004	U2882	G2777	U2661	U2573	U2509		U2571	C2342	A2266		C1895			
A3005	C2883	U2778	U2662	U2574	U2510		U2572	C2343	A2267		C1896			
C3007	U2884	A2779	U2663	U2575	U2511		U2573	C2344	A2268		C1897			
U3008	C2885	G2780	U2664	U2576	U2512		U2574	C2345	A2269		C1898			
A3009	U2886	U2781	U2665	U2577	U2513		U2575	C2346	A2270		C1899			
C3011	C2887	A2782	U2666	U2578	U2514		U2576	C2347	A2271		C1900			
U3012	U2888	G2783	U2667	U2579	U2515		U2577	C2348	A2272		C1901			
A3013	C2889	U2784	U2668	U2580	U2516		U2578	C2349	A2273		C1902			
C3015														






• Molecule 39: 5s rRNA

Chain A3: 62% 34% .




• Molecule 40: 5.8 S rRNA

Chain A4: 55% 39% 6% .



• Molecule 41: RPL5 isoform 1


Chain AD: 5% 83% 15% .







- Molecule 42: 60S ribosomal protein L6-A

Chain AE: 




- Molecule 43: 60S ribosomal protein L7-A

Chain AF: 





- Molecule 44: 60S ribosomal protein L8-A

Chain AG: 



- Molecule 45: 60S ribosomal protein L9-A


Chain AH: 




- Molecule 46: RPL10 isoform 1

Chain AI: 









• Molecule 47: RPL11A isoform 1





• Molecule 48: 60S ribosomal protein L13-A



• Molecule 49: 60S ribosomal protein L14-A





• Molecule 50: 60S ribosomal protein L15-A







- Molecule 51: 60S ribosomal protein L16-A

Chain AO:  84% 15%





- Molecule 52: 60S ribosomal protein L17-A

Chain AP:  75% 20% 5%




- Molecule 53: 60S ribosomal protein L18-A

Chain AQ:  83% 17%





- Molecule 54: 60S ribosomal protein L19-A

Chain AR:  10% 81% 19%




- Molecule 55: 60S ribosomal protein L20

Chain AS:  78% 19%




- Molecule 56: 60S ribosomal protein L21-A



Chain AT:  81% 19%




- Molecule 57: 60S ribosomal protein L22-A





- Molecule 58: 60S ribosomal protein L23-A




- Molecule 59: RPL24A isoform 1




- Molecule 60: 60S ribosomal protein L25





- Molecule 61: 60S ribosomal protein L26-A










- Molecule 62: 60S ribosomal protein L27-A




- Molecule 63: 60S ribosomal protein L28




- Molecule 64: RPL29 isoform 1




- Molecule 65: 60S ribosomal protein L30



- Molecule 66: 60S ribosomal protein L31-A





- Molecule 67: RPL32 isoform 1









- Molecule 68: 60S ribosomal protein L33-A




- Molecule 69: 60S ribosomal protein L34-A





- Molecule 70: 60S ribosomal protein L35-A



- Molecule 71: 60S ribosomal protein L36-A



- Molecule 72: 60S ribosomal protein L37-A




- Molecule 73: RPL38 isoform 1




- Molecule 74: 60S ribosomal protein L39





Chain Al:  78% 20% .





- Molecule 75: Ubiquitin-60S ribosomal protein L40

Chain Am:  32% 9% 59%




- Molecule 76: 60S ribosomal protein L41-A

Chain An:  76% 20% .




- Molecule 77: 60S ribosomal protein L42-A

Chain Ao:  5% 79% 17% .




- Molecule 78: 60S ribosomal protein L43-A

Chain Ap:  83% 16% .




- Molecule 79: RPL1A isoform 1










Chain E:  65% 35% 99%








• Molecule 80: Elongation factor 2






Chain V:



## Chain EC:





## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	65607	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	4.770	Depositor
Minimum map value	-1.793	Depositor
Average map value	0.035	Depositor
Map value standard deviation	0.202	Depositor
Recommended contour level	0.6	Depositor
Map size (Å)	423.99997, 423.99997, 423.99997	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor



## 5 Model quality ⓘ

### 5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: 4AC, OMU, GDP, ZN, OMC, MG, OMG, UR3, 5MC, 1MA, 7MG, MA6, DDE, XSX, A2M, HIC

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	BA	0.13	0/1653	0.33	0/2261
2	BB	0.14	0/1735	0.40	0/2335
3	BC	0.14	0/1665	0.31	0/2263
4	BE	0.13	0/2109	0.35	0/2839
5	BG	0.10	0/1844	0.28	0/2464
6	BH	0.15	0/1506	0.41	0/2028
7	BI	0.13	0/1514	0.36	0/2021
8	BJ	0.24	1/1519 (0.1%)	0.45	3/2035 (0.1%)
9	BL	0.14	0/1272	0.29	0/1712
10	BN	0.14	0/1215	0.36	0/1638
11	BO	0.15	0/952	0.39	0/1279
12	BV	0.15	0/693	0.38	0/935
13	BW	0.14	0/1038	0.31	0/1395
14	BX	0.14	0/1139	0.37	0/1518
15	BY	0.12	0/1087	0.32	0/1449
16	Ba	0.15	0/782	0.42	0/1047
17	Bb	0.12	0/620	0.36	0/838
18	Be	0.10	0/483	0.32	0/643
19	BD	0.13	0/1759	0.37	0/2368
20	BF	0.11	0/1629	0.33	0/2202
21	BK	0.74	2/837 (0.2%)	1.18	5/1131 (0.4%)
22	BP	0.15	0/1012	0.37	0/1356
23	BQ	0.12	0/1125	0.33	0/1510
24	BR	0.12	0/984	0.34	0/1318
25	BS	0.14	0/1211	0.39	0/1628
26	BT	0.16	0/1113	0.42	0/1494
27	BU	0.11	0/865	0.32	0/1169
28	BZ	0.10	0/566	0.29	0/761
29	Bc	0.13	0/499	0.39	0/670
30	Bd	0.20	0/452	0.44	1/600 (0.2%)
31	Bg	0.10	0/2454	0.31	0/3340
32	Bf	0.11	0/616	0.51	0/817



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
33	BM	0.14	0/943	0.49	0/1274
34	B5	0.16	1/41880 (0.0%)	0.29	1/65248 (0.0%)
35	AA	0.18	0/1912	0.33	0/2569
36	AB	0.16	0/3138	0.32	0/4217
37	AC	0.17	0/2800	0.35	0/3790
38	A1	0.20	0/75561	0.31	0/117806
39	A3	0.16	0/2883	0.27	0/4491
40	A4	0.20	0/3746	0.31	0/5832
41	AD	0.13	0/2390	0.29	0/3225
42	AE	0.15	0/1260	0.33	0/1694
43	AF	0.16	0/1821	0.31	0/2451
44	AG	0.15	0/1830	0.34	0/2469
45	AH	0.16	0/1531	0.34	0/2062
46	AI	0.14	0/1708	0.29	0/2290
47	AJ	0.13	0/1374	0.40	0/1842
48	AL	0.16	0/1568	0.32	0/2106
49	AM	0.14	0/1068	0.27	0/1438
50	AN	0.19	0/1757	0.34	0/2354
51	AO	0.16	0/1585	0.30	0/2128
52	AP	0.16	0/1410	0.28	0/1893
53	AQ	0.17	0/1465	0.31	0/1965
54	AR	0.16	0/1538	0.31	0/2050
55	AS	0.17	0/1481	0.37	0/1990
56	AT	0.15	0/1300	0.29	0/1743
57	AU	0.19	0/812	0.51	2/1099 (0.2%)
58	AV	0.17	0/1018	0.35	0/1369
59	AW	0.16	0/533	0.31	0/707
60	AX	0.16	0/983	0.30	0/1325
61	AY	0.18	0/1004	0.33	0/1341
62	AZ	0.16	0/1118	0.34	0/1497
63	Aa	0.20	0/1204	0.34	0/1612
64	Ab	0.14	0/473	0.30	0/629
65	Ac	0.16	0/751	0.27	0/1008
66	Ad	0.15	0/904	0.25	0/1213
67	Ae	0.17	0/1041	0.31	0/1394
68	Af	0.17	0/868	0.30	0/1168
69	Ag	0.17	0/890	0.34	0/1189
70	Ah	0.17	0/978	0.26	0/1301
71	Ai	0.17	0/778	0.35	0/1034
72	Aj	0.18	0/696	0.33	0/923
73	Ak	0.16	0/618	0.34	0/826
74	Al	0.18	0/443	0.32	0/588
75	Am	0.14	0/423	0.29	0/562



Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
76	An	0.27	0/234	0.82	1/300 (0.3%)
77	Ao	0.15	0/831	0.29	0/1097
78	Ap	0.17	0/701	0.38	0/934
79	E	0.15	0/1745	0.44	0/2342
80	DC	0.13	0/6521	0.38	0/8830
81	V	0.17	0/1498	0.49	0/2025
82	EC	0.12	0/4613	0.33	0/7182
All	All	0.18	4/227575 (0.0%)	0.33	13/333486 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	BC	0	2
6	BH	0	1
11	BO	0	1
14	BX	0	1
15	BY	0	1
38	A1	0	1
43	AF	0	1
44	AG	0	3
76	An	0	1
All	All	0	12

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
21	BK	88	PRO	CB-CG	16.11	2.30	1.49
21	BK	88	PRO	CG-CD	-12.22	1.09	1.50
8	BJ	169	PRO	CG-CD	-5.88	1.30	1.50
34	B5	1269	OMU	O3'-P	5.00	1.61	1.56

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
21	BK	88	PRO	CB-CG-CD	-24.30	28.33	106.10
21	BK	88	PRO	CA-N-CD	-21.00	82.59	112.00
21	BK	88	PRO	N-CD-CG	13.19	122.98	103.20
8	BJ	169	PRO	N-CD-CG	-8.82	89.97	103.20
21	BK	88	PRO	N-CA-CB	-8.78	95.08	103.51



There are no chirality outliers.

5 of 12 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	BC	144	TRP	Peptide
3	BC	145	GLY	Peptide
6	BH	64	VAL	Peptide
11	BO	123	SER	Peptide
14	BX	88	PRO	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	BA	1612	0	1623	41	0
2	BB	1709	0	1784	48	0
3	BC	1635	0	1723	42	0
4	BE	2068	0	2154	49	0
5	BG	1820	0	1918	57	0
6	BH	1481	0	1572	45	0
7	BI	1489	0	1525	48	0
8	BJ	1494	0	1573	46	0
9	BL	1244	0	1314	17	0
10	BN	1192	0	1255	15	0
11	BO	941	0	979	31	0
12	BV	684	0	672	21	0
13	BW	1021	0	1060	22	0
14	BX	1121	0	1196	31	0
15	BY	1073	0	1132	31	0
16	Ba	769	0	818	19	0
17	Bb	610	0	633	18	0
18	Be	475	0	525	10	0
19	BD	1734	0	1817	37	0
20	BF	1609	0	1675	55	0
21	BK	817	0	804	35	0
22	BP	991	0	1035	39	0
23	BQ	1105	0	1166	40	0
24	BR	975	0	1039	25	0
25	BS	1192	0	1222	54	0
26	BT	1095	0	1114	35	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
27	BU	855	0	917	26	0
28	BZ	558	0	598	16	0
29	Bc	497	0	535	14	0
30	Bd	442	0	432	22	0
31	Bg	2401	0	2356	80	0
32	Bf	605	0	654	25	0
33	BM	935	0	975	35	0
34	B5	38004	0	19142	720	0
35	AA	1878	0	1946	37	0
36	AB	3080	0	3158	65	0
37	AC	2748	0	2859	50	0
38	A1	68445	0	34457	835	0
39	A3	2579	0	1304	38	0
40	A4	3353	0	1695	43	0
41	AD	2341	0	2290	31	0
42	AE	1239	0	1326	29	0
43	AF	1784	0	1862	29	0
44	AG	1798	0	1894	31	0
45	AH	1510	0	1576	31	0
46	AI	1672	0	1711	34	0
47	AJ	1353	0	1383	33	0
48	AL	1543	0	1608	23	0
49	AM	1053	0	1149	22	0
50	AN	1720	0	1779	31	0
51	AO	1555	0	1659	18	0
52	AP	1388	0	1423	24	0
53	AQ	1441	0	1543	28	0
54	AR	1521	0	1617	26	0
55	AS	1445	0	1487	24	0
56	AT	1276	0	1323	24	0
57	AU	796	0	812	13	0
58	AV	1003	0	1048	24	0
59	AW	521	0	551	4	0
60	AX	968	0	1036	11	0
61	AY	993	0	1081	21	0
62	AZ	1092	0	1155	20	0
63	Aa	1173	0	1215	32	0
64	Ab	462	0	491	6	0
65	Ac	743	0	797	14	0
66	Ad	890	0	938	9	0
67	Ae	1020	0	1089	15	0
68	Af	850	0	880	11	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
69	Ag	880	0	945	13	0
70	Ah	969	0	1078	16	0
71	Ai	771	0	849	17	0
72	Aj	681	0	687	12	0
73	Ak	612	0	682	20	0
74	Al	436	0	475	8	0
75	Am	417	0	459	9	0
76	An	233	0	280	10	0
77	Ao	819	0	886	13	0
78	Ap	694	0	738	13	0
79	E	1718	0	1811	54	0
80	DC	6419	0	6493	200	0
81	V	1473	0	1514	63	0
82	EC	4128	0	2082	76	0
83	A1	174	0	0	0	0
83	A3	2	0	0	0	0
83	A4	6	0	0	0	0
83	AI	1	0	0	0	0
83	AL	1	0	0	0	0
83	AN	1	0	0	0	0
83	AP	1	0	0	0	0
83	AR	1	0	0	0	0
83	Ae	2	0	0	0	0
83	Aj	1	0	0	0	0
83	B5	62	0	0	0	0
83	BJ	1	0	0	0	0
83	Ba	1	0	0	0	0
84	Ao	1	0	0	0	0
85	DC	28	0	12	0	0
All	All	214019	0	160070	3398	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 3398 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
38:A1:1572:U:HO2'	38:A1:1573:G:H8	1.07	0.98
79:E:89:ASP:O	79:E:93:LEU:HB2	1.65	0.96
34:B5:1542:G:H1	34:B5:1568:C:HO2'	1.18	0.92
34:B5:1588:G:H1	34:B5:1608:U:H3	0.94	0.92

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
34:B5:1202:A:HO2'	34:B5:1206:U:H3	1.09	0.92

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	BA	204/252 (81%)	187 (92%)	17 (8%)	0	100	100
2	BB	212/255 (83%)	187 (88%)	25 (12%)	0	100	100
3	BC	215/254 (85%)	206 (96%)	9 (4%)	0	100	100
4	BE	258/261 (99%)	246 (95%)	12 (5%)	0	100	100
5	BG	224/236 (95%)	214 (96%)	10 (4%)	0	100	100
6	BH	182/190 (96%)	168 (92%)	14 (8%)	0	100	100
7	BI	184/200 (92%)	167 (91%)	17 (9%)	0	100	100
8	BJ	183/197 (93%)	170 (93%)	13 (7%)	0	100	100
9	BL	153/156 (98%)	141 (92%)	12 (8%)	0	100	100
10	BN	148/151 (98%)	140 (95%)	8 (5%)	0	100	100
11	BO	125/137 (91%)	111 (89%)	14 (11%)	0	100	100
12	BV	85/87 (98%)	74 (87%)	11 (13%)	0	100	100
13	BW	127/130 (98%)	120 (94%)	7 (6%)	0	100	100
14	BX	142/145 (98%)	131 (92%)	11 (8%)	0	100	100
15	BY	132/135 (98%)	125 (95%)	7 (5%)	0	100	100
16	Ba	95/119 (80%)	82 (86%)	13 (14%)	0	100	100
17	Bb	79/82 (96%)	68 (86%)	11 (14%)	0	100	100
18	Be	58/63 (92%)	49 (84%)	9 (16%)	0	100	100
19	BD	221/240 (92%)	210 (95%)	11 (5%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
20	BF	204/225 (91%)	183 (90%)	21 (10%)	0	100	100
21	BK	94/105 (90%)	82 (87%)	12 (13%)	0	100	100
22	BP	122/142 (86%)	113 (93%)	9 (7%)	0	100	100
23	BQ	139/143 (97%)	136 (98%)	3 (2%)	0	100	100
24	BR	117/136 (86%)	112 (96%)	5 (4%)	0	100	100
25	BS	143/146 (98%)	131 (92%)	12 (8%)	0	100	100
26	BT	139/144 (96%)	130 (94%)	9 (6%)	0	100	100
27	BU	105/121 (87%)	97 (92%)	8 (8%)	0	100	100
28	BZ	67/108 (62%)	63 (94%)	4 (6%)	0	100	100
29	Bc	61/67 (91%)	54 (88%)	7 (12%)	0	100	100
30	Bd	51/56 (91%)	50 (98%)	1 (2%)	0	100	100
31	Bg	310/319 (97%)	276 (89%)	34 (11%)	0	100	100
32	Bf	73/152 (48%)	64 (88%)	9 (12%)	0	100	100
33	BM	122/143 (85%)	111 (91%)	11 (9%)	0	100	100
35	AA	245/254 (96%)	232 (95%)	13 (5%)	0	100	100
36	AB	383/387 (99%)	365 (95%)	18 (5%)	0	100	100
37	AC	359/362 (99%)	334 (93%)	25 (7%)	0	100	100
41	AD	290/297 (98%)	276 (95%)	14 (5%)	0	100	100
42	AE	152/176 (86%)	141 (93%)	11 (7%)	0	100	100
43	AF	220/244 (90%)	212 (96%)	8 (4%)	0	100	100
44	AG	228/256 (89%)	211 (92%)	17 (8%)	0	100	100
45	AH	188/191 (98%)	174 (93%)	14 (7%)	0	100	100
46	AI	201/221 (91%)	193 (96%)	8 (4%)	0	100	100
47	AJ	167/174 (96%)	147 (88%)	20 (12%)	0	100	100
48	AL	191/199 (96%)	179 (94%)	12 (6%)	0	100	100
49	AM	134/138 (97%)	128 (96%)	6 (4%)	0	100	100
50	AN	201/204 (98%)	193 (96%)	8 (4%)	0	100	100
51	AO	195/199 (98%)	193 (99%)	2 (1%)	0	100	100
52	AP	171/184 (93%)	167 (98%)	4 (2%)	0	100	100
53	AQ	183/186 (98%)	180 (98%)	3 (2%)	0	100	100
54	AR	186/189 (98%)	179 (96%)	7 (4%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
55	AS	170/178 (96%)	163 (96%)	7 (4%)	0	100	100
56	AT	157/160 (98%)	149 (95%)	8 (5%)	0	100	100
57	AU	98/121 (81%)	94 (96%)	4 (4%)	0	100	100
58	AV	134/137 (98%)	130 (97%)	4 (3%)	0	100	100
59	AW	61/155 (39%)	61 (100%)	0	0	100	100
60	AX	119/142 (84%)	113 (95%)	6 (5%)	0	100	100
61	AY	124/127 (98%)	119 (96%)	5 (4%)	0	100	100
62	AZ	133/136 (98%)	128 (96%)	5 (4%)	0	100	100
63	Aa	146/149 (98%)	137 (94%)	9 (6%)	0	100	100
64	Ab	56/59 (95%)	49 (88%)	7 (12%)	0	100	100
65	Ac	95/105 (90%)	93 (98%)	2 (2%)	0	100	100
66	Ad	107/113 (95%)	103 (96%)	4 (4%)	0	100	100
67	Ae	125/130 (96%)	123 (98%)	2 (2%)	0	100	100
68	Af	104/107 (97%)	99 (95%)	5 (5%)	0	100	100
69	Ag	110/121 (91%)	106 (96%)	4 (4%)	0	100	100
70	Ah	117/120 (98%)	111 (95%)	6 (5%)	0	100	100
71	Ai	97/100 (97%)	93 (96%)	4 (4%)	0	100	100
72	Aj	85/88 (97%)	83 (98%)	2 (2%)	0	100	100
73	Ak	75/78 (96%)	73 (97%)	2 (3%)	0	100	100
74	Al	48/51 (94%)	47 (98%)	1 (2%)	0	100	100
75	Am	50/128 (39%)	48 (96%)	2 (4%)	0	100	100
76	An	23/25 (92%)	23 (100%)	0	0	100	100
77	Ao	100/106 (94%)	93 (93%)	7 (7%)	0	100	100
78	Ap	89/92 (97%)	86 (97%)	3 (3%)	0	100	100
79	E	215/217 (99%)	204 (95%)	11 (5%)	0	100	100
80	DC	819/842 (97%)	768 (94%)	51 (6%)	0	100	100
81	V	187/312 (60%)	176 (94%)	11 (6%)	0	100	100
All	All	12112/13257 (91%)	11374 (94%)	738 (6%)	0	100	100

There are no Ramachandran outliers to report.



### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	BA	173/210 (82%)	173 (100%)	0	100	100
2	BB	191/224 (85%)	191 (100%)	0	100	100
3	BC	176/205 (86%)	176 (100%)	0	100	100
4	BE	221/222 (100%)	221 (100%)	0	100	100
5	BG	193/201 (96%)	193 (100%)	0	100	100
6	BH	165/170 (97%)	165 (100%)	0	100	100
7	BI	150/161 (93%)	150 (100%)	0	100	100
8	BJ	158/166 (95%)	158 (100%)	0	100	100
9	BL	136/137 (99%)	136 (100%)	0	100	100
10	BN	127/128 (99%)	127 (100%)	0	100	100
11	BO	96/105 (91%)	96 (100%)	0	100	100
12	BV	74/74 (100%)	74 (100%)	0	100	100
13	BW	110/111 (99%)	110 (100%)	0	100	100
14	BX	119/120 (99%)	119 (100%)	0	100	100
15	BY	112/113 (99%)	112 (100%)	0	100	100
16	Ba	83/100 (83%)	83 (100%)	0	100	100
17	Bb	70/71 (99%)	70 (100%)	0	100	100
18	Be	51/54 (94%)	51 (100%)	0	100	100
19	BD	182/195 (93%)	182 (100%)	0	100	100
20	BF	173/191 (91%)	173 (100%)	0	100	100
21	BK	89/98 (91%)	89 (100%)	0	100	100
22	BP	104/118 (88%)	104 (100%)	0	100	100
23	BQ	117/119 (98%)	117 (100%)	0	100	100
24	BR	110/124 (89%)	110 (100%)	0	100	100
25	BS	128/129 (99%)	128 (100%)	0	100	100
26	BT	113/116 (97%)	113 (100%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
27	BU	100/114 (88%)	100 (100%)	0	100	100
28	BZ	61/89 (68%)	61 (100%)	0	100	100
29	Bc	56/60 (93%)	56 (100%)	0	100	100
30	Bd	47/49 (96%)	47 (100%)	0	100	100
31	Bg	256/262 (98%)	256 (100%)	0	100	100
32	Bf	66/135 (49%)	66 (100%)	0	100	100
33	BM	100/119 (84%)	100 (100%)	0	100	100
35	AA	189/196 (96%)	189 (100%)	0	100	100
36	AB	321/322 (100%)	321 (100%)	0	100	100
37	AC	288/289 (100%)	288 (100%)	0	100	100
41	AD	241/245 (98%)	241 (100%)	0	100	100
42	AE	134/153 (88%)	134 (100%)	0	100	100
43	AF	186/205 (91%)	186 (100%)	0	100	100
44	AG	189/208 (91%)	189 (100%)	0	100	100
45	AH	170/171 (99%)	170 (100%)	0	100	100
46	AI	176/187 (94%)	176 (100%)	0	100	100
47	AJ	147/150 (98%)	147 (100%)	0	100	100
48	AL	154/159 (97%)	154 (100%)	0	100	100
49	AM	107/109 (98%)	107 (100%)	0	100	100
50	AN	175/176 (99%)	175 (100%)	0	100	100
51	AO	160/162 (99%)	160 (100%)	0	100	100
52	AP	141/146 (97%)	141 (100%)	0	100	100
53	AQ	150/151 (99%)	150 (100%)	0	100	100
54	AR	153/154 (99%)	153 (100%)	0	100	100
55	AS	156/162 (96%)	156 (100%)	0	100	100
56	AT	136/137 (99%)	136 (100%)	0	100	100
57	AU	87/107 (81%)	87 (100%)	0	100	100
58	AV	104/105 (99%)	104 (100%)	0	100	100
59	AW	55/129 (43%)	55 (100%)	0	100	100
60	AX	105/118 (89%)	105 (100%)	0	100	100
61	AY	109/110 (99%)	109 (100%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
62	AZ	115/116 (99%)	115 (100%)	0	100	100
63	Aa	118/119 (99%)	118 (100%)	0	100	100
64	Ab	46/47 (98%)	46 (100%)	0	100	100
65	Ac	81/88 (92%)	81 (100%)	0	100	100
66	Ad	96/97 (99%)	96 (100%)	0	100	100
67	Ae	109/111 (98%)	109 (100%)	0	100	100
68	Af	90/91 (99%)	90 (100%)	0	100	100
69	Ag	95/103 (92%)	95 (100%)	0	100	100
70	Ah	104/105 (99%)	104 (100%)	0	100	100
71	Ai	81/82 (99%)	81 (100%)	0	100	100
72	Aj	70/71 (99%)	70 (100%)	0	100	100
73	Ak	68/69 (99%)	68 (100%)	0	100	100
74	Al	45/46 (98%)	45 (100%)	0	100	100
75	Am	47/116 (40%)	47 (100%)	0	100	100
76	An	23/23 (100%)	23 (100%)	0	100	100
77	Ao	87/91 (96%)	87 (100%)	0	100	100
78	Ap	71/72 (99%)	71 (100%)	0	100	100
79	E	198/198 (100%)	198 (100%)	0	100	100
80	DC	699/714 (98%)	699 (100%)	0	100	100
81	V	160/254 (63%)	160 (100%)	0	100	100
All	All	10343/11154 (93%)	10343 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 142 such sidechains are listed below:

Mol	Chain	Res	Type
69	Ag	61	GLN
70	Ah	99	GLN
79	E	44	GLN
33	BM	38	HIS
31	Bg	288	HIS

### 5.3.3 RNA ⓘ



Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
34	B5	1780/1798 (98%)	408 (22%)	10 (0%)
38	A1	3194/3199 (99%)	592 (18%)	25 (0%)
39	A3	120/121 (99%)	10 (8%)	1 (0%)
40	A4	157/158 (99%)	33 (21%)	0
82	EC	191/202 (94%)	108 (56%)	7 (3%)
All	All	5442/5478 (99%)	1151 (21%)	43 (0%)

5 of 1151 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
34	B5	2	A
34	B5	4	C
34	B5	20	G
34	B5	26	A
34	B5	34	G

5 of 43 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
38	A1	1629	U
39	A3	52	G
38	A1	2241	U
38	A1	2801	A
82	EC	6831	U

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

68 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
38	A2M	A1	807	38	22,25,26	1.47	4 (18%)	30,36,39	2.12	8 (26%)
38	OMU	A1	898	38	19,22,23	1.25	3 (15%)	25,31,34	1.82	5 (20%)
38	OMG	A1	908	38	23,26,27	1.21	3 (13%)	32,38,41	2.03	6 (18%)
38	OMU	A1	2417	38	19,22,23	1.23	3 (15%)	25,31,34	1.80	5 (20%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
80	DDE	DC	699	80	18,20,21	1.02	1 (5%)	17,28,30	0.86	1 (5%)
34	OMC	B5	1639	34	19,22,23	0.78	0	25,31,34	0.76	0
38	1MA	A1	645	38,83	21,25,26	1.36	4 (19%)	30,37,40	1.71	5 (16%)
38	1MA	A1	2142	38,83	21,25,26	1.35	4 (19%)	30,37,40	1.72	4 (13%)
38	A2M	A1	2280	38	22,25,26	1.46	4 (18%)	30,36,39	2.07	8 (26%)
38	A2M	A1	2256	38,83	22,25,26	1.50	4 (18%)	30,36,39	2.07	9 (30%)
38	OMU	A1	2729	38	19,22,23	1.28	3 (15%)	25,31,34	1.79	5 (20%)
38	OMC	A1	2959	38	19,22,23	0.79	0	25,31,34	0.83	0
34	OMG	B5	562	34	23,26,27	1.20	3 (13%)	32,38,41	1.98	6 (18%)
34	XSX	B5	1191	34	24,28,29	1.03	1 (4%)	30,40,43	1.43	3 (10%)
38	OMC	A1	2197	38	19,22,23	0.78	0	25,31,34	0.79	0
38	OMG	A1	2619	38	23,26,27	1.19	3 (13%)	32,38,41	1.99	6 (18%)
34	OMU	B5	1269	34	19,22,23	1.26	4 (21%)	25,31,34	1.82	5 (20%)
34	OMG	B5	1572	34	23,26,27	1.18	3 (13%)	32,38,41	1.95	6 (18%)
38	OMU	A1	2724	38	19,22,23	1.25	3 (15%)	25,31,34	1.80	6 (24%)
38	A2M	A1	1449	38,83	22,25,26	1.48	4 (18%)	30,36,39	2.01	8 (26%)
34	A2M	B5	28	83,34	22,25,26	1.49	4 (18%)	30,36,39	2.07	9 (30%)
34	OMG	B5	1126	34	23,26,27	1.19	3 (13%)	32,38,41	2.00	6 (18%)
38	OMU	A1	2921	38	19,22,23	1.24	3 (15%)	25,31,34	1.83	5 (20%)
34	A2M	B5	436	34	22,25,26	1.51	4 (18%)	30,36,39	2.05	8 (26%)
38	OMU	A1	1888	38	19,22,23	1.29	3 (15%)	25,31,34	1.82	4 (16%)
36	HIC	AB	243	36	10,11,12	1.47	1 (10%)	9,14,16	1.37	2 (22%)
34	A2M	B5	541	34	22,25,26	1.52	4 (18%)	30,36,39	2.12	7 (23%)
38	OMG	A1	805	38	23,26,27	1.18	3 (13%)	32,38,41	2.00	6 (18%)
38	A2M	A1	817	38,83	22,25,26	1.49	5 (22%)	30,36,39	2.02	8 (26%)
38	OMG	A1	1450	38	23,26,27	1.20	3 (13%)	32,38,41	1.96	6 (18%)
38	OMG	A1	2793	38	23,26,27	1.18	3 (13%)	32,38,41	1.97	6 (18%)
38	OMU	A1	2347	38	19,22,23	1.27	3 (15%)	25,31,34	1.84	5 (20%)
34	MA6	B5	1782	34	23,26,27	1.53	3 (13%)	33,38,41	2.30	10 (30%)
38	OMC	A1	2337	38	19,22,23	0.78	0	25,31,34	0.80	0
38	5MC	A1	2870	38	19,22,23	1.54	3 (15%)	26,32,35	1.22	3 (11%)
34	OMC	B5	414	34	19,22,23	0.79	0	25,31,34	0.81	0
38	OMG	A1	2791	38	23,26,27	1.19	3 (13%)	32,38,41	2.02	6 (18%)
38	OMG	A1	2288	38	23,26,27	1.20	3 (13%)	32,38,41	2.00	6 (18%)
38	A2M	A1	2640	38	22,25,26	1.48	4 (18%)	30,36,39	2.03	8 (26%)
38	A2M	A1	649	38,83	22,25,26	1.49	5 (22%)	30,36,39	2.01	7 (23%)



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
38	A2M	A1	1133	38	22,25,26	1.48	4 (18%)	30,36,39	2.16	10 (33%)
34	OMG	B5	1271	34	23,26,27	1.18	2 (8%)	32,38,41	1.98	6 (18%)
38	5MC	A1	2278	38,83	19,22,23	1.58	3 (15%)	26,32,35	1.18	3 (11%)
38	A2M	A1	2946	38,83	22,25,26	1.47	4 (18%)	30,36,39	2.13	9 (30%)
38	OMG	A1	867	38	23,26,27	1.18	3 (13%)	32,38,41	1.99	6 (18%)
38	OMG	A1	2815	38	23,26,27	1.19	3 (13%)	32,38,41	2.02	6 (18%)
34	OMG	B5	1428	34	23,26,27	1.19	3 (13%)	32,38,41	1.96	6 (18%)
34	OMU	B5	578	34	19,22,23	1.22	3 (15%)	25,31,34	1.82	5 (20%)
34	A2M	B5	420	34	22,25,26	1.51	4 (18%)	30,36,39	2.04	8 (26%)
34	MA6	B5	1781	34	23,26,27	1.46	5 (21%)	33,38,41	2.21	11 (33%)
38	A2M	A1	876	38	22,25,26	1.48	5 (22%)	30,36,39	2.02	7 (23%)
38	A2M	A1	2220	38	22,25,26	1.48	4 (18%)	30,36,39	2.05	9 (30%)
34	4AC	B5	1280	34	21,24,25	1.07	1 (4%)	28,34,37	1.08	2 (7%)
38	OMG	A1	2922	38	23,26,27	1.18	3 (13%)	32,38,41	1.98	6 (18%)
34	A2M	B5	796	34	22,25,26	1.49	4 (18%)	30,36,39	2.23	9 (30%)
38	UR3	A1	2634	38,83	19,22,23	0.95	0	26,32,35	1.77	2 (7%)
34	4AC	B5	1773	34	21,24,25	1.03	2 (9%)	28,34,37	2.31	6 (21%)
38	OMC	A1	650	38,83	19,22,23	0.80	1 (5%)	25,31,34	0.91	1 (4%)
34	A2M	B5	974	34	22,25,26	1.49	4 (18%)	30,36,39	2.05	7 (23%)
38	OMU	A1	2421	38	19,22,23	1.29	3 (15%)	25,31,34	1.80	4 (16%)
34	7MG	B5	1575	34	23,26,27	1.59	5 (21%)	27,39,42	2.60	9 (33%)
38	OMC	A1	663	38	19,22,23	0.79	0	25,31,34	0.77	0
38	OMC	A1	2948	38	19,22,23	0.77	0	25,31,34	0.88	1 (4%)
34	A2M	B5	100	83,34	22,25,26	1.51	4 (18%)	30,36,39	2.11	9 (30%)
38	A2M	A1	2281	38	22,25,26	1.44	5 (22%)	30,36,39	2.28	11 (36%)
34	A2M	B5	619	83,34	22,25,26	1.49	4 (18%)	30,36,39	2.09	9 (30%)
34	OMC	B5	1007	34	19,22,23	0.79	0	25,31,34	0.88	0
38	OMC	A1	1437	38	19,22,23	0.77	0	25,31,34	0.96	2 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	A2M	A1	807	38	-	2/9/27/28	0/3/3/3

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	OMU	A1	898	38	-	0/9/27/28	0/2/2/2
38	OMG	A1	908	38	-	0/9/27/28	0/3/3/3
38	OMU	A1	2417	38	-	0/9/27/28	0/2/2/2
80	DDE	DC	699	80	-	5/20/21/23	0/1/1/1
34	OMC	B5	1639	34	-	0/9/27/28	0/2/2/2
38	1MA	A1	645	38,83	-	2/7/25/26	0/3/3/3
38	1MA	A1	2142	38,83	-	1/7/25/26	0/3/3/3
38	A2M	A1	2280	38	-	2/9/27/28	0/3/3/3
38	A2M	A1	2256	38,83	-	1/9/27/28	0/3/3/3
38	OMU	A1	2729	38	-	2/9/27/28	0/2/2/2
38	OMC	A1	2959	38	-	0/9/27/28	0/2/2/2
34	OMG	B5	562	34	-	0/9/27/28	0/3/3/3
34	XSX	B5	1191	34	-	3/16/34/35	0/2/2/2
38	OMC	A1	2197	38	-	6/9/27/28	0/2/2/2
38	OMG	A1	2619	38	-	1/9/27/28	0/3/3/3
34	OMU	B5	1269	34	-	4/9/27/28	0/2/2/2
34	OMG	B5	1572	34	-	0/9/27/28	0/3/3/3
38	OMU	A1	2724	38	-	1/9/27/28	0/2/2/2
38	A2M	A1	1449	38,83	-	0/9/27/28	0/3/3/3
34	A2M	B5	28	83,34	-	0/9/27/28	0/3/3/3
34	OMG	B5	1126	34	-	2/9/27/28	0/3/3/3
38	OMU	A1	2921	38	-	0/9/27/28	0/2/2/2
34	A2M	B5	436	34	-	0/9/27/28	0/3/3/3
38	OMU	A1	1888	38	-	0/9/27/28	0/2/2/2
36	HIC	AB	243	36	-	2/5/6/8	0/1/1/1
34	A2M	B5	541	34	-	4/9/27/28	0/3/3/3
38	OMG	A1	805	38	-	0/9/27/28	0/3/3/3
38	A2M	A1	817	38,83	-	1/9/27/28	0/3/3/3
38	OMG	A1	1450	38	-	0/9/27/28	0/3/3/3
38	OMG	A1	2793	38	-	0/9/27/28	0/3/3/3
38	OMU	A1	2347	38	-	2/9/27/28	0/2/2/2
34	MA6	B5	1782	34	-	6/11/29/30	0/3/3/3
38	OMC	A1	2337	38	-	0/9/27/28	0/2/2/2
38	5MC	A1	2870	38	-	4/7/25/26	0/2/2/2
34	OMC	B5	414	34	-	0/9/27/28	0/2/2/2
38	OMG	A1	2791	38	-	0/9/27/28	0/3/3/3
38	OMG	A1	2288	38	-	0/9/27/28	0/3/3/3
38	A2M	A1	2640	38	-	0/9/27/28	0/3/3/3
38	A2M	A1	649	38,83	-	1/9/27/28	0/3/3/3

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
38	A2M	A1	1133	38	-	0/9/27/28	0/3/3/3
34	OMG	B5	1271	34	-	0/9/27/28	0/3/3/3
38	5MC	A1	2278	38,83	-	0/7/25/26	0/2/2/2
38	A2M	A1	2946	38,83	-	0/9/27/28	0/3/3/3
38	OMG	A1	867	38	-	1/9/27/28	0/3/3/3
38	OMG	A1	2815	38	-	0/9/27/28	0/3/3/3
34	OMG	B5	1428	34	-	3/9/27/28	0/3/3/3
34	OMU	B5	578	34	-	0/9/27/28	0/2/2/2
34	A2M	B5	420	34	-	1/9/27/28	0/3/3/3
34	MA6	B5	1781	34	-	2/11/29/30	0/3/3/3
38	A2M	A1	876	38	-	0/9/27/28	0/3/3/3
38	A2M	A1	2220	38	-	0/9/27/28	0/3/3/3
34	4AC	B5	1280	34	-	2/11/29/30	0/2/2/2
38	OMG	A1	2922	38	-	2/9/27/28	0/3/3/3
34	A2M	B5	796	34	-	0/9/27/28	0/3/3/3
38	UR3	A1	2634	38,83	-	0/7/25/26	0/2/2/2
34	4AC	B5	1773	34	-	4/11/29/30	0/2/2/2
38	OMC	A1	650	38,83	-	0/9/27/28	0/2/2/2
34	A2M	B5	974	34	-	0/9/27/28	0/3/3/3
38	OMU	A1	2421	38	-	0/9/27/28	0/2/2/2
34	7MG	B5	1575	34	-	0/7/37/38	0/3/3/3
38	OMC	A1	663	38	-	0/9/27/28	0/2/2/2
38	OMC	A1	2948	38	-	0/9/27/28	0/2/2/2
34	A2M	B5	100	83,34	-	1/9/27/28	0/3/3/3
38	A2M	A1	2281	38	-	2/9/27/28	0/3/3/3
34	A2M	B5	619	83,34	-	4/9/27/28	0/3/3/3
34	OMC	B5	1007	34	-	0/9/27/28	0/2/2/2
38	OMC	A1	1437	38	-	4/9/27/28	0/2/2/2

The worst 5 of 193 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
38	A1	2278	5MC	C5-C4	5.65	1.48	1.44
38	A1	2870	5MC	C5-C4	5.23	1.48	1.44
34	B5	541	A2M	C5-C4	4.80	1.47	1.39
34	B5	436	A2M	C5-C4	4.72	1.47	1.39
34	B5	1782	MA6	C5-C4	4.62	1.47	1.39

The worst 5 of 372 bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
34	B5	1773	4AC	N4-C4-N3	8.41	127.53	113.87
38	A1	2634	UR3	C4-N3-C2	-7.21	118.78	124.58
34	B5	1575	7MG	N9-C4-N3	6.67	135.24	125.46
38	A1	908	OMG	C5-C4-N3	-6.43	118.15	128.39
38	A1	2791	OMG	C5-C4-N3	-6.38	118.24	128.39

There are no chirality outliers.

5 of 78 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
34	B5	420	A2M	C1'-C2'-O2'-CM'
34	B5	1782	MA6	O4'-C4'-C5'-O5'
34	B5	1782	MA6	C5-C6-N6-C9
34	B5	1280	4AC	N3-C4-N4-C7
34	B5	1280	4AC	C5-C4-N4-C7

There are no ring outliers.

24 monomers are involved in 40 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
38	A1	898	OMU	1	0
80	DC	699	DDE	2	0
34	B5	1639	OMC	1	0
38	A1	2197	OMC	1	0
34	B5	1269	OMU	2	0
34	B5	1572	OMG	1	0
38	A1	2724	OMU	2	0
38	A1	1449	A2M	2	0
34	B5	28	A2M	1	0
34	B5	1126	OMG	1	0
34	B5	436	A2M	1	0
34	B5	1782	MA6	1	0
38	A1	2640	A2M	1	0
38	A1	649	A2M	2	0
38	A1	1133	A2M	1	0
38	A1	876	A2M	1	0
38	A1	2220	A2M	2	0
34	B5	1280	4AC	4	0
34	B5	1773	4AC	2	0
38	A1	650	OMC	2	0
34	B5	974	A2M	1	0
34	B5	1575	7MG	7	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
38	A1	663	OMC	1	0
38	A1	2281	A2M	1	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 256 ligands modelled in this entry, 255 are monoatomic - leaving 1 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
85	GDP	DC	901	-	29,30,30	1.16	3 (10%)	45,47,47	1.76	7 (15%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
85	GDP	DC	901	-	-	2/16/32/32	0/3/3/3

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
85	DC	901	GDP	C5-C4	3.12	1.47	1.38
85	DC	901	GDP	C6-N1	-2.51	1.34	1.38
85	DC	901	GDP	C5-N7	-2.10	1.34	1.39

The worst 5 of 7 bond angle outliers are listed below:



Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
85	DC	901	GDP	C5-C4-N3	-6.10	118.68	128.39
85	DC	901	GDP	C2-N3-C4	5.00	120.92	112.30
85	DC	901	GDP	N9-C4-N3	4.59	135.12	125.95
85	DC	901	GDP	C6-C5-N7	3.15	136.03	130.29
85	DC	901	GDP	C4-C5-N7	-2.46	106.78	110.67

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
85	DC	901	GDP	C3'-C4'-C5'-O5'
85	DC	901	GDP	O4'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
38	A1	3

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A1	1955:U	O3'	2093:A	P	21.31
1	A1	1023:C	O3'	1030:A	P	14.80
1	A1	440:A	O3'	494:G	P	8.27




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28635. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 201




Y Index: 246




Z Index: 190


### 6.3.2 Raw map



X Index: 186



Y Index: 246




Z Index: 190

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)

### 6.4.1 Primary map



### 6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

## 6.5 Orthogonal surface views [i](#)

This section was not generated.

## 6.6 Mask visualisation [i](#)


This section was not generated. No masks/segmentation were deposited.



## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 1503 nm<sup>3</sup>; this corresponds to an approximate mass of 1358 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.382  $\text{\AA}^{-1}$



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.382 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.62	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.37	5.67	3.53


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.37 differs from the reported value 2.62 by more than 10 %



## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-28635 and PDB model 8EVS. Per-residue inclusion information can be found in section [3](#) on page [21](#).


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 0.6 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.6).



## 9.4 Atom inclusion [i](#)









































































At the recommended contour level, 84% of all backbone atoms, 81% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.6) and Q-score for the entire model and for each chain.





















































































Chain	Atom inclusion	Q-score
All	 0.8130	 0.5130
A1	 0.9460	 0.5920
A3	 0.9710	 0.5900
A4	 0.9760	 0.6190
AA	 0.9700	 0.6370
AB	 0.9230	 0.6040
AC	 0.9420	 0.6150
AD	 0.8400	 0.5450
AE	 0.8730	 0.5700
AF	 0.9390	 0.6140
AG	 0.8730	 0.5680
AH	 0.8550	 0.5650
AI	 0.8890	 0.5890
AJ	 0.6580	 0.4550
AL	 0.9280	 0.6040
AM	 0.8890	 0.5660
AN	 0.9770	 0.6370
AO	 0.9350	 0.6090
AP	 0.9400	 0.6210
AQ	 0.9630	 0.6280
AR	 0.8340	 0.5590
AS	 0.9140	 0.5900
AT	 0.9030	 0.5920
AU	 0.7970	 0.5230
AV	 0.9060	 0.6080
AW	 0.9210	 0.6070
AX	 0.9280	 0.6070
AY	 0.9260	 0.6020
AZ	 0.8940	 0.5790
Aa	 0.9520	 0.6190
Ab	 0.8940	 0.5640
Ac	 0.8910	 0.5940
Ad	 0.8670	 0.5840
Ae	 0.9660	 0.6310
Af	 0.9780	 0.6280



*Continued on next page...*















*Continued from previous page...*

Chain	Atom inclusion	Q-score
Ag	 0.9220	 0.6100
Ah	 0.9260	 0.6040
Ai	 0.8890	 0.5670
Aj	 0.9760	 0.6380
Ak	 0.7810	 0.5290
Al	 0.9590	 0.6240
Am	 0.8780	 0.5830
An	 0.8680	 0.5690
Ao	 0.8930	 0.6040
Ap	 0.9180	 0.6090
B5	 0.8050	 0.4460
BA	 0.7880	 0.5070
BB	 0.7310	 0.5050
BC	 0.8360	 0.5350
BD	 0.4400	 0.2910
BE	 0.7690	 0.4920
BF	 0.4750	 0.3080
BG	 0.5900	 0.3950
BH	 0.6130	 0.4340
BI	 0.8120	 0.5220
BJ	 0.7340	 0.4680
BK	 0.3010	 0.2230
BL	 0.7730	 0.5290
BM	 0.0110	 0.1630
BN	 0.8530	 0.5590
BO	 0.8220	 0.5330
BP	 0.2240	 0.2340
BQ	 0.5920	 0.3400
BR	 0.5680	 0.3590
BS	 0.3000	 0.2430
BT	 0.4390	 0.2700
BU	 0.4810	 0.3050
BV	 0.7790	 0.5190
BW	 0.8960	 0.5730
BX	 0.8200	 0.5410
BY	 0.6040	 0.4150
BZ	 0.3040	 0.2360
Ba	 0.8280	 0.5410
Bb	 0.7550	 0.5140
Bc	 0.5010	 0.3790
Bd	 0.6290	 0.3250
Be	 0.5930	 0.4300

*Continued on next page...*



*Continued from previous page...*

Chain	Atom inclusion	Q-score
Bf	 0.0440	 0.1900
Bg	 0.4350	 0.2770
DC	 0.5070	 0.3800
E	 0.0790	 0.1620
EC	 0.1610	 0.1170
V	 0.4090	 0.3880