



# Full wwPDB X-ray Structure Validation Report ⓘ

Mar 8, 2026 – 05:47 PM UTC

PDB ID : 3FFD / pdb\_00003ffd  
Title : Structure of parathyroid hormone-related protein complexed to a neutralizing monoclonal antibody  
Authors : Mckinstry, W.J.; Polekhina, G.; Diefenbach-Jagger, H.; Ho, P.W.M.; Sato, K.; Onuma, E.; Gillespie, M.T.; Martin, T.J.; Parker, M.W.  
Deposited on : 2008-12-03  
Resolution : 2.00 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
Clashscore	190562	11152 (2.00-2.00)
Ramachandran outliers	187476	11031 (2.00-2.00)
Sidechain outliers	187428	11029 (2.00-2.00)
RSRZ outliers	180081	10067 (2.00-2.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	218	<div> <div>10%</div> <div>67%</div> <div>25%</div> <div>.</div> <div>.</div> </div>
2	B	220	<div> <div>15%</div> <div>67%</div> <div>28%</div> <div>.</div> <div>.</div> </div>
3	P	108	<div> <div>3%</div> <div>13%</div> <div>83%</div> </div>

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 3595 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Monoclonal antibody, heavy chain, Fab fragment.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	210	Total	C	N	O	S	0	0	0
			1588	1010	257	312	9			

- Molecule 2 is a protein called Monoclonal antibody, light chain, Fab fragment.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	217	Total	C	N	O	S	0	0	0
			1643	1028	271	337	7			

- Molecule 3 is a protein called Parathyroid hormone-related protein.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
3	P	18	Total	C	N	O	0	0	0
			160	104	32	24			

- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	110	Total	O	0	0
			110	110		
4	B	89	Total	O	0	0
			89	89		
4	P	5	Total	O	0	0
			5	5		



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	72.61Å 96.28Å 88.54Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	30.00 – 2.00 30.00 – 2.01	Depositor EDS
% Data completeness (in resolution range)	99.2 (30.00-2.00) 99.3 (30.00-2.01)	Depositor EDS
$R_{merge}$	0.08	Depositor
$R_{sym}$	0.08	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	4.22 (at 2.01Å)	Xtriage
Refinement program	CNS 1.0	Depositor
R, $R_{free}$	0.224 , 0.271 0.240 , (Not available)	Depositor DCC
$R_{free}$ test set	No test flags present.	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	29.4	Xtriage
Anisotropy	0.639	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.35 , 49.1	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.49$ , $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	3595	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	41.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.32% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.95	1/1629 (0.1%)	1.17	10/2223 (0.4%)
2	B	0.96	5/1681 (0.3%)	1.16	8/2286 (0.3%)
3	P	0.84	0/163	0.90	0/217
All	All	0.95	6/3473 (0.2%)	1.16	18/4726 (0.4%)

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	48	VAL	CA-CB	6.06	1.62	1.54
2	B	160	ASN	CG-OD1	5.63	1.34	1.23
2	B	34	GLU	C-O	5.58	1.31	1.23
2	B	47	VAL	CA-CB	5.48	1.59	1.55
2	B	43	PRO	CA-C	5.44	1.55	1.52
2	B	5	THR	CA-CB	5.20	1.60	1.53

All (18) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	189	THR	N-CA-C	-8.76	98.15	110.50
1	A	104	TYR	N-CA-C	8.63	121.93	111.40
1	A	148	LYS	N-CA-C	8.21	122.82	109.59
1	A	100	THR	N-CA-C	-8.10	97.10	109.41
1	A	167	GLY	N-CA-C	-7.14	106.20	114.69
2	B	26	SER	N-CA-C	6.93	119.72	111.33
2	B	172	ASN	N-CA-C	-6.79	101.27	110.36
1	A	48	VAL	N-CA-C	6.75	117.37	111.90
2	B	31	TYR	N-CA-C	6.47	119.86	110.28
1	A	32	TYR	N-CA-C	6.39	119.59	109.50
2	B	48	MET	N-CA-C	5.59	116.64	108.14
1	A	60	TYR	CA-C-N	-5.59	114.81	120.85
1	A	60	TYR	C-N-CA	-5.59	114.81	120.85
2	B	22	CYS	N-CA-C	-5.36	99.70	108.76
2	B	25	SER	N-CA-C	-5.27	103.18	110.35

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	125	SER	N-CA-C	-5.17	100.31	108.73
1	A	33	GLY	N-CA-C	-5.12	105.54	112.14
2	B	89	MET	CG-SD-CE	-5.07	89.74	100.90

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1588	0	1563	61	0
2	B	1643	0	1590	54	1
3	P	160	0	164	3	0
4	A	110	0	0	2	0
4	B	89	0	0	12	0
4	P	5	0	0	0	0
All	All	3595	0	3317	114	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 17.

All (114) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:THR:HG21	4:A:244:HOH:O	1.60	1.00
2:B:141:LEU:HD13	2:B:214:LEU:HD12	1.50	0.94
1:A:199:THR:HG22	1:A:214:LYS:HA	1.55	0.86
2:B:42:LYS:HG3	2:B:43:PRO:HD2	1.57	0.85
1:A:39:GLN:HE22	2:B:38:GLN:HE22	1.24	0.85
1:A:174:VAL:HG11	2:B:169:ASP:HB3	1.58	0.85
1:A:88:SER:O	1:A:91:THR:HG23	1.78	0.82
2:B:145:ILE:HD12	2:B:145:ILE:N	1.97	0.79
1:A:193:ARG:HD2	1:A:193:ARG:C	2.08	0.78
1:A:100:THR:HG22	1:A:102:MET:H	1.49	0.77
1:A:1:GLU:N	4:A:248:HOH:O	2.18	0.76

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:100:THR:CG2	1:A:102:MET:H	2.00	0.74
2:B:42:LYS:HG3	2:B:43:PRO:CD	2.18	0.74
1:A:172:PRO:HG2	2:B:174:THR:OG1	1.88	0.73
2:B:159:ALA:HB2	2:B:164:ILE:HD11	1.71	0.72
1:A:128:PRO:O	1:A:129:LEU:HD23	1.90	0.71
2:B:1:GLN:N	2:B:1:GLN:OE1	2.24	0.71
2:B:121:THR:HG23	2:B:122:PRO:HD2	1.72	0.70
1:A:98:ARG:CD	1:A:99:GLN:O	2.41	0.69
2:B:58:THR:CG2	2:B:62:ILE:HB	2.22	0.68
2:B:135:LYS:HG2	4:B:261:HOH:O	1.93	0.67
1:A:131:PRO:HD3	1:A:143:LEU:HD23	1.78	0.66
1:A:11:LEU:HD23	1:A:121:THR:HG22	1.76	0.66
1:A:193:ARG:HD2	1:A:193:ARG:O	1.95	0.66
2:B:136:GLU:O	2:B:137:ASN:HB2	1.96	0.65
2:B:135:LYS:HE2	4:B:261:HOH:O	1.98	0.64
1:A:193:ARG:HB3	1:A:194:PRO:HD3	1.80	0.63
1:A:189:PRO:O	1:A:192:PRO:HD2	1.99	0.62
1:A:98:ARG:HD2	1:A:99:GLN:O	1.99	0.62
1:A:182:LEU:C	1:A:182:LEU:HD12	2.25	0.62
2:B:189:THR:OG1	2:B:192:GLN:HG3	2.00	0.61
2:B:151:SER:HB3	2:B:180:PHE:CE2	2.36	0.61
1:A:100:THR:HG22	1:A:102:MET:N	2.16	0.60
1:A:124:PRO:HB3	1:A:150:TYR:HB3	1.83	0.60
2:B:145:ILE:N	2:B:145:ILE:CD1	2.64	0.60
1:A:98:ARG:HD3	1:A:99:GLN:O	2.01	0.59
2:B:15:GLY:HA2	2:B:81:ASN:HD22	1.68	0.59
2:B:141:LEU:HD13	2:B:214:LEU:CD1	2.28	0.59
1:A:193:ARG:HG3	1:A:194:PRO:HD3	1.83	0.59
1:A:193:ARG:CB	1:A:194:PRO:HD3	2.33	0.58
2:B:216:PRO:O	2:B:217:ALA:HB2	2.02	0.58
1:A:193:ARG:C	1:A:193:ARG:CD	2.73	0.58
1:A:193:ARG:O	1:A:193:ARG:NH1	2.36	0.57
1:A:22:CYS:HB3	1:A:79:LEU:HB3	1.85	0.57
1:A:42:ASP:O	1:A:43:LYS:HB2	2.06	0.56
1:A:91:THR:HG22	1:A:116:VAL:H	1.71	0.56
2:B:134:LEU:C	2:B:136:GLU:H	2.13	0.55
2:B:176:GLU:OE1	2:B:181:MET:SD	2.64	0.55
2:B:131:SER:O	2:B:135:LYS:HG3	2.07	0.55
2:B:179:LYS:HD2	2:B:179:LYS:H	1.72	0.54
1:A:188:VAL:CG2	1:A:189:PRO:HD2	2.37	0.54
1:A:11:LEU:CD2	1:A:121:THR:HG22	2.38	0.54

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:216:PRO:O	2:B:217:ALA:CB	2.55	0.54
1:A:164:LEU:HD13	1:A:186:VAL:HG21	1.91	0.53
1:A:152:PRO:O	1:A:204:HIS:HE1	1.92	0.52
2:B:162:THR:HG23	2:B:163:PRO:HD2	1.90	0.52
1:A:89:GLU:H	1:A:89:GLU:CD	2.18	0.51
1:A:11:LEU:HD23	1:A:121:THR:CG2	2.39	0.51
2:B:129:PRO:CG	2:B:139:ALA:HB1	2.41	0.51
2:B:58:THR:HG23	2:B:62:ILE:HB	1.93	0.51
1:A:150:TYR:CE1	1:A:155:VAL:HG13	2.46	0.50
2:B:134:LEU:C	2:B:136:GLU:N	2.70	0.50
1:A:192:PRO:O	1:A:193:ARG:C	2.54	0.50
1:A:193:ARG:CG	1:A:194:PRO:HD3	2.42	0.49
2:B:143:CYS:SG	4:B:294:HOH:O	2.60	0.49
2:B:98:ILE:HD12	2:B:98:ILE:N	2.28	0.49
2:B:97:THR:HA	2:B:101:GLN:O	2.13	0.49
1:A:191:SER:OG	1:A:192:PRO:HD3	2.13	0.48
2:B:121:THR:CG2	2:B:122:PRO:HD2	2.43	0.48
2:B:205:HIS:HD2	4:B:279:HOH:O	1.96	0.48
1:A:193:ARG:CB	1:A:194:PRO:CD	2.92	0.48
2:B:162:THR:CG2	2:B:163:PRO:HD2	2.44	0.48
1:A:142:THR:HG1	1:A:187:THR:HG1	1.62	0.48
2:B:12:PHE:CZ	2:B:18:ALA:HB1	2.50	0.47
1:A:193:ARG:HG3	1:A:194:PRO:CD	2.44	0.47
2:B:151:SER:HB3	2:B:180:PHE:CD2	2.50	0.47
2:B:179:LYS:HG3	4:B:292:HOH:O	2.14	0.47
2:B:191:ASP:OD2	2:B:191:ASP:N	2.47	0.47
2:B:179:LYS:CG	4:B:292:HOH:O	2.63	0.46
2:B:42:LYS:HG2	4:B:246:HOH:O	2.15	0.46
1:A:192:PRO:HB2	1:A:196:GLU:OE1	2.15	0.45
2:B:175:LYS:HE2	4:B:296:HOH:O	2.15	0.45
2:B:42:LYS:HE3	2:B:42:LYS:HB2	1.71	0.45
1:A:29:PHE:CD2	1:A:77:ASN:HA	2.51	0.45
1:A:140:MET:HE3	1:A:187:THR:HG21	1.98	0.45
2:B:45:LYS:HE3	2:B:45:LYS:HB2	1.74	0.45
1:A:143:LEU:HD22	1:A:215:ILE:HG21	2.00	0.44
1:A:193:ARG:HB3	1:A:194:PRO:CD	2.47	0.44
3:P:15:ILE:HG22	3:P:19:ARG:NH2	2.33	0.44
1:A:171:PHE:CD1	1:A:171:PHE:N	2.86	0.43
2:B:190:SER:O	2:B:193:TRP:HB3	2.18	0.43
2:B:17:SER:HB3	4:B:257:HOH:O	2.17	0.43
1:A:191:SER:OG	1:A:192:PRO:CD	2.66	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:165:THR:O	2:B:168:VAL:HG23	2.18	0.43
1:A:188:VAL:HG23	1:A:189:PRO:HD2	2.01	0.43
2:B:103:VAL:HA	4:B:297:HOH:O	2.19	0.43
1:A:32:TYR:CD2	1:A:98:ARG:HD3	2.54	0.43
1:A:192:PRO:CB	1:A:196:GLU:OE1	2.66	0.43
2:B:122:PRO:HB3	2:B:148:PHE:HB3	2.01	0.42
2:B:144:LEU:N	4:B:294:HOH:O	2.52	0.42
1:A:182:LEU:C	1:A:182:LEU:CD1	2.91	0.42
2:B:65:ARG:HG3	4:B:270:HOH:O	2.19	0.42
1:A:207:SER:O	1:A:209:THR:HG23	2.20	0.41
1:A:176:GLN:HE21	1:A:177:SER:H	1.67	0.41
1:A:1:GLU:HA	1:A:1:GLU:OE1	2.20	0.41
1:A:54:GLY:N	3:P:30:GLU:OE2	2.51	0.41
2:B:192:GLN:O	2:B:193:TRP:C	2.64	0.41
1:A:91:THR:HB	1:A:115:THR:HA	2.03	0.41
1:A:89:GLU:CD	1:A:89:GLU:N	2.79	0.40
3:P:26:HIS:O	3:P:30:GLU:N	2.50	0.40
2:B:192:GLN:HG3	2:B:192:GLN:H	1.58	0.40
1:A:91:THR:CG2	1:A:116:VAL:H	2.32	0.40
2:B:97:THR:C	2:B:98:ILE:HD12	2.46	0.40
1:A:129:LEU:HD23	1:A:129:LEU:HA	1.86	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:60:ASP:OD1	2:B:60:ASP:OD1[2_655]	1.73	0.47

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	206/218 (94%)	196 (95%)	7 (3%)	3 (2%)	8	4
2	B	215/220 (98%)	204 (95%)	11 (5%)	0	100	100
3	P	16/108 (15%)	15 (94%)	1 (6%)	0	100	100
All	All	437/546 (80%)	415 (95%)	19 (4%)	3 (1%)	18	14

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	165	SER
1	A	193	ARG
1	A	194	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	181/186 (97%)	172 (95%)	9 (5%)	22	20
2	B	190/193 (98%)	180 (95%)	10 (5%)	20	18
3	P	17/98 (17%)	17 (100%)	0	100	100
All	All	388/477 (81%)	369 (95%)	19 (5%)	22	20

All (19) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1	GLU
1	A	45	LEU
1	A	91	THR
1	A	100	THR
1	A	152	PRO
1	A	154	PRO
1	A	182	LEU
1	A	191	SER
1	A	217	PRO
2	B	1	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	11	SER
2	B	25	SER
2	B	27	GLN
2	B	89	MET
2	B	123	THR
2	B	145	ILE
2	B	179	LYS
2	B	191	ASP
2	B	197	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (11) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	39	GLN
1	A	110	GLN
1	A	176	GLN
1	A	204	HIS
2	B	52	GLN
2	B	56	HIS
2	B	81	ASN
2	B	101	GLN
2	B	197	ASN
2	B	202	GLN
2	B	205	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry

There are no ligands in this entry.

## 5.7 Other polymers

There are no such residues in this entry.

## 5.8 Polymer linkage issues

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	210/218 (96%)	0.61	22 (10%) 11 10	18, 36, 72, 83	0
2	B	217/220 (98%)	0.79	34 (15%) 5 4	19, 43, 71, 82	0
3	P	18/108 (16%)	0.71	3 (16%) 4 4	28, 36, 59, 60	0
All	All	445/546 (81%)	0.70	59 (13%) 7 6	18, 40, 72, 83	0

All (59) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	216	GLU	4.8
2	B	214	LEU	4.8
1	A	218	ALA	4.6
2	B	217	ALA	4.6
1	A	194	PRO	4.6
3	P	31	ILE	4.3
2	B	137	ASN	3.8
3	P	14	SER	3.8
2	B	193	TRP	3.5
2	B	98	ILE	3.5
2	B	139	ALA	3.5
2	B	130	SER	3.4
2	B	176	GLU	3.3
2	B	100	GLU	3.3
1	A	217	PRO	3.2
2	B	134	LEU	3.1
2	B	41	LEU	2.9
2	B	159	ALA	2.9
2	B	177	GLY	2.9
1	A	141	VAL	2.9
1	A	197	THR	2.8
1	A	169	HIS	2.8
2	B	215	SER	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	B	178	ASN	2.6
2	B	164	ILE	2.6
1	A	140	MET	2.6
2	B	163	PRO	2.6
1	A	193	ARG	2.6
2	B	174	THR	2.6
1	A	143	LEU	2.6
1	A	164	LEU	2.5
2	B	194	ARG	2.5
2	B	141	LEU	2.5
2	B	160	ASN	2.5
2	B	162	THR	2.4
2	B	199	PHE	2.4
1	A	168	VAL	2.4
1	A	198	VAL	2.4
2	B	142	VAL	2.4
1	A	173	ALA	2.3
2	B	187	HIS	2.3
1	A	167	GLY	2.3
2	B	190	SER	2.2
2	B	180	PHE	2.2
2	B	216	PRO	2.2
1	A	145	CYS	2.2
1	A	196	GLU	2.2
1	A	191	SER	2.2
1	A	187	THR	2.2
2	B	171	SER	2.1
3	P	15	ILE	2.1
1	A	188	VAL	2.1
1	A	128	PRO	2.1
1	A	165	SER	2.1
2	B	195	SER	2.0
2	B	198	SER	2.0
2	B	124	LEU	2.0
2	B	186	LEU	2.0
2	B	175	LYS	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 6.4 Ligands [i](#)

There are no ligands in this entry.

### 6.5 Other polymers [i](#)

There are no such residues in this entry.