



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 05:40 PM UTC

PDB ID : 3RT0 / pdb_00003rt0
Title : Crystal structure of PYL10-HAB1 complex in the absence of abscisic acid (ABA)
Authors : Hao, Q.; Yin, P.; Li, W.; Wang, L.; Yan, C.; Wang, J.; Yan, N.
Deposited on : 2011-05-02
Resolution : 2.11 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.11 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	8290 (2.14-2.10)
Clashscore	190562	8817 (2.14-2.10)
Ramachandran outliers	187476	8738 (2.14-2.10)
Sidechain outliers	187428	8739 (2.14-2.10)
RSRZ outliers	180081	8294 (2.14-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	340	<div> <div>3%</div> <div>74%</div> <div>18%</div> <div>• •</div> </div>
1	B	340	<div> <div>3%</div> <div>75%</div> <div>14%</div> <div>• 8%</div> </div>
2	C	183	<div> <div>8%</div> <div>65%</div> <div>24%</div> <div>• • 6%</div> </div>
2	D	183	<div> <div>6%</div> <div>66%</div> <div>16%</div> <div>• 14%</div> </div>

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 8239 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Protein phosphatase 2C 16.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	328	Total	C	N	O	S	0	7	0
			2612	1638	467	488	19			
1	B	314	Total	C	N	O	S	0	9	0
			2506	1576	444	468	18			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	274	SER	CYS	engineered mutation	UNP Q9CAJ0
B	274	SER	CYS	engineered mutation	UNP Q9CAJ0

- Molecule 2 is a protein called Absciscic acid receptor PYL10.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	172	Total	C	N	O	S	0	1	0
			1369	859	237	269	4			
2	D	158	Total	C	N	O	S	0	0	0
			1243	782	217	240	4			

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	162	SER	CYS	engineered mutation	UNP Q8H1R0
D	162	SER	CYS	engineered mutation	UNP Q8H1R0

- Molecule 3 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	1	Total	Mg	0	0
			1	1		
3	B	1	Total	Mg	0	0
			1	1		


- Molecule 4 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	221	Total 221	O 221	0	0
4	B	170	Total 170	O 170	0	0
4	C	58	Total 58	O 58	0	0
4	D	58	Total 58	O 58	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Protein phosphatase 2C 16




• Molecule 1: Protein phosphatase 2C 16



• Molecule 2: Absciscic acid receptor PYL10



● Molecule 2: Absciscic acid receptor PYL10



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	70.77Å 83.50Å 88.54Å 90.00° 97.20° 90.00°	Depositor
Resolution (Å)	32.50 – 2.11 32.50 – 2.11	Depositor EDS
% Data completeness (in resolution range)	95.2 (32.50-2.11) 98.6 (32.50-2.11)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	3.04 (at 2.12Å)	Xtriage
Refinement program	PHENIX (phenix.refine: 1.6.3_473)	Depositor
R, R_{free}	0.173 , 0.207 0.173 , 0.204	Depositor DCC
R_{free} test set	2934 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å ²)	26.9	Xtriage
Anisotropy	0.354	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 49.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	8239	wwPDB-VP
Average B, all atoms (Å ²)	36.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 23.08 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.0061e-03. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.50	0/2660	0.77	0/3585
1	B	0.49	0/2551	0.78	0/3441
2	C	0.41	0/1391	0.71	0/1878
2	D	0.43	0/1261	0.72	0/1699
All	All	0.47	0/7863	0.75	0/10603

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2612	0	2600	66	0
1	B	2506	0	2495	53	0
2	C	1369	0	1374	58	1
2	D	1243	0	1262	27	1
3	A	1	0	0	0	0
3	B	1	0	0	0	0
4	A	221	0	0	11	0
4	B	170	0	0	3	0
4	C	58	0	0	4	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
4	D	58	0	0	0	0
All	All	8239	0	7731	201	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 13.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:16:LYS:HE3	2:C:17:HIS:NE2	1.48	1.24
2:C:19:ARG:HG2	2:C:19:ARG:HH11	1.10	1.17
2:D:126:THR:C	2:D:127:ILE:HG13	1.65	1.11
1:A:509:THR:O	1:A:510:ARG:HB2	1.54	1.05
1:A:449:ARG:HG2	1:A:453:MET:HE3	1.39	1.04
1:A:376:GLU:OE1	4:A:730:HOH:O	1.77	1.03
2:D:53:GLN:H	2:D:53:GLN:NE2	1.59	1.00
1:A:449:ARG:HG2	1:A:453:MET:CE	1.92	0.99
2:D:53:GLN:HE21	2:D:53:GLN:N	1.59	0.98
1:B:376:GLU:OE1	4:B:682:HOH:O	1.84	0.96
2:D:126:THR:O	2:D:127:ILE:HG13	1.65	0.96
1:B:265:GLU:OE2	1:B:268:ARG:NH1	1.99	0.95
2:C:53:GLN:HE21	2:C:53:GLN:H	0.99	0.95
2:D:126:THR:HA	2:D:130:LYS:O	1.66	0.95
1:A:487:GLN:OE1	4:A:733:HOH:O	1.85	0.95
1:B:301[A]:ILE:HA	1:B:320:VAL:HG13	1.48	0.92
2:C:16:LYS:CE	2:C:17:HIS:NE2	2.36	0.87
1:A:278:THR:HG23	4:A:632:HOH:O	1.76	0.86
2:D:106:ILE:HG21	2:D:111:HIS:CE1	2.11	0.84
2:D:126:THR:O	2:D:127:ILE:CG1	2.25	0.84
1:B:301[B]:ILE:HA	1:B:320:VAL:HG13	1.61	0.83
2:C:53:GLN:H	2:C:53:GLN:NE2	1.75	0.83
1:A:217:ILE:HG22	1:A:221:MET:HG3	1.59	0.82
2:C:32:VAL:HG13	2:C:134:LEU:HD11	1.60	0.81
2:C:19:ARG:HG2	2:C:19:ARG:NH1	1.89	0.80
2:D:32:VAL:HG13	2:D:134:LEU:HD11	1.62	0.79
2:C:53:GLN:HE21	2:C:53:GLN:N	1.79	0.78
2:C:173:ARG:NH1	4:C:213:HOH:O	2.12	0.78
1:B:232:THR:HG23	1:B:233:HIS:ND1	2.00	0.77
1:A:301:ILE:HA	1:A:320:VAL:HG13	1.66	0.77
1:B:265:GLU:CD	1:B:268:ARG:HH12	1.93	0.76
1:A:418:MET:HE3	1:A:419:PRO:HD2	1.68	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:394:LEU:HG	1:B:396[B]:MET:SD	2.25	0.75
1:A:418:MET:HE2	4:A:722:HOH:O	1.87	0.74
1:A:466:ARG:HD2	4:A:524:HOH:O	1.87	0.73
1:B:271:ASP:CG	1:B:271:ASP:O	2.30	0.73
2:C:19:ARG:HH11	2:C:19:ARG:CG	1.93	0.73
2:D:126:THR:CA	2:D:130:LYS:O	2.36	0.72
2:D:175:GLN:HE21	2:D:175:GLN:HA	1.55	0.72
1:B:403:ARG:HA	1:B:406:LYS:HD2	1.71	0.71
2:C:16:LYS:HE3	2:C:17:HIS:CD2	2.25	0.71
2:C:24:GLU:HA	2:C:24:GLU:OE1	1.90	0.71
2:C:26:GLN:CG	2:C:142:ASP:OD1	2.40	0.70
1:A:291:THR:O	1:A:295:LEU:HD23	1.89	0.70
1:A:214:LYS:HD2	1:A:233:HIS:CE1	2.27	0.69
1:B:297:VAL:O	1:B:301[A]:ILE:HG23	1.93	0.69
2:C:26:GLN:HG2	2:C:142:ASP:OD1	1.94	0.68
2:C:16:LYS:CE	2:C:17:HIS:CD2	2.76	0.67
1:A:192[A]:THR:H	1:A:475:GLN:HE22	1.41	0.67
1:A:192[B]:THR:H	1:A:475:GLN:HE22	1.43	0.67
1:A:449:ARG:HG2	1:A:453:MET:HE2	1.78	0.66
2:C:32:VAL:HG22	2:C:136:ILE:HG12	1.76	0.66
1:B:285:GLN:O	1:B:289[A]:VAL:HG12	1.96	0.65
1:B:250:VAL:HG23	1:B:325:VAL:HG22	1.78	0.65
1:B:181:VAL:HA	1:B:184:LEU:HD12	1.79	0.65
2:C:49:PHE:HD1	2:C:104:ILE:HD11	1.61	0.64
1:A:403:ARG:HA	1:A:406:LYS:HD2	1.80	0.64
2:D:32:VAL:CG1	2:D:134:LEU:HD11	2.26	0.64
2:C:9:VAL:O	2:C:12:GLU:N	2.30	0.64
1:A:217:ILE:CD1	1:A:234:LEU:HD13	2.27	0.64
2:C:9:VAL:O	2:C:10:GLU:C	2.40	0.64
2:C:9:VAL:HG12	2:C:13:TYR:CE2	2.34	0.63
1:A:480:TYR:CE1	1:A:484:LEU:HD22	2.34	0.63
1:B:268:ARG:NH2	4:B:609:HOH:O	2.31	0.62
1:B:216:PRO:HG3	1:B:270:LYS:HD2	1.82	0.62
2:D:112:ARG:NH2	2:D:147:ASN:OD1	2.27	0.62
1:B:450[A]:ARG:HE	1:B:450[A]:ARG:CA	2.12	0.62
1:B:265:GLU:CD	1:B:268:ARG:NH1	2.56	0.61
1:B:439:ASN:C	1:B:439:ASN:HD22	2.08	0.61
1:A:214:LYS:HG2	1:A:233:HIS:CD2	2.35	0.61
1:B:286:TRP:HA	1:B:289[A]:VAL:CG1	2.30	0.60
1:A:509:THR:O	1:A:510:ARG:CB	2.39	0.60
2:C:32:VAL:CG1	2:C:134:LEU:HD11	2.28	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:483[A]:MET:HG3	1:A:484:LEU:N	2.15	0.60
2:C:26:GLN:HG2	2:C:142:ASP:HA	1.84	0.59
2:C:175:GLN:HE21	2:C:175:GLN:HA	1.68	0.59
2:D:125:GLU:O	2:D:132:GLY:N	2.35	0.59
1:B:192:THR:H	1:B:475:GLN:HE22	1.48	0.59
1:B:463:LEU:H	1:B:463:LEU:HD12	1.68	0.58
2:D:45:ILE:HD11	2:D:174:LEU:CD1	2.34	0.58
1:A:394:LEU:HD22	1:A:405:LEU:HD12	1.86	0.57
2:C:24:GLU:OE1	2:C:24:GLU:CA	2.51	0.57
1:A:418:MET:CE	4:A:722:HOH:O	2.48	0.56
2:C:64:VAL:HG11	2:C:68:LYS:HA	1.87	0.56
1:A:216:PRO:HG3	1:A:270:LYS:HG3	1.87	0.56
2:C:19:ARG:NH1	2:C:19:ARG:CG	2.57	0.56
1:B:450[A]:ARG:HE	1:B:450[A]:ARG:HA	1.70	0.55
1:B:217:ILE:HG13	1:B:221:MET:HG3	1.89	0.55
1:A:217:ILE:HD11	1:A:234:LEU:HD13	1.89	0.54
1:A:310:VAL:HG13	4:A:629:HOH:O	2.07	0.54
1:A:446:ILE:O	1:A:450:ARG:HG2	2.08	0.54
2:C:16:LYS:HE3	2:C:17:HIS:CE1	2.36	0.54
2:C:9:VAL:N	2:C:12:GLU:OE1	2.41	0.54
1:B:439:ASN:ND2	1:B:442:GLU:H	2.06	0.53
1:B:219:MET:HE1	1:B:289[B]:VAL:HG21	1.91	0.53
2:C:28:SER:HB2	2:C:140:VAL:HG22	1.91	0.53
1:A:439:ASN:ND2	1:A:442:GLU:H	2.07	0.52
1:A:457:LYS:NZ	4:A:685:HOH:O	2.42	0.52
2:C:26:GLN:OE1	2:C:142:ASP:OD1	2.28	0.52
2:C:31:LEU:HD11	2:C:157:GLU:HG2	1.90	0.52
2:D:68:LYS:HD2	2:D:70:GLU:CD	2.35	0.52
1:A:258[B]:LEU:HD13	1:A:258[B]:LEU:C	2.35	0.52
1:A:449:ARG:O	1:A:453:MET:HG3	2.10	0.52
2:C:76:GLU:OE2	2:C:89:THR:OG1	2.15	0.51
2:D:31:LEU:HD23	2:D:161:GLN:HG2	1.92	0.51
2:C:114:LYS:HG2	2:C:115:ASN:HD22	1.74	0.51
1:B:258[A]:LEU:HD23	1:B:297:VAL:HG21	1.93	0.50
2:C:106:ILE:HG21	2:C:111:HIS:NE2	2.25	0.50
2:C:105:ARG:NH2	4:C:238:HOH:O	2.44	0.50
1:A:352:PHE:CG	1:A:444:CYS:HB3	2.46	0.49
1:B:219:MET:HG2	1:B:285:GLN:NE2	2.27	0.49
2:C:49:PHE:CD1	2:C:104:ILE:HD11	2.44	0.49
1:A:216:PRO:HG2	1:A:219:MET:CE	2.42	0.49
2:D:127:ILE:N	2:D:130:LYS:O	2.46	0.49

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:215:LEU:HD22	1:A:286:TRP:HH2	1.77	0.49
1:B:250:VAL:CG2	1:B:325:VAL:HG22	2.42	0.49
1:A:422:ARG:HB2	1:B:367:ASP:HB2	1.95	0.48
1:B:324:THR:HA	1:B:404:TYR:CD1	2.48	0.48
2:C:150[B]:GLU:H	2:C:150[B]:GLU:CD	2.21	0.48
2:D:106:ILE:CG2	2:D:111:HIS:CE1	2.91	0.48
1:A:217:ILE:HD12	1:A:234:LEU:HD13	1.95	0.47
1:A:214:LYS:HG2	1:A:233:HIS:CG	2.49	0.47
1:A:214:LYS:CG	1:A:233:HIS:CE1	2.97	0.47
1:B:267:GLU:O	1:B:270:LYS:HB2	2.15	0.47
1:A:418:MET:HE3	1:A:419:PRO:CD	2.40	0.47
1:B:192:THR:H	1:B:475:GLN:NE2	2.12	0.47
1:A:199:ARG:HG3	1:A:492:ASP:HA	1.97	0.47
1:A:214:LYS:CD	1:A:233:HIS:CE1	2.96	0.47
1:B:258[B]:LEU:HD23	1:B:258[B]:LEU:C	2.40	0.47
1:B:286:TRP:HA	1:B:289[A]:VAL:HG12	1.97	0.47
1:A:428:ILE:HD13	1:A:443:VAL:HG12	1.97	0.47
1:B:323:GLU:HB2	1:B:403:ARG:HG2	1.96	0.47
1:B:182:TYR:O	1:B:231:LEU:HD11	2.15	0.46
1:B:250:VAL:HG13	1:B:301[B]:ILE:HD13	1.98	0.46
1:B:301[A]:ILE:HD11	4:B:528:HOH:O	2.14	0.46
1:B:268:ARG:C	1:B:270:LYS:N	2.72	0.46
2:C:150[A]:GLU:HG2	4:C:214:HOH:O	2.14	0.46
2:C:123:HIS:CD2	2:C:136:ILE:HD12	2.51	0.46
1:A:214:LYS:HG3	1:A:233:HIS:ND1	2.31	0.45
2:D:179:MET:O	2:D:180:GLU:HG2	2.17	0.45
2:C:16:LYS:HE2	2:C:17:HIS:CD2	2.49	0.45
1:A:491:LYS:H	1:A:491:LYS:HG3	1.66	0.45
1:B:352:PHE:CG	1:B:444:CYS:HB3	2.52	0.45
2:C:22:LEU:O	2:C:23:VAL:C	2.59	0.45
1:A:192[A]:THR:H	1:A:475:GLN:NE2	2.09	0.45
2:C:108:GLY:O	2:C:111:HIS:HE1	2.00	0.45
2:D:169:ASP:C	2:D:169:ASP:OD2	2.59	0.45
2:C:24:GLU:OE1	2:C:25:SER:N	2.47	0.44
1:A:226:GLY:H	1:B:377[A]:ASN:ND2	2.15	0.44
1:A:222:GLY:HA2	1:A:282[B]:ARG:CZ	2.48	0.44
1:A:258[B]:LEU:HD23	1:A:297:VAL:HG21	1.99	0.44
2:C:26:GLN:CD	2:C:142:ASP:OD1	2.60	0.44
2:D:45:ILE:HD11	2:D:174:LEU:HD11	1.99	0.44
1:A:439:ASN:C	1:A:439:ASN:HD22	2.25	0.44
2:C:90:GLU:HG2	2:C:106:ILE:HG12	2.00	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:192[A]:THR:HG21	1:A:206:PHE:CE1	2.52	0.44
1:A:226:GLY:H	1:B:377[A]:ASN:HD22	1.65	0.44
1:A:258[A]:LEU:C	1:A:258[A]:LEU:HD23	2.42	0.44
2:D:104:ILE:CG2	2:D:105:ARG:N	2.80	0.43
1:A:216:PRO:HD2	1:A:219:MET:HE3	1.99	0.43
2:D:125:GLU:CD	2:D:127:ILE:HD11	2.43	0.43
2:C:141:VAL:HG22	2:C:142:ASP:N	2.34	0.43
1:A:192[B]:THR:H	1:A:475:GLN:NE2	2.12	0.43
1:A:214:LYS:CG	1:A:233:HIS:CG	3.02	0.43
1:B:313:SER:HA	1:B:314:ASP:HA	1.59	0.43
2:C:9:VAL:HB	2:C:10:GLU:H	1.45	0.43
2:C:69:LEU:HD23	2:C:69:LEU:HA	1.76	0.43
1:A:199:ARG:HD3	4:A:550:HOH:O	2.18	0.42
1:A:217:ILE:HG12	1:A:232:THR:C	2.44	0.42
1:B:216:PRO:HG3	1:B:270:LYS:CD	2.46	0.42
1:B:238:PHE:CD2	1:B:238:PHE:C	2.97	0.42
2:C:16:LYS:HG3	2:C:17:HIS:N	2.34	0.42
2:C:108:GLY:O	2:C:111:HIS:CE1	2.71	0.42
1:A:219:MET:O	1:A:282[B]:ARG:HG2	2.19	0.42
2:C:115:ASN:HA	4:C:201:HOH:O	2.18	0.42
2:D:86:THR:OG1	2:D:110:ASP:OD1	2.25	0.42
1:A:372:TYR:CE2	1:A:376:GLU:HG3	2.55	0.42
2:C:22:LEU:C	2:C:24:GLU:N	2.76	0.42
1:B:221:MET:HE2	1:B:221:MET:HB3	1.65	0.42
2:C:152:THR:O	2:C:156:VAL:HG23	2.19	0.42
2:D:87:LYS:HE2	2:D:87:LYS:HB3	1.45	0.42
2:D:178:SER:C	2:D:180:GLU:H	2.27	0.42
1:B:439:ASN:C	1:B:439:ASN:ND2	2.77	0.42
1:A:448:ARG:NH1	4:A:705:HOH:O	2.53	0.41
2:D:45:ILE:HD11	2:D:174:LEU:HD12	2.02	0.41
1:A:193[A]:VAL:HG12	1:A:496:ILE:HB	2.03	0.41
2:C:29:SER:HB3	2:C:139:PHE:CE2	2.54	0.41
1:A:492:ASP:OD1	1:A:493:ASN:N	2.53	0.41
1:B:474:CYS:SG	1:B:500:ASP:HB2	2.61	0.41
1:A:180:SER:O	1:A:184:LEU:HD22	2.20	0.41
1:B:258[A]:LEU:CD2	1:B:297:VAL:HG21	2.50	0.41
1:A:406:LYS:HE3	4:A:713:HOH:O	2.20	0.41
1:B:483:MET:HG3	1:B:484:LEU:N	2.36	0.41
2:C:104:ILE:HG23	2:C:105:ARG:N	2.36	0.41
1:A:330:VAL:O	1:A:330:VAL:HG13	2.21	0.41
2:C:175:GLN:HA	2:C:175:GLN:NE2	2.34	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:66:GLY:O	2:C:67:LYS:C	2.63	0.40
1:B:301[A]:ILE:C	1:B:301[A]:ILE:HD12	2.46	0.40
2:C:180:GLU:OE2	2:C:180:GLU:HA	2.22	0.40
1:B:258[A]:LEU:HD13	1:B:258[A]:LEU:C	2.47	0.40
1:B:231:LEU:HD23	1:B:231:LEU:HA	1.82	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:23:VAL:N	2:D:26:GLN:NE2[1_556]	2.09	0.11

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	332/340 (98%)	328 (99%)	4 (1%)	0	100	100
1	B	317/340 (93%)	308 (97%)	9 (3%)	0	100	100
2	C	171/183 (93%)	164 (96%)	6 (4%)	1 (1%)	21	18
2	D	152/183 (83%)	149 (98%)	3 (2%)	0	100	100
All	All	972/1046 (93%)	949 (98%)	22 (2%)	1 (0%)	48	49

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	10	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	282/285 (99%)	251 (89%)	31 (11%)	6	3
1	B	271/285 (95%)	246 (91%)	25 (9%)	8	5
2	C	158/167 (95%)	142 (90%)	16 (10%)	7	4
2	D	144/167 (86%)	127 (88%)	17 (12%)	5	3
All	All	855/904 (95%)	766 (90%)	89 (10%)	7	4

All (89) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	184	LEU
1	A	199	ARG
1	A	214	LYS
1	A	227	MET
1	A	228	SER
1	A	234	LEU
1	A	272	GLU
1	A	276	ARG
1	A	282[A]	ARG
1	A	282[B]	ARG
1	A	287	ASP
1	A	288	LYS
1	A	293	CYS
1	A	304	LYS
1	A	310	VAL
1	A	320	VAL
1	A	333	LEU
1	A	355	LYS
1	A	394	LEU
1	A	409	VAL
1	A	434	LEU
1	A	439	ASN
1	A	457	LYS
1	A	463	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	465	GLU
1	A	466	ARG
1	A	483[A]	MET
1	A	483[B]	MET
1	A	484	LEU
1	A	491	LYS
1	A	510	ARG
1	B	230	SER
1	B	270	LYS
1	B	271	ASP
1	B	289[A]	VAL
1	B	289[B]	VAL
1	B	295	LEU
1	B	301[A]	ILE
1	B	301[B]	ILE
1	B	309	VAL
1	B	312	SER
1	B	317	LEU
1	B	320	VAL
1	B	325	VAL
1	B	336[A]	SER
1	B	336[B]	SER
1	B	394	LEU
1	B	403	ARG
1	B	409	VAL
1	B	429	LEU
1	B	434	LEU
1	B	439	ASN
1	B	450[A]	ARG
1	B	450[B]	ARG
1	B	483	MET
1	B	506	LYS
2	C	9	VAL
2	C	10	GLU
2	C	14	ILE
2	C	19	ARG
2	C	20	HIS
2	C	21	GLU
2	C	23	VAL
2	C	24	GLU
2	C	25	SER
2	C	53	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	83	LEU
2	C	104	ILE
2	C	130	LYS
2	C	150[A]	GLU
2	C	150[B]	GLU
2	C	178	SER
2	D	53	GLN
2	D	61	ARG
2	D	65	GLN
2	D	70	GLU
2	D	76	GLU
2	D	77	VAL
2	D	83	LEU
2	D	87	LYS
2	D	104	ILE
2	D	126	THR
2	D	127	ILE
2	D	140	VAL
2	D	145	GLU
2	D	154	PHE
2	D	161	GLN
2	D	162	SER
2	D	175	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (21) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	198	ASN
1	A	233	HIS
1	A	277	ASN
1	A	384	GLN
1	A	439	ASN
1	A	475	GLN
1	B	198	ASN
1	B	285	GLN
1	B	343	ASN
1	B	439	ASN
1	B	475	GLN
1	B	487	GLN
2	C	26	GLN
2	C	40	HIS
2	C	53	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	C	115	ASN
2	C	123	HIS
2	C	161	GLN
2	C	175	GLN
2	D	53	GLN
2	D	175	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	328/340 (96%)	-0.27	9 (2%)	56	59	7, 24, 63, 135	7 (2%)
1	B	314/340 (92%)	-0.17	9 (2%)	53	56	11, 28, 66, 152	9 (2%)
2	C	172/183 (93%)	0.20	14 (8%)	18	19	20, 36, 100, 156	1 (0%)
2	D	158/183 (86%)	0.26	11 (6%)	22	24	19, 37, 98, 151	0
All	All	972/1046 (92%)	-0.07	43 (4%)	39	41	7, 30, 79, 156	17 (1%)

All (43) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	C	23	VAL	5.8
1	A	228	SER	5.1
2	C	24	GLU	4.4
1	B	313	SER	4.3
1	B	278	THR	4.1
2	C	25	SER	3.8
1	B	312	SER	3.4
1	B	231	LEU	3.3
2	C	22	LEU	3.3
2	D	127	ILE	3.1
2	C	66	GLY	3.0
1	A	227	MET	3.0
1	B	271	ASP	3.0
2	C	19	ARG	2.9
1	B	230	SER	2.8
1	B	314	ASP	2.8
1	B	463	LEU	2.8
2	D	126	THR	2.8
2	D	18	HIS	2.7
1	A	226	GLY	2.7
1	A	463	LEU	2.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
2	D	17	HIS	2.6
2	D	130	LYS	2.6
2	C	9	VAL	2.6
2	D	69	LEU	2.6
2	C	16	LYS	2.5
2	C	11	SER	2.5
2	C	12	GLU	2.5
2	D	154	PHE	2.5
1	A	233	HIS	2.5
1	A	278	THR	2.5
2	C	20	HIS	2.5
2	D	179	MET	2.4
2	C	21	GLU	2.4
1	A	184	LEU	2.4
2	C	10	GLU	2.3
1	A	232	THR	2.2
2	C	67	LYS	2.2
2	D	180	GLU	2.2
2	D	65	GLN	2.2
1	A	464	ALA	2.1
2	D	15	LYS	2.0
1	B	462	PRO	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MG	A	512	1/1	0.99	0.09	16,16,16,16	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
3	MG	B	512	1/1	0.99	0.09	19,19,19,19	0

6.5 Other polymers [i](#)

There are no such residues in this entry.