



## Full wwPDB EM Validation Report ⓘ

Mar 6, 2026 – 08:07 PM UTC

PDB ID : 7TKC / pdb\_00007tkc  
EMDB ID : EMD-25964  
Title : Yeast ATP synthase State 1catalytic(g) with 10 mM ATP backbone model  
Authors : Guo, H.; Rubinstein, J.L.  
Deposited on : 2022-01-17  
Resolution : 5.80 Å(reported)  
Based on initial model : 2HLD

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev132  
MolProbity : 4-5-2 with Phenix2.0  
Percentile statistics : 20250101.v01 (using entries in the PDB archive January 1st 2025)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.49

# 1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 5.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.

























Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	229148	23984	-
Ramachandran outliers	224038	23583	-
Q-score	-	25397	511 ( 5.30 - 6.30 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	76	96% ..
1	1	76	16% 96% ..
1	2	76	29% 93% 5% .
1	3	76	14% 92% .. .
1	4	76	8% 93% 5% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	5	76	
1	6	76	
1	7	76	
1	8	76	
1	9	76	
2	A	510	
2	B	510	
2	C	510	
3	D	478	
3	E	478	
3	F	478	
4	G	278	
5	H	138	
6	I	61	
7	O	195	
8	T	249	
9	U	209	
10	V	173	
11	W	95	
12	X	92	
13	Y	59	
14	Z	48	

## 2 Entry composition [i](#)

There are 14 unique types of molecules in this entry. The entry contains 20226 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called ATP synthase subunit 9, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
1	0	75	Total	C	N	O	0	0
			300	150	75	75		
1	1	75	Total	C	N	O	0	0
			300	150	75	75		
1	2	75	Total	C	N	O	0	0
			300	150	75	75		
1	3	74	Total	C	N	O	0	0
			296	148	74	74		
1	4	75	Total	C	N	O	0	0
			300	150	75	75		
1	5	75	Total	C	N	O	0	0
			300	150	75	75		
1	6	74	Total	C	N	O	0	0
			296	148	74	74		
1	7	73	Total	C	N	O	0	0
			292	146	73	73		
1	8	75	Total	C	N	O	0	0
			300	150	75	75		
1	9	74	Total	C	N	O	0	0
			296	148	74	74		

- Molecule 2 is a protein called ATP synthase subunit alpha.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	A	499	Total	C	N	O	0	0
			1996	998	499	499		
2	B	505	Total	C	N	O	0	0
			2020	1010	505	505		
2	C	498	Total	C	N	O	0	0
			1992	996	498	498		

- Molecule 3 is a protein called ATP synthase subunit beta.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	D	470	Total	C	N	O	0	0
			1880	940	470	470		
3	E	468	Total	C	N	O	0	0
			1872	936	468	468		
3	F	469	Total	C	N	O	0	0
			1876	938	469	469		

- Molecule 4 is a protein called ATP synthase subunit gamma.

Mol	Chain	Residues	Atoms				AltConf	Trace
4	G	265	Total	C	N	O	0	0
			1060	530	265	265		

- Molecule 5 is a protein called ATP synthase subunit delta.

Mol	Chain	Residues	Atoms				AltConf	Trace
5	H	120	Total	C	N	O	0	0
			478	240	120	118		

- Molecule 6 is a protein called ATP synthase subunit epsilon.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	I	48	Total	C	N	O	0	0
			193	96	48	49		

- Molecule 7 is a protein called ATP synthase subunit 5.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	O	187	Total	C	N	O	0	0
			748	374	187	187		

- Molecule 8 is a protein called ATP synthase subunit a.

Mol	Chain	Residues	Atoms				AltConf	Trace
8	T	224	Total	C	N	O	0	0
			897	448	224	225		

- Molecule 9 is a protein called ATP synthase subunit 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
9	U	155	Total	C	N	O	0	0
			620	310	155	155		

- Molecule 10 is a protein called ATP synthase subunit d.

Mol	Chain	Residues	Atoms				AltConf	Trace
10	V	171	Total	C	N	O	0	0
			685	342	171	172		

- Molecule 11 is a protein called ATP synthase subunit f.

Mol	Chain	Residues	Atoms				AltConf	Trace
11	W	85	Total	C	N	O	0	0
			340	170	85	85		

- Molecule 12 is a protein called ATP synthase subunit H.

Mol	Chain	Residues	Atoms				AltConf	Trace
12	X	62	Total	C	N	O	0	0
			248	124	62	62		

- Molecule 13 is a protein called ATP synthase subunit J.

Mol	Chain	Residues	Atoms				AltConf	Trace
13	Y	37	Total	C	N	O	0	0
			148	74	37	37		

- Molecule 14 is a protein called ATP synthase protein 8.


Mol	Chain	Residues	Atoms				AltConf	Trace
14	Z	48	Total	C	N	O	0	0
			193	96	48	49		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 0:  96%




- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 1:  16% 96%




- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 2:  29% 93% 5%




- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 3:  14% 92%





- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 4:  8% 93% 5%




- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 5:  91% 7% ..





- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 6:  20% 93% . .




- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 7:  21% 89% 7% .




- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 8:  18% 95% . .





- Molecule 1: ATP synthase subunit 9, mitochondrial

Chain 9:  7% 91% 7% .




- Molecule 2: ATP synthase subunit alpha


Chain A:  93% 5% .




- Molecule 2: ATP synthase subunit alpha




Chain B:  90% 9% .





- Molecule 2: ATP synthase subunit alpha

Chain C:  91% 7% .





- Molecule 3: ATP synthase subunit beta

Chain D:  89% 9% .




- Molecule 3: ATP synthase subunit beta


Chain E:  87% 10% .




- Molecule 3: ATP synthase subunit beta

Chain F:  90% 8% .








- Molecule 4: ATP synthase subunit gamma




- Molecule 5: ATP synthase subunit delta





- Molecule 6: ATP synthase subunit epsilon



- Molecule 7: ATP synthase subunit 5




- Molecule 8: ATP synthase subunit a




- Molecule 9: ATP synthase subunit 4








- Molecule 10: ATP synthase subunit d




- Molecule 11: ATP synthase subunit f




- Molecule 12: ATP synthase subunit H



- Molecule 13: ATP synthase subunit J



- Molecule 14: ATP synthase protein 8



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	8727	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	1100	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	103896	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	2.205	Depositor
Minimum map value	-0.638	Depositor
Average map value	0.003	Depositor
Map value standard deviation	0.120	Depositor
Recommended contour level	0.66	Depositor
Map size (Å)	344.96, 344.96, 344.96	wwPDB
Map dimensions	256, 256, 256	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.3475, 1.3475, 1.3475	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	0	1.23	0/299	2.09	4/372 (1.1%)
1	1	1.21	0/299	2.00	0/372
1	2	1.20	0/299	2.13	8/372 (2.2%)
1	3	1.23	0/295	1.92	5/367 (1.4%)
1	4	1.26	0/299	1.98	4/372 (1.1%)
1	5	1.24	0/299	2.15	8/372 (2.2%)
1	6	1.22	0/295	2.12	2/367 (0.5%)
1	7	1.22	0/291	2.19	6/362 (1.7%)
1	8	1.24	0/299	2.18	2/372 (0.5%)
1	9	1.26	0/295	2.13	5/367 (1.4%)
2	A	1.58	1/1994 (0.1%)	1.77	22/2489 (0.9%)
2	B	1.55	1/2018 (0.0%)	1.79	42/2519 (1.7%)
2	C	1.56	0/1991	1.78	31/2487 (1.2%)
3	D	1.56	2/1879 (0.1%)	1.79	38/2347 (1.6%)
3	E	1.57	0/1871	1.89	44/2337 (1.9%)
3	F	1.59	0/1875	1.86	43/2342 (1.8%)
4	G	1.47	0/1058	1.83	9/1319 (0.7%)
5	H	1.31	0/473	1.70	7/583 (1.2%)
6	I	1.48	0/190	1.66	1/231 (0.4%)
7	O	1.57	0/747	1.87	15/932 (1.6%)
8	T	1.30	0/896	1.78	14/1117 (1.3%)
9	U	1.31	0/619	1.83	0/772
10	V	1.39	0/684	1.85	13/852 (1.5%)
11	W	1.26	0/339	1.98	12/422 (2.8%)
12	X	1.36	0/247	2.19	5/307 (1.6%)
13	Y	1.16	0/147	1.88	1/182 (0.5%)
14	Z	1.30	0/192	1.87	3/237 (1.3%)
All	All	1.47	4/20190 (0.0%)	1.86	344/25170 (1.4%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	1	0	1
1	3	0	1
1	4	0	1
1	5	0	1
1	6	0	1
1	7	0	1
1	8	0	1
1	9	0	1
3	D	0	2
3	F	0	1
5	H	0	1
All	All	0	12

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	11	GLY	CA-C	-5.26	1.47	1.52
2	B	478	HIS	CA-C	-5.18	1.48	1.53
3	D	425	THR	CA-C	-5.18	1.50	1.52
2	A	321	GLY	CA-C	-5.17	1.46	1.52

All (344) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	362	VAL	N-CA-C	-14.93	98.72	111.56
10	V	67	VAL	N-CA-C	-11.18	103.09	113.71
2	B	398	GLN	N-CA-C	-10.10	101.08	113.41
8	T	77	ILE	N-CA-C	-9.96	102.99	111.56
2	A	99	VAL	N-CA-C	-9.96	101.02	109.19
10	V	63	LYS	N-CA-C	-9.08	102.35	113.97
2	B	175	THR	N-CA-C	-8.97	102.44	112.57
4	G	204	ASN	CA-C-N	8.83	125.80	120.24
4	G	204	ASN	C-N-CA	8.83	125.80	120.24
10	V	172	VAL	N-CA-C	-8.71	104.32	111.81
3	F	112	LYS	N-CA-C	-8.58	97.97	111.02
3	E	258	ILE	N-CA-C	-8.28	103.03	113.22
7	O	176	VAL	N-CA-C	-8.26	95.55	107.77
10	V	164	LYS	N-CA-C	-8.23	104.37	114.75
3	F	95	ILE	N-CA-C	-8.12	96.74	108.11
2	A	30	THR	N-CA-C	-8.05	98.10	109.69
2	B	479	ASN	N-CA-C	-8.04	103.47	113.28
3	D	112	LYS	N-CA-C	-8.01	102.02	112.68
2	B	193	ASN	N-CA-C	-8.00	102.01	112.41

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	159	ALA	CA-C-N	7.98	128.84	119.98
3	F	159	ALA	C-N-CA	7.98	128.84	119.98
3	E	103	ILE	N-CA-C	-7.92	105.42	113.10
10	V	90	GLN	N-CA-C	-7.79	104.30	113.88
2	C	234	VAL	N-CA-C	-7.74	97.34	108.17
3	F	218	VAL	N-CA-C	-7.54	97.25	108.12
2	B	96	ILE	N-CA-C	-7.52	101.71	110.21
2	B	73	VAL	N-CA-C	-7.39	97.45	108.46
11	W	17	SER	CA-C-N	7.36	128.82	120.06
11	W	17	SER	C-N-CA	7.36	128.82	120.06
3	D	206	VAL	N-CA-C	-7.33	103.31	110.72
7	O	55	HIS	N-CA-C	-7.28	104.37	113.55
3	D	95	ILE	N-CA-C	-7.18	98.12	108.17
3	D	53	HIS	N-CA-C	-7.13	97.77	109.40
2	A	175	THR	N-CA-C	-7.10	105.44	112.97
3	F	275	ILE	N-CA-C	-7.09	101.11	107.56
2	C	148	VAL	N-CA-C	-6.99	99.12	108.35
3	E	161	VAL	N-CA-C	-6.96	104.80	112.80
3	E	356	ARG	N-CA-C	-6.95	104.42	113.17
10	V	163	TYR	N-CA-C	-6.90	104.85	112.72
7	O	174	LYS	N-CA-C	-6.89	97.12	108.76
3	F	79	THR	N-CA-C	-6.87	104.71	113.23
3	F	252	LEU	N-CA-C	-6.84	98.68	109.07
2	B	199	LYS	N-CA-C	-6.81	104.28	114.64
6	I	48	LYS	N-CA-C	-6.81	98.65	108.60
4	G	130	ILE	N-CA-C	-6.81	100.52	108.82
3	D	311	TYR	N-CA-C	-6.79	97.84	108.90
7	O	154	LYS	N-CA-C	-6.76	98.90	109.72
2	C	82	ARG	N-CA-C	-6.72	104.95	113.02
3	F	254	PHE	N-CA-C	-6.71	98.03	109.24
3	E	42	PRO	N-CA-C	-6.71	107.70	114.68
3	E	156	PHE	N-CA-C	-6.70	99.12	109.24
2	A	177	LYS	N-CA-C	-6.70	104.06	111.36
2	A	78	PHE	N-CA-C	-6.69	105.15	113.38
8	T	80	LYS	N-CA-C	-6.66	104.38	113.30
3	F	43	GLN	N-CA-C	-6.63	104.50	112.59
4	G	2	THR	N-CA-C	-6.61	104.00	111.14
14	Z	7	PHE	N-CA-C	-6.61	104.59	114.64
2	A	296	TYR	N-CA-C	-6.61	98.83	109.40
7	O	101	PHE	N-CA-C	-6.58	104.18	112.93
3	D	121	PRO	CA-C-O	-6.57	116.17	120.90
2	B	234	VAL	N-CA-C	-6.57	99.00	108.53

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	42	ARG	N-CA-C	-6.56	96.67	108.48
4	G	74	ILE	N-CA-C	-6.55	98.69	108.12
2	A	234	VAL	N-CA-C	-6.54	99.16	108.58
3	F	17	ILE	N-CA-C	-6.54	97.69	107.37
3	D	225	PRO	CA-C-O	-6.53	116.20	120.90
7	O	175	THR	N-CA-C	-6.50	99.42	109.24
11	W	46	THR	N-CA-C	-6.50	104.77	114.64
4	G	137	ALA	N-CA-C	-6.46	101.92	110.07
7	O	33	ILE	N-CA-C	-6.46	106.25	111.81
3	E	43	GLN	N-CA-C	-6.41	104.77	112.59
2	B	30	THR	N-CA-C	-6.39	99.61	109.52
2	B	120	LYS	N-CA-C	-6.39	103.66	112.03
8	T	146	VAL	N-CA-C	-6.34	101.79	107.56
3	F	39	ILE	N-CA-C	-6.34	99.29	108.36
3	E	17	ILE	N-CA-C	-6.33	98.74	107.99
2	B	42	ARG	N-CA-C	-6.32	98.07	108.76
10	V	27	THR	N-CA-C	-6.32	104.47	111.36
3	F	176	LYS	N-CA-C	-6.30	105.63	113.38
5	H	69	PHE	N-CA-C	-6.29	98.64	108.90
13	Y	12	VAL	N-CA-C	-6.29	106.61	112.83
5	H	41	VAL	N-CA-C	-6.27	99.11	108.46
12	X	59	GLU	CA-C-N	6.24	130.17	120.75
12	X	59	GLU	C-N-CA	6.24	130.17	120.75
2	A	27	LEU	N-CA-C	-6.23	98.10	108.75
2	A	69	GLU	N-CA-C	-6.23	102.83	110.31
4	G	171	SER	N-CA-C	-6.23	99.86	109.14
3	E	134	LEU	N-CA-C	-6.23	98.26	108.41
3	F	54	LEU	N-CA-C	-6.21	105.35	113.17
2	C	78	PHE	N-CA-C	-6.20	104.78	112.90
2	C	197	GLU	N-CA-C	-6.19	105.76	113.38
3	E	64	MET	N-CA-C	-6.17	104.72	112.93
3	F	153	ILE	N-CA-C	-6.17	99.50	108.89
2	A	22	SER	N-CA-C	-6.17	97.66	110.80
3	E	213	SER	N-CA-C	-6.14	100.90	110.42
3	F	46	LEU	N-CA-C	-6.14	98.89	108.90
2	B	68	LEU	N-CA-C	-6.12	98.75	108.73
2	A	232	ILE	N-CA-C	-6.12	99.40	108.45
3	D	21	VAL	N-CA-C	-6.11	99.25	108.17
4	G	75	VAL	N-CA-C	-6.08	98.94	108.86
2	B	62	LYS	N-CA-C	-6.08	99.90	109.50
5	H	47	PRO	N-CA-C	-6.06	100.67	110.55
5	H	42	LEU	N-CA-C	-6.02	97.64	108.48

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	262	ASN	N-CA-C	-6.02	105.58	113.17
3	E	304	VAL	N-CA-C	-6.01	103.50	110.05
3	D	317	LEU	N-CA-C	-6.00	105.61	113.17
7	O	150	GLY	N-CA-C	-5.99	107.95	115.08
3	F	363	VAL	N-CA-C	-5.97	106.94	112.43
3	D	64	MET	N-CA-C	-5.97	104.99	112.93
3	F	219	PHE	CA-C-N	5.97	125.71	121.65
3	F	219	PHE	C-N-CA	5.97	125.71	121.65
12	X	24	ALA	CA-C-N	5.96	128.27	120.28
12	X	24	ALA	C-N-CA	5.96	128.27	120.28
2	C	28	ASN	N-CA-C	-5.95	98.58	108.75
3	E	305	THR	N-CA-C	-5.92	99.69	108.99
2	C	479	ASN	N-CA-C	-5.91	105.90	113.23
2	C	443	GLN	N-CA-C	-5.90	106.62	113.88
8	T	132	LEU	CA-C-N	5.90	126.49	120.00
8	T	132	LEU	C-N-CA	5.90	126.49	120.00
1	8	43	ILE	CA-C-N	5.88	128.43	120.38
1	8	43	ILE	C-N-CA	5.88	128.43	120.38
2	C	422	ARG	CA-C-N	5.87	126.50	119.98
2	C	422	ARG	C-N-CA	5.87	126.50	119.98
2	C	232	ILE	N-CA-C	-5.84	100.08	108.48
3	E	91	THR	N-CA-C	-5.84	106.20	113.38
2	B	128	ARG	N-CA-C	-5.83	100.29	109.50
2	C	169	ILE	N-CA-C	-5.81	99.50	107.99
3	D	106	ARG	N-CA-C	-5.81	106.10	112.72
3	E	392	GLY	N-CA-C	-5.80	106.44	111.95
2	B	455	LEU	N-CA-C	-5.80	106.25	113.38
1	3	43	ILE	CA-C-N	5.79	128.84	120.38
1	3	43	ILE	C-N-CA	5.79	128.84	120.38
3	D	23	VAL	N-CA-C	-5.78	99.41	108.95
3	D	22	ASP	N-CA-C	-5.76	100.79	109.95
3	D	330	ASP	N-CA-C	5.76	117.23	111.07
1	5	2	GLN	CA-C-N	5.74	127.98	120.28
1	5	2	GLN	C-N-CA	5.74	127.98	120.28
3	E	284	THR	N-CA-C	-5.74	105.58	112.59
1	9	44	LYS	N-CA-C	5.73	117.53	111.28
11	W	6	PRO	N-CA-C	5.72	117.68	110.70
3	E	114	ARG	N-CA-C	-5.71	100.66	109.52
2	B	490	GLU	N-CA-C	-5.71	98.99	108.75
2	A	64	MET	N-CA-C	-5.70	100.75	109.41
2	C	34	LEU	N-CA-C	-5.70	107.57	114.75
3	D	224	GLU	CA-C-N	5.69	123.82	119.66

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	224	GLU	C-N-CA	5.69	123.82	119.66
2	B	192	ASN	N-CA-C	-5.69	106.38	113.38
3	E	29	GLU	N-CA-C	-5.69	103.70	110.41
3	E	426	GLY	N-CA-C	-5.68	107.34	115.64
2	A	490	GLU	N-CA-C	-5.68	100.08	108.99
1	7	43	ILE	CA-C-N	5.68	128.16	120.38
1	7	43	ILE	C-N-CA	5.68	128.16	120.38
3	D	10	THR	N-CA-C	-5.67	100.45	109.59
2	B	354	LEU	N-CA-C	-5.67	100.16	109.40
2	C	69	GLU	N-CA-C	-5.67	100.30	109.82
8	T	113	ALA	N-CA-C	-5.67	104.95	112.94
3	E	106	ARG	N-CA-C	-5.66	105.02	112.72
2	A	444	VAL	CA-C-O	-5.64	114.05	118.85
1	9	43	ILE	CA-C-N	5.64	127.84	120.28
1	9	43	ILE	C-N-CA	5.64	127.84	120.28
2	C	459	GLU	CA-C-N	5.63	127.82	120.28
2	C	459	GLU	C-N-CA	5.63	127.82	120.28
3	E	24	HIS	N-CA-C	-5.60	100.06	109.07
2	C	118	ASP	N-CA-C	-5.59	106.46	113.28
14	Z	11	ASN	CA-C-N	5.59	128.09	120.54
14	Z	11	ASN	C-N-CA	5.59	128.09	120.54
2	C	206	VAL	N-CA-C	-5.57	100.31	108.11
3	D	42	PRO	N-CA-C	-5.57	108.88	114.68
3	F	138	ILE	N-CA-C	-5.57	99.71	108.23
3	F	150	GLY	N-CA-C	-5.56	107.36	114.37
2	C	506	PHE	N-CA-C	-5.56	105.18	112.41
3	E	210	GLU	N-CA-C	-5.56	99.35	108.41
1	6	10	ILE	CA-C-N	5.55	126.14	119.98
1	6	10	ILE	C-N-CA	5.55	126.14	119.98
7	O	179	SER	N-CA-C	-5.55	100.66	109.76
3	E	77	LEU	N-CA-C	-5.54	99.99	109.24
2	C	93	THR	N-CA-C	-5.54	105.32	111.36
2	B	148	VAL	N-CA-C	-5.54	100.15	108.12
3	E	207	ILE	N-CA-C	-5.53	100.42	108.17
3	E	22	ASP	N-CA-C	-5.53	100.69	109.59
5	H	33	PRO	N-CA-C	-5.53	101.08	112.47
2	C	409	GLY	N-CA-C	-5.51	107.64	115.30
3	F	20	ILE	CA-C-N	5.49	128.77	120.75
3	F	20	ILE	C-N-CA	5.49	128.77	120.75
2	B	386	LYS	N-CA-C	-5.49	106.26	113.12
8	T	201	ILE	CA-C-N	5.48	132.01	121.54
8	T	201	ILE	C-N-CA	5.48	132.01	121.54

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	V	157	LYS	N-CA-C	-5.48	99.16	108.26
2	C	176	GLY	N-CA-C	-5.47	105.39	114.48
1	0	10	ILE	CA-C-N	5.47	126.98	120.14
1	0	10	ILE	C-N-CA	5.47	126.98	120.14
3	D	138	ILE	N-CA-C	-5.47	100.45	108.11
3	E	185	THR	N-CA-C	-5.47	100.26	109.07
2	B	60	GLY	N-CA-C	-5.47	108.18	114.69
2	C	62	LYS	N-CA-C	-5.47	100.49	109.40
3	F	258	ILE	N-CA-C	-5.47	107.42	112.83
3	F	318	THR	N-CA-C	-5.46	106.38	113.16
8	T	76	GLN	N-CA-C	5.46	117.24	111.28
3	E	345	TYR	CA-C-O	-5.44	115.35	119.59
11	W	32	LYS	N-CA-C	-5.44	105.34	112.41
2	B	28	ASN	N-CA-C	-5.43	106.53	112.72
2	A	336	VAL	N-CA-C	-5.43	107.45	112.83
2	B	93	THR	N-CA-C	-5.42	105.45	111.36
10	V	99	ALA	CA-C-N	5.42	127.54	120.28
10	V	99	ALA	C-N-CA	5.42	127.54	120.28
2	B	26	ASN	N-CA-C	-5.41	105.38	111.28
3	D	214	LYS	N-CA-C	-5.41	106.55	112.72
3	D	289	MET	CA-C-N	5.41	125.98	119.98
3	D	289	MET	C-N-CA	5.41	125.98	119.98
3	F	351	LEU	N-CA-C	-5.41	106.35	113.17
3	F	42	PRO	N-CA-C	-5.41	109.06	114.68
2	B	316	GLU	CA-C-N	5.40	127.51	120.28
2	B	316	GLU	C-N-CA	5.40	127.51	120.28
1	2	15	SER	CA-C-N	5.39	128.04	120.28
1	2	15	SER	C-N-CA	5.39	128.04	120.28
10	V	167	PHE	N-CA-C	-5.39	101.10	109.24
3	E	301	LYS	N-CA-C	-5.36	106.80	113.55
7	O	7	PRO	CA-C-N	5.35	125.89	120.38
7	O	7	PRO	C-N-CA	5.35	125.89	120.38
7	O	98	LEU	N-CA-C	-5.35	105.43	113.89
8	T	53	ILE	N-CA-C	-5.34	107.54	112.83
2	B	90	VAL	N-CA-C	-5.33	100.70	108.17
3	E	129	THR	N-CA-C	-5.32	106.84	113.38
11	W	6	PRO	CA-C-O	-5.31	112.86	120.56
1	2	10	ILE	CA-C-N	5.31	125.88	119.98
1	2	10	ILE	C-N-CA	5.31	125.88	119.98
2	B	500	LYS	CA-C-N	5.30	127.33	120.44
2	B	500	LYS	C-N-CA	5.30	127.33	120.44
2	A	367	ILE	N-CA-C	-5.30	100.61	108.45

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
5	H	56	VAL	N-CA-C	-5.29	100.70	108.11
2	B	448	TYR	CA-C-N	5.29	127.31	120.44
2	B	448	TYR	C-N-CA	5.29	127.31	120.44
1	5	10	ILE	CA-C-N	5.28	125.84	119.98
1	5	10	ILE	C-N-CA	5.28	125.84	119.98
7	O	53	LEU	N-CA-C	-5.27	99.86	109.56
5	H	58	GLU	N-CA-C	-5.27	100.45	109.24
2	C	130	ARG	N-CA-C	-5.26	101.31	109.72
8	T	101	LEU	N-CA-C	-5.26	106.81	113.43
11	W	3	THR	N-CA-C	-5.26	106.55	113.17
1	5	61	THR	CA-C-N	5.25	125.81	119.98
1	5	61	THR	C-N-CA	5.25	125.81	119.98
3	E	299	THR	N-CA-C	-5.25	102.24	110.17
3	F	255	ILE	N-CA-C	-5.25	100.51	108.17
1	3	58	SER	CA-C-N	5.24	127.30	120.28
1	3	58	SER	C-N-CA	5.24	127.30	120.28
1	4	61	THR	CA-C-N	5.24	125.80	119.98
1	4	61	THR	C-N-CA	5.24	125.80	119.98
2	A	114	GLY	N-CA-C	-5.24	107.78	114.85
3	E	255	ILE	N-CA-C	-5.24	100.33	108.86
2	B	397	ALA	N-CA-C	-5.23	106.13	112.88
2	A	296	TYR	CA-C-N	5.23	126.38	119.84
2	A	296	TYR	C-N-CA	5.23	126.38	119.84
3	E	333	THR	N-CA-C	-5.23	100.65	109.07
3	D	114	ARG	N-CA-C	-5.22	101.60	109.85
4	G	133	ILE	N-CA-C	-5.21	107.68	111.90
3	F	179	GLY	N-CA-C	-5.21	107.81	114.37
10	V	56	SER	N-CA-C	-5.21	106.06	112.72
2	B	369	VAL	N-CA-C	-5.21	107.90	112.90
1	5	41	PRO	N-CA-C	5.20	123.18	112.47
3	F	259	PHE	N-CA-C	-5.20	105.69	111.36
2	C	73	VAL	N-CA-C	-5.20	101.10	108.58
3	D	220	GLY	N-CA-C	-5.20	100.87	113.18
3	F	336	SER	CA-C-N	5.19	127.76	120.28
3	F	336	SER	C-N-CA	5.19	127.76	120.28
3	D	345	TYR	N-CA-C	-5.18	97.53	108.73
11	W	36	GLN	N-CA-C	-5.18	105.67	112.41
3	E	61	THR	N-CA-C	-5.18	101.54	109.41
2	B	91	LYS	N-CA-C	-5.18	100.96	109.40
3	D	158	GLY	N-CA-C	-5.18	104.65	112.41
3	E	206	VAL	N-CA-C	-5.18	105.30	112.50
2	A	338	ALA	N-CA-C	-5.17	99.78	110.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	142	ARG	N-CA-C	-5.17	101.45	109.72
7	O	129	LEU	CA-C-N	5.17	128.51	120.60
7	O	129	LEU	C-N-CA	5.17	128.51	120.60
3	D	30	LEU	CA-C-N	5.17	125.16	119.89
3	D	30	LEU	C-N-CA	5.17	125.16	119.89
3	E	25	PHE	N-CA-C	-5.15	101.71	109.85
1	9	17	ILE	CA-C-N	5.14	126.61	120.13
1	9	17	ILE	C-N-CA	5.14	126.61	120.13
3	F	158	GLY	CA-C-N	5.14	127.17	120.28
3	F	158	GLY	C-N-CA	5.14	127.17	120.28
2	A	270	TYR	N-CA-C	-5.14	100.36	108.73
10	V	78	TYR	N-CA-C	-5.14	106.86	112.72
1	0	61	THR	CA-C-N	5.13	125.68	119.98
1	0	61	THR	C-N-CA	5.13	125.68	119.98
3	F	206	VAL	N-CA-C	-5.13	105.54	110.72
3	E	181	PHE	N-CA-C	-5.13	101.63	108.86
1	4	43	ILE	CA-C-N	5.13	127.41	120.38
1	4	43	ILE	C-N-CA	5.13	127.41	120.38
12	X	59	GLU	N-CA-C	-5.12	106.87	113.02
2	B	313	LYS	N-CA-C	-5.12	98.92	107.99
3	E	214	LYS	CA-C-N	5.11	128.02	120.91
3	E	214	LYS	C-N-CA	5.11	128.02	120.91
8	T	112	SER	N-CA-C	-5.11	106.63	112.92
3	F	190	ARG	CA-C-N	5.11	127.12	120.28
3	F	190	ARG	C-N-CA	5.11	127.12	120.28
1	3	41	PRO	N-CA-C	5.11	122.99	112.47
3	D	422	GLU	N-CA-C	-5.11	105.79	111.36
8	T	47	THR	N-CA-C	-5.10	105.36	112.45
3	E	136	THR	N-CA-C	-5.10	99.66	108.69
3	E	254	PHE	N-CA-C	-5.09	102.23	110.32
11	W	10	VAL	N-CA-C	-5.09	101.15	108.42
2	C	296	TYR	CA-C-N	5.08	126.19	119.84
2	C	296	TYR	C-N-CA	5.08	126.19	119.84
3	F	16	VAL	N-CA-C	-5.08	98.77	109.34
3	D	58	THR	N-CA-C	-5.08	100.01	108.34
2	B	54	LEU	N-CA-C	-5.08	100.97	109.24
3	F	208	ASN	N-CA-C	-5.08	100.63	108.90
3	F	185	THR	N-CA-C	-5.07	100.02	108.34
1	7	6	ALA	CA-C-N	5.07	127.07	120.28
1	7	6	ALA	C-N-CA	5.07	127.07	120.28
1	2	61	THR	CA-C-N	5.07	125.57	120.00
1	2	61	THR	C-N-CA	5.07	125.57	120.00

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	452	ILE	CA-C-N	5.07	125.06	119.89
3	F	452	ILE	C-N-CA	5.07	125.06	119.89
1	2	59	GLU	CA-C-N	5.06	127.06	120.28
1	2	59	GLU	C-N-CA	5.06	127.06	120.28
2	C	289	ARG	CA-C-N	5.05	125.58	120.38
2	C	289	ARG	C-N-CA	5.05	125.58	120.38
2	B	109	VAL	N-CA-C	-5.04	99.91	107.37
3	D	65	ASP	CA-C-N	5.04	125.93	120.44
3	D	65	ASP	C-N-CA	5.04	125.93	120.44
3	D	79	THR	N-CA-C	-5.04	106.99	113.23
3	D	216	ALA	N-CA-C	-5.03	101.90	109.85
3	E	204	THR	N-CA-C	-5.03	106.92	113.16
3	D	225	PRO	CA-C-N	5.03	124.81	119.28
3	D	225	PRO	C-N-CA	5.03	124.81	119.28
3	E	452	ILE	CA-C-N	5.03	125.02	119.89
3	E	452	ILE	C-N-CA	5.03	125.02	119.89
8	T	69	ILE	N-CA-C	-5.03	106.00	113.39
1	7	61	THR	CA-C-N	5.03	125.56	119.98
1	7	61	THR	C-N-CA	5.03	125.56	119.98
2	B	121	GLY	CA-C-N	5.03	125.03	119.90
2	B	121	GLY	C-N-CA	5.03	125.03	119.90
2	C	317	LYS	N-CA-C	-5.02	106.66	112.89
2	B	79	GLY	CA-C-N	5.02	128.33	120.75
2	B	79	GLY	C-N-CA	5.02	128.33	120.75
3	D	299	THR	N-CA-C	-5.01	103.32	110.59
3	D	254	PHE	N-CA-C	-5.01	100.54	109.06
3	E	251	VAL	N-CA-C	-5.00	101.39	108.65
11	W	39	ALA	CA-C-N	5.00	125.72	120.11
11	W	39	ALA	C-N-CA	5.00	125.72	120.11
11	W	18	ALA	N-CA-C	5.00	120.48	113.57
1	5	2	GLN	N-CA-C	-5.00	105.74	111.14

There are no chirality outliers.

All (12) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	1	40	ASN	Peptide
1	3	40	ASN	Peptide
1	4	40	ASN	Peptide
1	5	40	ASN	Peptide
1	6	40	ASN	Peptide
1	7	40	ASN	Peptide

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Group
1	8	40	ASN	Peptide
1	9	40	ASN	Peptide
3	D	256	ASP	Peptide
3	D	421	ALA	Peptide
3	F	345	TYR	Peptide
5	H	54	PRO	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	300	0	95	0	0
1	1	300	0	95	0	0
1	2	300	0	95	0	0
1	3	296	0	91	0	0
1	4	300	0	95	0	0
1	5	300	0	95	0	0
1	6	296	0	91	0	0
1	7	292	0	91	0	0
1	8	300	0	95	0	0
1	9	296	0	91	0	0
2	A	1996	0	570	0	0
2	B	2020	0	575	1	0
2	C	1992	0	572	0	0
3	D	1880	0	538	0	0
3	E	1872	0	537	0	0
3	F	1876	0	537	0	0
4	G	1060	0	277	0	0
5	H	478	0	121	0	0
6	I	193	0	43	0	0
7	O	748	0	205	0	0
8	T	897	0	248	0	0
9	U	620	0	158	0	0
10	V	685	0	173	0	0
11	W	340	0	92	0	0
12	X	248	0	61	0	0
13	Y	148	0	40	0	0
14	Z	193	0	49	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
All	All	20226	0	5730	1	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 0.

All (1) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:102:GLY:HA3	2:B:126:ALA:H	1.74	0.53

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	73/76 (96%)	73 (100%)	0	0	100	100
1	1	73/76 (96%)	70 (96%)	2 (3%)	1 (1%)	9	40
1	2	73/76 (96%)	72 (99%)	1 (1%)	0	100	100
1	3	72/76 (95%)	69 (96%)	2 (3%)	1 (1%)	9	40
1	4	73/76 (96%)	71 (97%)	1 (1%)	1 (1%)	9	40
1	5	73/76 (96%)	70 (96%)	1 (1%)	2 (3%)	4	25
1	6	72/76 (95%)	70 (97%)	1 (1%)	1 (1%)	9	40
1	7	71/76 (93%)	69 (97%)	1 (1%)	1 (1%)	9	40
1	8	73/76 (96%)	70 (96%)	2 (3%)	1 (1%)	9	40
1	9	72/76 (95%)	69 (96%)	2 (3%)	1 (1%)	9	40
2	A	495/510 (97%)	472 (95%)	17 (3%)	6 (1%)	10	43
2	B	501/510 (98%)	475 (95%)	20 (4%)	6 (1%)	10	43

*Continued on next page...*



Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	C	496/510 (97%)	470 (95%)	18 (4%)	8 (2%)	7	37
3	D	468/478 (98%)	438 (94%)	23 (5%)	7 (2%)	8	39
3	E	466/478 (98%)	437 (94%)	21 (4%)	8 (2%)	7	36
3	F	467/478 (98%)	429 (92%)	35 (8%)	3 (1%)	21	59
4	G	261/278 (94%)	249 (95%)	9 (3%)	3 (1%)	11	45
5	H	110/138 (80%)	104 (94%)	3 (3%)	3 (3%)	4	25
6	I	42/61 (69%)	41 (98%)	1 (2%)	0	100	100
7	O	185/195 (95%)	166 (90%)	16 (9%)	3 (2%)	7	37
8	T	222/249 (89%)	211 (95%)	7 (3%)	4 (2%)	6	34
9	U	153/209 (73%)	152 (99%)	1 (1%)	0	100	100
10	V	169/173 (98%)	152 (90%)	10 (6%)	7 (4%)	2	17
11	W	83/95 (87%)	67 (81%)	7 (8%)	9 (11%)	0	5
12	X	60/92 (65%)	51 (85%)	5 (8%)	4 (7%)	1	11
13	Y	35/59 (59%)	34 (97%)	1 (3%)	0	100	100
14	Z	46/48 (96%)	43 (94%)	3 (6%)	0	100	100
All	All	4984/5321 (94%)	4694 (94%)	210 (4%)	80 (2%)	10	37

All (80) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	1	41	PRO
1	3	41	PRO
1	4	41	PRO
1	5	41	PRO
1	6	41	PRO
1	7	41	PRO
1	8	41	PRO
1	9	41	PRO
2	A	22	SER
2	A	24	GLU
2	A	229	LYS
2	A	338	ALA
2	C	59	SER
2	C	126	ALA
3	F	451	ASN
5	H	88	ILE
7	O	81	LEU

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
8	T	110	ALA
8	T	202	ASN
10	V	89	LEU
10	V	130	PHE
11	W	2	SER
11	W	17	SER
12	X	38	ASN
2	A	49	ILE
2	C	381	GLN
3	D	358	LEU
3	E	34	LEU
4	G	79	SER
5	H	33	PRO
8	T	109	PHE
10	V	65	THR
10	V	83	ILE
10	V	133	LEU
11	W	11	SER
11	W	42	ILE
12	X	31	TRP
2	B	29	GLU
2	B	327	PRO
2	C	49	ILE
2	C	299	ASP
2	C	335	ASP
2	C	379	ALA
3	D	131	ALA
3	D	426	GLY
3	E	31	PRO
3	E	130	SER
3	E	397	SER
3	E	451	ASN
3	F	86	PRO
5	H	36	SER
10	V	25	THR
11	W	31	TYR
11	W	61	ALA
12	X	43	GLU
1	5	42	SER
2	B	145	HIS
2	C	125	ALA
3	D	29	GLU

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
7	O	14	GLY
8	T	51	ASN
2	A	196	ASP
2	B	143	SER
3	D	353	SER
3	E	16	VAL
3	E	133	ILE
7	O	171	LEU
10	V	55	PHE
11	W	12	SER
11	W	43	LYS
2	B	125	ALA
3	F	279	VAL
11	W	38	PRO
4	G	123	PRO
4	G	181	PRO
3	D	83	ILE
2	B	376	VAL
12	X	36	LYS
3	D	86	PRO
3	E	346	PRO

### 5.3.2 Protein sidechains [i](#)

There are no protein residues with a non-rotameric sidechain to report in this entry.

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-25964. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 128




Y Index: 128




Z Index: 128


### 6.2.2 Raw map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 134




Y Index: 125




Z Index: 86


### 6.3.2 Raw map



X Index: 134



Y Index: 125



Z Index: 92

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.66. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_25964\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 412 nm<sup>3</sup>; this corresponds to an approximate mass of 372 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.172 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of  $0.172 \text{ \AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	5.80	-	-
Author-provided FSC curve	5.75	7.86	6.27
Unmasked-calculated*	8.59	14.66	8.98

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.59 differs from the reported value 5.8 by more than 10 %


## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-25964 and PDB model 7TKC. Per-residue inclusion information can be found in section [3](#) on page [7](#).


### 9.1 Map-model overlay [i](#)



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.66 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.66).

























































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 92% of all backbone atoms, 92% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.66) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9240	 0.3010
0	 0.8930	 0.2620
1	 0.7870	 0.2370
2	 0.6330	 0.2210
3	 0.8010	 0.2530
4	 0.8470	 0.2650
5	 0.9100	 0.2490
6	 0.7670	 0.2590
7	 0.7470	 0.2440
8	 0.7770	 0.2540
9	 0.8620	 0.2310
A	 0.9730	 0.3330
B	 0.9760	 0.3310
C	 0.9660	 0.3260
D	 0.9690	 0.3390
E	 0.9740	 0.3300
F	 0.9920	 0.3400
G	 0.9740	 0.3000
H	 0.8950	 0.2830
I	 0.9380	 0.2960
O	 0.9910	 0.3160
T	 0.7740	 0.2370
U	 0.9370	 0.2700
V	 0.8560	 0.2400
W	 0.7270	 0.1690
X	 0.7820	 0.2410
Y	 0.6550	 0.1730
Z	 0.9270	 0.2220

