



Full wwPDB X-ray Structure Validation Report ⓘ

Mar 5, 2026 – 08:35 AM UTC

PDB ID : 1XO7 / pdb_00001xo7
Title : Crystal structure of cyclophilin from Trypanosoma cruzi
Authors : Caruthers, J.M.; Hol, W.G.J.; Structural Genomics of Pathogenic Protozoa Consortium (SGPP)
Deposited on : 2004-10-05
Resolution : 1.61 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0
Xtriage (Phenix)	:	2.0
EDS	:	3.0
Percentile statistics	:	20250101.v01 (using entries in the PDB archive January 1st 2025)
CCP4	:	9.0.010 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.49


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.61 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	180053	6728 (1.64-1.60)
Clashscore	190562	7023 (1.64-1.60)
Ramachandran outliers	187476	6898 (1.64-1.60)
Sidechain outliers	187428	6896 (1.64-1.60)
RSRZ outliers	180081	6727 (1.64-1.60)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	166	<div> <div>%</div> <div> <div></div> <div>80%</div> <div>16%</div> <div>..</div> </div> </div>
1	B	166	<div> <div>%</div> <div> <div></div> <div>78%</div> <div>18%</div> <div>..</div> </div> </div>
1	C	166	<div> <div>%</div> <div> <div></div> <div>74%</div> <div>18%</div> <div>7%</div> <div>.</div> </div> </div>
1	D	166	<div> <div>%</div> <div> <div></div> <div>76%</div> <div>21%</div> <div>.</div> </div> </div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5896 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cyclophilin.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	166	Total	C	N	O	S	0	0	0
			1272	811	218	238	5			
1	B	166	Total	C	N	O	S	0	0	0
			1272	811	218	238	5			
1	C	166	Total	C	N	O	S	0	0	0
			1272	811	218	238	5			
1	D	166	Total	C	N	O	S	0	0	0
			1272	811	218	238	5			


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	196	Total	O	0	0
			196	196		
2	B	205	Total	O	0	0
			205	205		
2	C	200	Total	O	0	0
			200	200		
2	D	207	Total	O	0	0
			207	207		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cyclophilin




- Molecule 1: cyclophilin



- Molecule 1: cyclophilin



- Molecule 1: cyclophilin



M145	T146	K147	L150	M151	D152	K155	K159	L166
------	------	------	------	------	------	------	------	------

4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	53.31Å 62.14Å 64.64Å 109.55° 104.21° 104.92°	Depositor
Resolution (Å)	56.80 – 1.61 56.73 – 1.61	Depositor EDS
% Data completeness (in resolution range)	93.4 (56.80-1.61) 93.4 (56.73-1.61)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.10	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.92 (at 1.61Å)	Xtriage
Refinement program	REFMAC 5.1.24	Depositor
R, R_{free}	0.179 , 0.198 0.190 , 0.210	Depositor DCC
R_{free} test set	4251 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	14.7	Xtriage
Anisotropy	0.056	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.39 , 50.8	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	0.018 for -h,-l,-k	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	5896	wwPDB-VP
Average B, all atoms (Å ²)	19.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.62% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	2.02	20/1299 (1.5%)	1.61	9/1751 (0.5%)
1	B	1.85	19/1299 (1.5%)	1.48	8/1751 (0.5%)
1	C	2.36	25/1299 (1.9%)	1.61	15/1751 (0.9%)
1	D	1.91	16/1299 (1.2%)	1.48	6/1751 (0.3%)
All	All	2.04	80/5196 (1.5%)	1.55	38/7004 (0.5%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	5
All	All	0	6

All (80) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	101	MET	C-N	-30.80	0.91	1.33
1	C	63	MET	SD-CE	-25.95	1.14	1.79
1	A	44	GLY	C-N	19.91	1.64	1.33
1	D	63	MET	SD-CE	-18.83	1.32	1.79
1	A	100	SER	C-N	18.37	1.59	1.33
1	C	44	GLY	C-N	17.93	1.57	1.33
1	C	101	MET	CB-CG	14.78	1.96	1.52
1	C	45	GLU	C-N	14.57	1.55	1.33
1	C	101	MET	CA-CB	11.09	1.69	1.53
1	C	1	MET	SD-CE	10.53	2.05	1.79
1	C	95	PHE	C-O	-10.01	1.11	1.23
1	B	63	MET	SD-CE	-9.70	1.55	1.79
1	A	101	MET	CG-SD	-9.53	1.56	1.80
1	C	100	SER	C-N	9.47	1.46	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	1	MET	SD-CE	9.29	2.02	1.79
1	D	3	VAL	CA-CB	8.48	1.64	1.54
1	C	95	PHE	C-N	8.47	1.45	1.33
1	B	1	MET	CG-SD	8.38	2.01	1.80
1	A	45	GLU	C-N	-7.98	1.22	1.33
1	D	101	MET	SD-CE	-7.72	1.60	1.79
1	B	119	PRO	C-O	7.30	1.32	1.23
1	D	1	MET	SD-CE	-7.22	1.61	1.79
1	C	95	PHE	N-CA	7.06	1.54	1.46
1	C	101	MET	CA-C	7.05	1.62	1.52
1	D	62	PHE	N-CA	-6.99	1.37	1.46
1	B	96	VAL	CA-CB	-6.91	1.46	1.54
1	D	144	GLU	CD-OE1	6.89	1.38	1.25
1	D	84	ARG	NE-CZ	6.86	1.40	1.33
1	C	17	GLU	CA-C	6.65	1.60	1.52
1	B	60	ARG	NE-CZ	6.60	1.40	1.33
1	A	130	PHE	N-CA	6.30	1.53	1.46
1	B	95	PHE	N-CA	-6.21	1.38	1.45
1	B	142	LYS	C-O	6.20	1.31	1.24
1	D	127	HIS	N-CA	6.16	1.53	1.46
1	B	59	ILE	N-CA	6.15	1.55	1.46
1	C	88	GLU	C-O	6.13	1.31	1.24
1	B	148	THR	CA-C	-6.08	1.45	1.52
1	B	60	ARG	CA-C	6.05	1.60	1.52
1	B	153	LYS	CE-NZ	5.94	1.67	1.49
1	B	139	VAL	CA-C	-5.90	1.45	1.52
1	B	60	ARG	C-O	5.89	1.30	1.23
1	A	24	ILE	C-O	-5.89	1.17	1.24
1	C	129	VAL	N-CA	5.88	1.52	1.46
1	A	45	GLU	CD-OE1	5.88	1.36	1.25
1	C	134	VAL	N-CA	5.87	1.52	1.46
1	A	102	ALA	CA-CB	5.86	1.62	1.53
1	C	101	MET	CG-SD	5.84	1.95	1.80
1	B	137	MET	SD-CE	5.84	1.94	1.79
1	D	113	PHE	C-O	5.82	1.30	1.23
1	A	24	ILE	CA-CB	5.70	1.61	1.54
1	D	96	VAL	C-O	5.69	1.29	1.24
1	C	102	ALA	C-O	5.61	1.31	1.23
1	B	161	ASN	C-O	5.57	1.30	1.24
1	B	117	THR	CA-CB	5.57	1.62	1.53
1	A	45	GLU	CD-OE2	5.55	1.35	1.25
1	C	43	SER	N-CA	5.50	1.53	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	35	VAL	C-O	-5.49	1.17	1.24
1	A	126	ARG	N-CA	-5.45	1.38	1.45
1	A	133	VAL	CA-CB	5.43	1.60	1.53
1	B	157	ALA	CA-CB	5.36	1.62	1.53
1	C	64	ILE	C-O	5.34	1.29	1.24
1	C	12	ILE	CA-CB	5.34	1.60	1.54
1	D	78	LYS	CE-NZ	5.34	1.65	1.49
1	A	118	ALA	C-O	-5.33	1.18	1.24
1	A	128	VAL	C-O	5.32	1.29	1.23
1	C	162	ASP	C-O	5.27	1.30	1.23
1	A	124	ASP	N-CA	5.23	1.52	1.46
1	B	73	ASP	N-CA	5.22	1.51	1.46
1	D	23	VAL	N-CA	5.20	1.52	1.46
1	A	65	GLN	N-CA	5.17	1.52	1.46
1	D	60	ARG	CA-C	5.14	1.59	1.52
1	C	22	VAL	CA-CB	-5.13	1.48	1.54
1	D	68	ASP	CA-C	5.13	1.59	1.53
1	A	12	ILE	C-O	5.11	1.29	1.24
1	B	24	ILE	N-CA	5.11	1.52	1.46
1	D	62	PHE	CB-CG	-5.11	1.39	1.50
1	C	137	MET	CG-SD	5.06	1.93	1.80
1	A	50	TYR	C-O	5.02	1.30	1.24
1	A	135	GLU	N-CA	5.00	1.52	1.45
1	C	115	VAL	C-O	5.00	1.29	1.24

All (38) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	63	MET	CG-SD-CE	-15.31	67.22	100.90
1	A	101	MET	CA-CB-CG	-11.99	90.12	114.10
1	B	63	MET	CG-SD-CE	-11.73	75.09	100.90
1	A	101	MET	CG-SD-CE	-11.53	75.53	100.90
1	C	95	PHE	O-C-N	-11.01	111.15	123.48
1	C	100	SER	O-C-N	-10.56	109.66	122.96
1	A	45	GLU	O-C-N	-9.47	107.26	122.41
1	D	45	GLU	CA-CB-CG	9.12	132.33	114.10
1	C	101	MET	CB-CA-C	8.91	124.37	109.84
1	C	100	SER	CA-C-N	8.86	134.16	121.50
1	C	100	SER	C-N-CA	8.86	134.16	121.50
1	C	95	PHE	CB-CA-C	8.63	125.95	110.16
1	A	101	MET	CB-CG-SD	8.11	137.04	112.70
1	A	61	ASN	N-CA-C	7.32	121.61	112.24

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	155	LYS	CD-CE-NZ	7.16	134.82	111.90
1	B	155	LYS	CB-CG-CD	-6.86	95.52	111.30
1	C	45	GLU	CB-CG-CD	-6.70	101.21	112.60
1	B	155	LYS	CG-CD-CE	-6.65	96.00	111.30
1	A	107	ASN	N-CA-C	6.53	120.39	111.39
1	C	126	ARG	CG-CD-NE	-6.25	98.24	112.00
1	C	45	GLU	O-C-N	-6.05	114.38	122.43
1	D	45	GLU	CB-CG-CD	-6.04	102.33	112.60
1	D	50	TYR	N-CA-C	5.97	120.30	112.89
1	C	29	ASN	N-CA-C	-5.87	105.95	113.23
1	D	155	LYS	CB-CG-CD	-5.76	98.06	111.30
1	C	3	VAL	N-CA-C	5.75	116.48	108.89
1	A	143	VAL	O-C-N	5.70	127.50	121.91
1	C	45	GLU	CA-CB-CG	5.67	125.44	114.10
1	D	144	GLU	CG-CD-OE1	5.49	131.02	118.40
1	B	147	LYS	CA-CB-CG	-5.46	103.18	114.10
1	A	50	TYR	N-CA-C	5.43	119.62	112.89
1	C	96	VAL	N-CA-C	5.35	120.47	109.34
1	C	95	PHE	N-CA-C	-5.29	100.39	108.76
1	C	101	MET	CB-CG-SD	-5.29	96.84	112.70
1	B	86	ASP	N-CA-C	5.27	117.49	110.53
1	D	45	GLU	N-CA-CB	-5.27	102.11	110.22
1	B	19	VAL	CB-CA-C	-5.24	106.46	111.44
1	B	92	ILE	CG1-CB-CG2	-5.19	95.12	110.70

There are no chirality outliers.

All (6) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	45	GLU	Mainchain
1	C	100	SER	Mainchain
1	C	45	GLU	Mainchain
1	C	95	PHE	Mainchain,Peptide
1	C	97	GLY	Mainchain

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1272	0	1264	14	0
1	B	1272	0	1264	21	0
1	C	1272	0	1263	27	0
1	D	1272	0	1264	20	0
2	A	196	0	0	1	0
2	B	205	0	0	3	0
2	C	200	0	0	0	0
2	D	207	0	0	3	0
All	All	5896	0	5055	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:CE	1:A:1:MET:SD	2.02	1.47
1:B:1:MET:CG	1:B:1:MET:SD	2.01	1.46
1:C:1:MET:SD	1:C:1:MET:CE	2.05	1.44
1:C:101:MET:CB	1:C:101:MET:CG	1.96	1.42
1:C:63:MET:CE	1:C:63:MET:SD	1.14	1.24
1:C:63:MET:SD	1:C:63:MET:HE3	1.73	1.13
1:C:63:MET:CE	1:C:63:MET:CG	2.27	1.11
1:C:63:MET:SD	1:C:63:MET:HE2	1.73	1.10
1:C:63:MET:SD	1:C:63:MET:HE1	1.73	1.06
1:B:46:ASN:ND2	1:D:33:LYS:HE3	1.88	0.88
1:B:43:SER:OG	1:B:45:GLU:HG3	1.77	0.85
1:B:45:GLU:HG2	1:D:81:TYR:HB3	1.58	0.84
1:A:122:TRP:O	1:A:126:ARG:NH2	2.11	0.81
1:A:83:THR:HG22	1:A:84:ARG:HG3	1.64	0.80
1:A:137:MET:O	1:A:141:LYS:HG2	1.81	0.80
1:A:45:GLU:OE2	2:A:178:HOH:O	2.01	0.78
1:B:60:ARG:HH11	1:B:145:ASN:HD21	1.31	0.78
1:B:145:ASN:ND2	2:B:292:HOH:O	2.17	0.75
1:D:84:ARG:NH2	2:D:268:HOH:O	2.21	0.72
1:B:61:ASN:HD21	1:C:57:ARG:HH12	1.40	0.70
1:C:89:ASN:ND2	1:C:91:LYS:H	1.93	0.66
1:B:46:ASN:HD21	1:D:33:LYS:HE3	1.58	0.66
1:B:148:THR:C	1:B:155:LYS:HE3	2.22	0.65
1:D:112:GLN:HB3	2:D:220:HOH:O	1.97	0.64
1:A:52:GLY:HA2	1:A:159:LYS:HE3	1.80	0.64
1:B:148:THR:O	1:B:155:LYS:HE3	2.00	0.62

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:123:LEU:HD23	1:A:126:ARG:NH2	2.14	0.62
1:A:122:TRP:C	1:A:126:ARG:HH21	2.07	0.61
1:D:62:PHE:CZ	1:D:122:TRP:HZ2	2.20	0.60
1:D:52:GLY:HA2	1:D:159:LYS:HE3	1.83	0.60
1:A:123:LEU:HD23	1:A:126:ARG:HH22	1.66	0.59
1:B:60:ARG:HD2	2:B:292:HOH:O	2.03	0.58
1:B:147:LYS:HB3	1:B:155:LYS:HD2	1.86	0.58
1:C:101:MET:CB	1:C:101:MET:SD	2.93	0.57
1:D:62:PHE:HZ	1:D:122:TRP:HZ2	1.50	0.57
1:C:19:VAL:O	1:C:142:LYS:NZ	2.34	0.56
1:D:40:GLN:HG2	1:D:45:GLU:CD	2.30	0.56
1:C:89:ASN:HD21	1:C:92:ILE:H	1.54	0.55
1:C:43:SER:OG	1:C:45:GLU:HG2	2.08	0.54
1:C:89:ASN:ND2	1:C:92:ILE:H	2.05	0.54
1:B:46:ASN:HD21	1:D:33:LYS:CE	2.21	0.53
1:C:63:MET:CE	1:C:63:MET:HG3	2.35	0.50
1:D:58:VAL:HG23	1:D:58:VAL:O	2.11	0.50
1:C:101:MET:HB3	1:C:101:MET:HE3	1.93	0.49
1:B:23:VAL:HB	1:B:135:GLU:HB2	1.94	0.49
1:D:151:ASN:O	1:D:152:ASP:HB2	2.14	0.48
1:D:14:ILE:HD12	1:D:19:VAL:HG11	1.95	0.48
1:C:147:LYS:HZ1	1:C:148:THR:H	1.61	0.48
1:B:89:ASN:HD22	1:B:92:ILE:HD12	1.78	0.47
1:C:89:ASN:C	1:C:89:ASN:HD22	2.23	0.47
1:D:100:SER:HB3	1:D:114:PHE:CZ	2.50	0.47
1:C:15:GLY:O	1:C:16:ASP:HB2	2.15	0.46
1:C:155:LYS:HA	1:C:155:LYS:HD2	1.69	0.46
1:B:148:THR:O	1:B:155:LYS:CE	2.64	0.46
1:A:63:MET:SD	1:A:63:MET:C	3.00	0.45
1:D:40:GLN:HG2	1:D:45:GLU:OE2	2.17	0.45
1:C:149:GLY:N	1:C:155:LYS:HD3	2.32	0.44
1:C:14:ILE:HD12	1:C:19:VAL:HG11	2.00	0.44
1:A:147:LYS:HG3	1:A:155:LYS:HG2	2.00	0.43
1:C:60:ARG:HA	1:C:144:GLU:HG2	2.00	0.43
1:C:143:VAL:HG13	1:C:158:VAL:HG11	1.99	0.43
1:B:1:MET:HG2	2:B:255:HOH:O	2.18	0.43
1:B:159:LYS:HE3	1:B:159:LYS:HB2	1.87	0.43
1:B:1:MET:SD	1:B:1:MET:CB	2.95	0.42
1:B:11:ASP:OD2	1:B:162:ASP:OD1	2.37	0.42
1:C:147:LYS:NZ	1:C:148:THR:H	2.17	0.42
1:D:60:ARG:HG3	1:D:145:ASN:ND2	2.34	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1:MET:CE	1:C:1:MET:CG	2.94	0.41
1:A:123:LEU:HA	1:A:126:ARG:NH2	2.35	0.41
1:C:14:ILE:HG12	1:C:158:VAL:HG22	2.02	0.41
1:D:78:LYS:O	1:D:111:SER:HB3	2.21	0.41
1:D:31:VAL:CG1	1:D:89:ASN:HB3	2.51	0.40
1:D:147:LYS:HD2	2:D:232:HOH:O	2.20	0.40
1:A:78:LYS:O	1:A:111:SER:HB3	2.20	0.40
1:A:62:PHE:C	1:A:62:PHE:CD1	2.99	0.40
1:B:36:GLU:HG3	1:D:86:ASP:OD2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	164/166 (99%)	157 (96%)	7 (4%)	0	100	100
1	B	164/166 (99%)	159 (97%)	5 (3%)	0	100	100
1	C	164/166 (99%)	157 (96%)	6 (4%)	1 (1%)	21	7
1	D	164/166 (99%)	158 (96%)	6 (4%)	0	100	100
All	All	656/664 (99%)	631 (96%)	24 (4%)	1 (0%)	43	25

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	96	VAL

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar

resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	138/138 (100%)	133 (96%)	5 (4%)	31 9
1	B	138/138 (100%)	134 (97%)	4 (3%)	37 13
1	C	138/138 (100%)	131 (95%)	7 (5%)	21 4
1	D	138/138 (100%)	136 (99%)	2 (1%)	59 37
All	All	552/552 (100%)	534 (97%)	18 (3%)	33 11

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	63	MET
1	A	83	THR
1	A	137	MET
1	A	141	LYS
1	A	155	LYS
1	B	1	MET
1	B	6	ASP
1	B	147	LYS
1	B	150	LEU
1	C	84	ARG
1	C	89	ASN
1	C	126	ARG
1	C	132	LYS
1	C	142	LYS
1	C	147	LYS
1	C	155	LYS
1	D	12	ILE
1	D	150	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (16) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	46	ASN
1	A	56	HIS
1	A	71	ASN
1	A	151	ASN
1	B	46	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	61	ASN
1	B	145	ASN
1	B	151	ASN
1	B	161	ASN
1	C	46	ASN
1	C	89	ASN
1	C	151	ASN
1	D	46	ASN
1	D	94	HIS
1	D	145	ASN
1	D	161	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
1	A	1

Continued on next page...

Continued from previous page...

Mol	Chain	Number of breaks
1	C	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	A	44:GLY	C	45:GLU	N	1.64
1	C	101:MET	C	102:ALA	N	0.91

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	166/166 (100%)	-0.34	2 (1%) 76 81	10, 16, 28, 36	0
1	B	166/166 (100%)	-0.45	1 (0%) 85 89	11, 16, 24, 40	0
1	C	166/166 (100%)	-0.44	2 (1%) 76 81	11, 15, 25, 36	0
1	D	166/166 (100%)	-0.32	1 (0%) 85 89	11, 16, 30, 37	0
All	All	664/664 (100%)	-0.39	6 (0%) 81 85	10, 16, 27, 40	0

All (6) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	101	MET	4.8
1	B	83	THR	3.8
1	D	62	PHE	3.0
1	A	101	MET	2.7
1	A	83	THR	2.2
1	C	83	THR	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers ⓘ

There are no such residues in this entry.